




**GLOBAL
ABRASIVE
PRODUCTS**


A **DYNABRADE** Company



YOUR TRUSTED PARTNER IN ECONOMICAL ABRASIVE SOLUTIONS




The Future of Durable Abrasive Products



The image displays a variety of abrasive products. In the foreground, there are several rolls of sandpaper. One roll is labeled 'W25' and 'P80'. Another roll is labeled 'RESIN BOND' and 'ALUMINUM OXIDE'. A third roll is labeled 'AA 100 X'. A fourth roll is labeled 'U Y 04'. A green abrasive wheel is also visible. The products are arranged on a diamond plate surface.

X
AA 100 X
AA 100 Y



Global Abrasive Products, Inc. is pleased to provide you with our new full-line catalog. GAP's core values center on service, quality, competitiveness, and product breadth. As well, we have put together a talented team of technical sales people to provide you solutions to all your abrasive needs.

GAP maintains a large inventory of both raw material and finished products allowing for just-in-time delivery on your abrasive orders. Our state-of-the-art equipment, lean manufacturing methods & continuous improvement programs are constantly striving to provide the best delivery in the industry.

GAP's three converting plants produce sanding belts to 64" wide, non-woven surface conditioning belts, adhesive backed and hook & loop discs, rolls and sheets. In addition, GAP produces a full line of specialties including cross pads, square pads, flap wheels, flap discs and many other finishing and polishing products.

Our commitment to service is evident in the vast inventory of finished goods such as cut-off wheels, sticks and stones, tool room wheels, fiber discs, shop rolls, floor sanding products and many other ready-to-ship abrasive items.

We would like to thank you for your support and express our sincere appreciation for the growth opportunities you have provided us.

Table of Contents

Belts Narrow.....5-22 Wide.....23-30 Belt Cleaning Sticks.....30 Graphite Coated Canvas.....31	Floor Sanding Products Floor Sanding Discs.....56 Silicon Carbide Mesh Discs.....56 Floor Sanding Rolls.....57 Floor Sanding Sheets.....58 Floor Sanding Belts.....59	Peel-It PSA Discs A/O FilmBac Discs.....85 Blue Ceramic Discs.....86 Red Premium A/O Discs.....87 Gold A/O Stearated Discs.....88 White S/C Stearated Discs.....89 A/O Resin Cloth Discs.....90 Zirconia Resin Cloth Discs.....91 A/O Stearated Resin Cloth Discs.....91 A/O Heavy Duty Paper Discs F-Wt.....92 Silicon Carbide Waterproof Paper Discs.....93	FabraFoam & FabraMesh Discs FabraFoam H&L Discs.....107 FabraMesh H&L Discs.....107
Resin Fiber Discs Aluminum Oxide.....32 Zirconia.....32 Ceramic.....32 Silicon Carbide.....32 Resin Fiber Pads, Nuts & Wrenches.....33	Specialties Cross Pads & Mandrels.....60 Square Pads & Mandrels.....61 Eyelet Stars, Eyelet Mandrels & Flexshaft Mandrels.....62 Spindle and Arbor Mount Stars & Mandrels.....63 Loadings.....65 Sanding Sponges.....64 No Lap Bands & Rubber Expanding Drums.....65 Straight Cartridge Rolls.....66 Full Tapered Cartridge Rolls.....66 Cartridge Roll Mandrels.....67	PSA Disc Holders PSA Disc Holders.....94 PSA Disc Back-up Pads.....94	Interface & Conversion Pads Interface Pads.....108 Conversion Pads.....109
Quick Change Discs Quick Change Type Guide.....34 Premium Aluminum Oxide.....34 Zirconia Plus.....35 Ceramic Plus.....35 Resin Fiber - A/O & Zirconia.....36 Trim-Kut™.....37 Mini Flap Discs - A/O & Zirconia.....38 Quick Change Holders.....38-39	Non-Woven Abrasives Strip-It Wheels & Adapters.....68 Strip-It Discs.....68 Strip-It Mounted Wheels.....69 Strip-It Pres-Loc H&L Discs.....69 Surface Conditioning & Felt Belts.....70 Pres-Loc H&L Surface Conditioning Discs.....70 Clean & Finish Discs.....71 SCD Pres-Loc H&L Pads and Holders.....71 Quick Change Surface Conditioning Discs & Holders.....72 Surface Conditioning Eyelet Stars.....73 Star & Flexshaft Mandrels.....73 Convolute Wheels, Deburring & Light Deburring.....74 Convolute Wheels, Metal Finishing.....75 Reducer Bushings.....75 Unitized Wheels.....76 Non-Woven Nylon Rolls & Hand Pads.....77	PSA Hand Sanders Foam Palm Sander.....94	Depressed Center Wheels General Purpose - TP27.....110 General Purpose - TP27T.....110 Aluminum - TP27, TP27T.....111 Stainless-TP27, TP27T.....111 Zirconia-TP27, TP27T.....111 Concrete, Stone and Masonry TP27, TP27T.....112 General Purpose TP28, TP28T.....112 Classic Touch Wheels TP27, TP27T.....113 Adapter Kit.....113 Rex-Cut™ Depressed Center Wheels-TP27, TP27T.....114
Flap Discs Ceramic.....39 Zirconia.....39 Zirconia - High Density.....39 Aluminum Oxide.....40 Surface Conditioning Flap Discs.....40 Surface Prep Wheels.....41 Adapter Kits.....42	Flap Wheels Mini-Flap Wheels w/ 1/8 Shank.....42 Mounted Flap Wheels.....42-43 Unmounted Flap Wheels.....44 Flap Rolls.....44 Interleaf Flap Wheels.....45 Buff & Blend Flap Wheels.....46	Peel-It PSA Strips & Sheets A/O Resin Cloth Sheets.....97	Cutoff Wheels Small Diameter Aluminum Oxide Cutoff Wheels.....115 Small Diameter Zirconia Cutoff Wheels.....116 Cutoff Wheel Adapters.....116 Reinforced Cutoff Wheels.....117 Stationary & Chop Saw Wheels.....118 Portable High Speed Gas Saw Wheels - A/O & S/C.....119-120 Walk Behind Saw Wheels.....120
Rolls Shop.....46 Utility Cloth.....46 Resin Cloth -Non PSA & PSA.....47 Plumber.....48 Crocus Cloth.....48 Silicon Carbide Mesh.....48 Slashed.....49	Pres-It PSA Disc Rolls FilmBac A/O Disc Rolls.....78 Blue Ceramic Disc Rolls.....79 Red Premium A/O Disc Rolls.....80 Gold A/O Stearated Disc Rolls.....81 White S/C Stearated Disc Rolls.....82	Peel-It PSA Triangles Gold A/O Stearated PSA Triangles.....98 A/O Heavy Duty PSA Triangles F-Wt.....98	Vitrified Grinding Wheels Vitrified Grinding Wheels.....121-124
Sheets FilmBac.....50 Red Stearated.....50 Gold Stearated Paper.....50 Aluminum Oxide Paper.....51 Garnet Paper.....51 Emery Polishing Paper.....52 Silicon Carbide Stearated.....52 Silicon Carbide Waterproof Paper.....52 Aluminum Oxide Cloth.....53 Emery Cloth.....53 Crocus Cloth.....53 Silicon Carbide Mesh.....54 Fileboard.....54 Drywall (Pole) Silicon Carbide Mesh.....55 Drywall (Pole) Silicon Carbide Paper.....55 Flutter.....55	Peel-It PSA Disc Rolls Blue Ceramic Disc Rolls.....83 Red Premium A/O Disc Rolls.....83 Gold A/O Stearated Disc Rolls.....84 White S/C Stearated Disc Rolls.....84	Pres-Loc H&L Discs A/O FilmBac H&L Discs.....99 Blue Ceramic H&L Discs.....100 Red Premium A/O H&L Discs.....101 Gold A/O Stearated H&L Discs.....102 White S/C Stearated H&L Discs.....103 A/O Heavy Duty Paper H&L Discs F-Wt.....104	Wheel Accessories Wheel Dressers and Replacement Cutters.....125 Bushings.....125 Plug & Cone Wheels.....126 Resin Bonded Snagging Wheels.....127 Sticks, Stones & Rubs.....128 Mounted Wheels.....129-134
	Pres-It PSA Disc Holders Pres-Loc H&L Back-Up Pads.....105	H&L Disc Holders Pres-Loc H&L Back-Up Pads.....105	Reference Part Number to Page Index.....135 Product Availability Chart.....136-139
		H&L Hand Sanders Half Moon Sanders.....105 Foam Palm Sander.....105	
		Pres-Loc H&L Triangles Gold A/O Stearated H&L Triangles.....106 A/O Heavy Duty Paper H&L Triangles F-Wt.....106	


Belts

R145 Narrow Cloth Belts

X weight, closed coat, resin cloth, Aluminum Oxide. Our most popular belt product for general purpose metalworking applications. Contact customer service for current available specifications. 24 grit belts are made from Y weight R192 material.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Aluminum Oxide															
Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	Min./Unit
1/8 x 24	36000	32001	32002	32003	32004	32005	32006	32007	32008	32009	32010	32011	32012	32013	50/200
1/4 x 18	36015	32016	32017	32018	32019	32020	32021	32022	32023	32024	32025	32026	32027	32028	50/200
1/4 x 24	36030	32031	32032	32033	32034	32035	32036	32037	32038	32039	32040	32041	32042	32043	50/200
3/8 x 13	36045	32046	32047	32048	32049	32050	32051	32052	32053	32054	32055	32056	32057	32058	50/200
3/8 x 24	36060	32061	32062	32063	32064	32065	32066	32067	32068	32069	32070	32071	32072	32073	50/200
1/2 x 12	36075	32076	32077	32078	32079	32080	32081	32082	32083	32084	32085	32086	32087	32088	50/200
1/2 x 18	36090	32091	32092	32093	32094	32095	32096	32097	32098	32099	32100	32101	32102	32103	50/200
1/2 x 24	36105	32106	32107	32108	32109	32110	32111	32112	32113	32114	32115	32116	32117	32118	50/200
1/2 x 30	36120	32121	32122	32123	32124	32125	32126	32127	32128	32129	32130	32131	32132	32133	50/200
1/2 x 42	36135	32136	32137	32138	32139	32140	32141	32142	32143	32144	32145	32146	32147	32148	50/200
1/2 x 48	36150	32151	32152	32153	32154	32155	32156	32157	32158	32159	32160	32161	32162	32163	50/200
3/4 x 18	36165	32166	32167	32168	32169	32170	32171	32172	32173	32174	32175	32176	32177	32178	50/200
3/4 x 20-1/2	36180	32181	32182	32183	32184	32185	32186	32187	32188	32189	32190	32191	32192	32193	50/200
3/4 x 64	36195	32196	32197	32198	32199	32200	32201	32202	32203	32204	32205	32206	32207	32208	50/200
1 x 12	36210	32211	32212	32213	32214	32215	32216	32217	32218	32219	32220	32221	32222	32223	36/200
1 x 18	36225	32226	32227	32228	32229	32230	32231	32232	32233	32234	32235	32236	32237	32238	36/200
1 x 21	36240	32241	32242	32243	32244	32245	32246	32247	32248	32249	32250	32251	32252	32253	36/200
1 x 24	36255	32256	32257	32258	32259	32260	32261	32262	32263	32264	32265	32266	32267	32268	36/200
1 x 30	36270	32271	32272	32273	32274	32275	32276	32277	32278	32279	32280	32281	32282	32283	36/200
1 x 42	36285	32286	32287	32288	32289	32290	32291	32292	32293	32294	32295	32296	32297	32298	36/200
1 x 44	36300	32301	32302	32303	32304	32305	32306	32307	32308	32309	32310	32311	32312	32313	36/200
1 x 48	36315	32316	32317	32318	32319	32320	32321	32322	32323	32324	32325	32326	32327	32328	36/200
1 x 60	36330	32331	32332	32333	32334	32335	32336	32337	32338	32339	32340	32341	32342	32343	36/200
1 x 64	36345	32346	32347	32348	32349	32350	32351	32352	32353	32354	32355	32356	32357	32358	36/200
1 x 65	36360	32361	32362	32363	32364	32365	32366	32367	32368	32369	32370	32371	32372	32373	36/200
1 x 72	36375	32376	32377	32378	32379	32380	32381	32382	32383	32384	32385	32386	32387	32388	36/200
1 x 90	36390	32391	32392	32393	32394	32395	32396	32397	32398	32399	32400	32401	32402	32403	36/200
1 x 132	36405	32406	32407	32408	32409	32410	32411	32412	32413	32414	32415	32416	32417	32418	36/200
1-1/8 x 21	36420	32421	32422	32423	32424	32425	32426	32427	32428	32429	32430	32431	32432	32433	12/50
1-3/16 x 13-7/16	36435	32436	32437	32438	32439	32440	32441	32442	32443	32444	32445	32446	32447	32448	12/50
1-1/2 x 24	36450	32451	32452	32453	32454	32455	32456	32457	32458	32459	32460	32461	32462	32463	12/50
1-1/2 x 25	36465	32466	32467	32468	32469	32470	32471	32472	32473	32474	32475	32476	32477	32478	12/50
1-1/2 x 48	36480	32481	32482	32483	32484	32485	32486	32487	32488	32489	32490	32491	32492	32493	12/50
1-1/2 x 60	36495	32496	32497	32498	32499	32500	32501	32502	32503	32504	32505	32506	32507	32508	12/50
1-1/2 x 72	36510	32511	32512	32513	32514	32515	32516	32517	32518	32519	32520	32521	32522	32523	12/50
1-1/2 x 132	36525	32526	32527	32528	32529	32530	32531	32532	32533	32534	32535	32536	32537	32538	12/50
2 x 18-15/16	36540	32541	32542	32543	32544	32545	32546	32547	32548	32549	32550	32551	32552	32553	12/50
2 x 21	36555	32556	32557	32558	32559	32560	32561	32562	32563	32564	32565	32566	32567	32568	12/50
2 x 24	36570	32571	32572	32573	32574	32575	32576	32577	32578	32579	32580	32581	32582	32583	12/50
2 x 25-1/2	36585	32586	32587	32588	32589	32590	32591	32592	32593	32594	32595	32596	32597	32598	12/50
2 x 30	36600	32601	32602	32603	32604	32605	32606	32607	32608	32609	32610	32611	32612	32613	12/50
2 x 34	36615	32616	32617	32618	32619	32620	32621	32622	32623	32624	32625	32626	32627	32628	12/50
2 x 36	36630	32631	32632	32633	32634	32635	32636	32637	32638	32639	32640	32641	32642	32643	12/50
2 x 42	39060	35061	35062	35063	35064	35065	35066	35067	35068	35069	35070	35071	35072	35073	12/50
2 x 48	36645	32646	32647	32648	32649	32650	32651	32652	32653	32654	32655	32656	32657	32658	12/50
2 x 54	36660	32661	32662	32663	32664	32665	32666	32667	32668	32669	32670	32671	32672	32673	12/50
2 x 60	36675	32676	32677	32678	32679	32680	32681	32682	32683	32684	32685	32686	32687	32688	12/50
2 x 70	36690	32691	32692	32693	32694	32695	32696	32697	32698	32699	32700	32701	32702	32703	12/50
2 x 72	36705	32706	32707	32708	32709	32710	32711	32712	32713	32714	32715	32716	32717	32718	12/50
2 x 78	36720	32721	32722	32723	32724	32725	32726	32727	32728	32729	32730	32731	32732	32733	12/50

Belts

R145 Narrow Cloth Belts



X weight, closed coat, resin cloth, Aluminum Oxide. Our most popular belt product for general purpose metalworking applications. Contact customer service for current available specifications. 24 grit belts are made from Y weight R192 material.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Aluminum Oxide

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	Min./Unit
2 x 90	36735	32736	32737	32738	32739	32740	32741	32742	32743	32744	32745	32746	32747	32748	12/50
2 x 96	36750	32751	32752	32753	32754	32755	32756	32757	32758	32759	32760	32761	32762	32763	12/50
2 x 118	39100	35101	35102	35103	35104	35105	35106	35107	35108	35109	35110	35111	35112	35113	12/50
2 x 120	36765	32766	32767	32768	32769	32770	32771	32772	32773	32774	32775	32776	32777	32778	12/50
2 x 132	36780	32781	32782	32783	32784	32785	32786	32787	32788	32789	32790	32791	32792	32793	12/50
2 x 168	36795	32796	32797	32798	32799	32800	32801	32802	32803	32804	32805	32806	32807	32808	12/50
2-1/4 x 80	36810	32811	32812	32813	32814	32815	32816	32817	32818	32819	32820	32821	32822	32823	12/50
2-1/2 x 16	36825	32826	32827	32828	32829	32830	32831	32832	32833	32834	32835	32836	32837	32838	12/50
2-1/2 x 48	36840	32841	32842	32843	32844	32845	32846	32847	32848	32849	32850	32851	32852	32853	12/50
2-1/2 x 60	36855	32856	32857	32858	32859	32860	32861	32862	32863	32864	32865	32866	32867	32868	12/50
2-1/2 x 72	36870	32871	32872	32873	32874	32875	32876	32877	32878	32879	32880	32881	32882	32883	12/50
2-1/2 x 132	36885	32886	32887	32888	32889	32890	32891	32892	32893	32894	32895	32896	32897	32898	12/50
2-3/4 x 15-1/2	36900	32901	32902	32903	32904	32905	32906	32907	32908	32909	32910	32911	32912	32913	12/50
3 x 18	36915	32916	32917	32918	32919	32920	32921	32922	32923	32924	32925	32926	32927	32928	12/50
3 x 21	36930	32931	32932	32933	32934	32935	32936	32937	32938	32939	32940	32941	32942	32943	12/50
3 x 23-3/4	36945	32946	32947	32948	32949	32950	32951	32952	32953	32954	32955	32956	32957	32958	12/50
3 x 24	36960	32961	32962	32963	32964	32965	32966	32967	32968	32969	32970	32971	32972	32973	12/50
3 x 27	36975	32976	32977	32978	32979	32980	32981	32982	32983	32984	32985	32986	32987	32988	12/50
3 x 48	36990	32991	32992	32993	32994	32995	32996	32997	32998	32999	33000	33001	33002	33003	12/50
3 x 60	37005	33006	33007	33008	33009	33010	33011	33012	33013	33014	33015	33016	33017	33018	12/50
3 x 72	37020	33021	33022	33023	33024	33025	33026	33027	33028	33029	33030	33031	33032	33033	12/50
3 x 79	37035	33036	33037	33038	33039	33040	33041	33042	33043	33044	33045	33046	33047	33048	12/50
3 x 80	37050	33051	33052	33053	33054	33055	33056	33057	33058	33059	33060	33061	33062	33063	12/50
3 x 90	37065	33066	33067	33068	33069	33070	33071	33072	33073	33074	33075	33076	33077	33078	12/50
3 x 96	37080	33081	33082	33083	33084	33085	33086	33087	33088	33089	33090	33091	33092	33093	12/50
3 x 118	39200	35201	35202	35203	35204	35205	35206	35207	35208	35209	35210	35211	35212	35213	12/50
3 x 120	37095	33096	33097	33098	33099	33100	33101	33102	33103	33104	33105	33106	33107	33108	12/50
3 x 132	37110	33111	33112	33113	33114	33115	33116	33117	33118	33119	33120	33121	33122	33123	12/50
3 x 168	37125	33126	33127	33128	33129	33130	33131	33132	33133	33134	33135	33136	33137	33138	12/50
3-1/2 x 15-1/2	37140	33141	33142	33143	33144	33145	33146	33147	33148	33149	33150	33151	33152	33153	12/50
4 x 21	37155	33156	33157	33158	33159	33160	33161	33162	33163	33164	33165	33166	33167	33168	12/50
4 x 21-3/4	37170	33171	33172	33173	33174	33175	33176	33177	33178	33179	33180	33181	33182	33183	12/50
4 x 24	37185	33186	33187	33188	33189	33190	33191	33192	33193	33194	33195	33196	33197	33198	12/50
4 x 27	37200	33201	33202	33203	33204	33205	33206	33207	33208	33209	33210	33211	33212	33213	12/50
4 x 35	37215	33216	33217	33218	33219	33220	33221	33222	33223	33224	33225	33226	33227	33228	12/50
4 x 36	37230	33231	33232	33233	33234	33235	33236	33237	33238	33239	33240	33241	33242	33243	12/50
4 x 38	37245	33246	33247	33248	33249	33250	33251	33252	33253	33254	33255	33256	33257	33258	12/50
4 x 48	37260	33261	33262	33263	33264	33265	33266	33267	33268	33269	33270	33271	33272	33273	12/50
4 x 52	37275	33276	33277	33278	33279	33280	33281	33282	33283	33284	33285	33286	33287	33288	12/50
4 x 52-1/2	37290	33291	33292	33293	33294	33295	33296	33297	33298	33299	33300	33301	33302	33303	12/50
4 x 54	37305	33306	33307	33308	33309	33310	33311	33312	33313	33314	33315	33316	33317	33318	12/50
4 x 60	37320	33321	33322	33323	33324	33325	33326	33327	33328	33329	33330	33331	33332	33333	12/50
4 x 72	37335	33336	33337	33338	33339	33340	33341	33342	33343	33344	33345	33346	33347	33348	12/50
4 x 80	37350	33351	33352	33353	33354	33355	33356	33357	33358	33359	33360	33361	33362	33363	12/50
4 x 84	37365	33366	33367	33368	33369	33370	33371	33372	33373	33374	33375	33376	33377	33378	12/50
4 x 90	37380	33381	33382	33383	33384	33385	33386	33387	33388	33389	33390	33391	33392	33393	12/50
4 x 104	37395	33396	33397	33398	33399	33400	33401	33402	33403	33404	33405	33406	33407	33408	12/50
4 x 106	37410	33411	33412	33413	33414	33415	33416	33417	33418	33419	33420	33421	33422	33423	12/50
4 x 118	37425	33426	33427	33428	33429	33430	33431	33432	33433	33434	33435	33436	33437	33438	12/50
4 x 120	37440	33441	33442	33443	33444	33445	33446	33447	33448	33449	33450	33451	33452	33453	12/50


Belts

R145 Narrow Cloth Belts

X weight, closed coat, resin cloth, Aluminum Oxide. Our most popular belt product for general purpose metalworking applications. Contact customer service for current available specifications. 24 grit belts are made from Y weight R192 material.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Aluminum Oxide															
Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	Min.Unit
4 x 132	37455	33456	33457	33458	33459	33460	33461	33462	33463	33464	33465	33466	33467	33468	12/50
4 x 148	37470	33471	33472	33473	33474	33475	33476	33477	33478	33479	33480	33481	33482	33483	12/50
4 x 168	37485	33486	33487	33488	33489	33490	33491	33492	33493	33494	33495	33496	33497	33498	12/50
4 x 220	37500	33501	33502	33503	33504	33505	33506	33507	33508	33509	33510	33511	33512	33513	12/50
4-1/2 x 26	37515	33516	33517	33518	33519	33520	33521	33522	33523	33524	33525	33526	33527	33528	12/50
5 x 132	37530	33531	33532	33533	33534	33535	33536	33537	33538	33539	33540	33541	33542	33543	10/20
5 x 272	37545	33546	33547	33548	33549	33550	33551	33552	33553	33554	33555	33556	33557	33558	10/20
6 x 48	37560	33561	33562	33563	33564	33565	33566	33567	33568	33569	33570	33571	33572	33573	10/20
6 x 48-5/16	37575	33576	33577	33578	33579	33580	33581	33582	33583	33584	33585	33586	33587	33588	10/20
6 x 54-1/2	37590	33591	33592	33593	33594	33595	33596	33597	33598	33599	33600	33601	33602	33603	10/20
6 x 60	37605	33606	33607	33608	33609	33610	33611	33612	33613	33614	33615	33616	33617	33618	10/20
6 x 72	37620	33621	33622	33623	33624	33625	33626	33627	33628	33629	33630	33631	33632	33633	10/20
6 x 80	37635	33636	33637	33638	33639	33640	33641	33642	33643	33644	33645	33646	33647	33648	10/20
6 x 84	37650	33651	33652	33653	33654	33655	33656	33657	33658	33659	33660	33661	33662	33663	10/20
6 x 89	37665	33666	33667	33668	33669	33670	33671	33672	33673	33674	33675	33676	33677	33678	10/20
6 x 103	37680	33681	33682	33683	33684	33685	33686	33687	33688	33689	33690	33691	33692	33693	10/20
6 x 104	37695	33696	33697	33698	33699	33700	33701	33702	33703	33704	33705	33706	33707	33708	10/20
6 x 106	37710	33711	33712	33713	33714	33715	33716	33717	33718	33719	33720	33721	33722	33723	10/20
6 x 108	37725	33726	33727	33728	33729	33730	33731	33732	33733	33734	33735	33736	33737	33738	10/20
6 x 120	37740	33741	33742	33743	33744	33745	33746	33747	33748	33749	33750	33751	33752	33753	10/20
6 x 123	37755	33756	33757	33758	33759	33760	33761	33762	33763	33764	33765	33766	33767	33768	10/20
6 x 125	37770	33771	33772	33773	33774	33775	33776	33777	33778	33779	33780	33781	33782	33783	10/20
6 x 126	37785	33786	33787	33788	33789	33790	33791	33792	33793	33794	33795	33796	33797	33798	10/20
6 x 128	37800	33801	33802	33803	33804	33805	33806	33807	33808	33809	33810	33811	33812	33813	10/20
6 x 132	37815	33816	33817	33818	33819	33820	33821	33822	33823	33824	33825	33826	33827	33828	10/20
6 x 164	37830	33831	33832	33833	33834	33835	33836	33837	33838	33839	33840	33841	33842	33843	10/20
6 x 168	37845	33846	33847	33848	33849	33850	33851	33852	33853	33854	33855	33856	33857	33858	10/20
6 x 186	37860	33861	33862	33863	33864	33865	33866	33867	33868	33869	33870	33871	33872	33873	10/20
6 x 258	37875	33876	33877	33878	33879	33880	33881	33882	33883	33884	33885	33886	33887	33888	10/20
6 x 260	37890	33891	33892	33893	33894	33895	33896	33897	33898	33899	33900	33901	33902	33903	10/20
6 x 280	37905	33906	33907	33908	33909	33910	33911	33912	33913	33914	33915	33916	33917	33918	10/20
6 x 288	37920	33921	33922	33923	33924	33925	33926	33927	33928	33929	33930	33931	33932	33933	10/20
6 x 298	37935	33936	33937	33938	33939	33940	33941	33942	33943	33944	33945	33946	33947	33948	10/20
6 x 300	37950	33951	33952	33953	33954	33955	33956	33957	33958	33959	33960	33961	33962	33963	10/20
6 x 306	37965	33966	33967	33968	33969	33970	33971	33972	33973	33974	33975	33976	33977	33978	10/20
8 x 60	37980	33981	33982	33983	33984	33985	33986	33987	33988	33989	33990	33991	33992	33993	10/20
8 x 77	37995	33996	33997	33998	33999	34000	34001	34002	34003	34004	34005	34006	34007	34008	10/20
8 x 107	38010	34011	34012	34013	34014	34015	34016	34017	34018	34019	34020	34021	34022	34023	10/20
8 x 164	38025	34026	34027	34028	34029	34030	34031	34032	34033	34034	34035	34036	34037	34038	10/20
9 x 12-5/8	38040	34041	34042	34043	34044	34045	34046	34047	34048	34049	34050	34051	34052	34053	10/20
9 x 20	38055	34056	34057	34058	34059	34060	34061	34062	34063	34064	34065	34066	34067	34068	10/20
9 x 26-5/16	38070	34071	34072	34073	34074	34075	34076	34077	34078	34079	34080	34081	34082	34083	10/20
9 x 48	38085	34086	34087	34088	34089	34090	34091	34092	34093	34094	34095	34096	34097	34098	10/20
9 x 60	38100	34101	34102	34103	34104	34105	34106	34107	34108	34109	34110	34111	34112	34113	10/20
9 x 85	38115	34116	34117	34118	34119	34120	34121	34122	34123	34124	34125	34126	34127	34128	10/20
9 x 107	38130	34131	34132	34133	34134	34135	34136	34137	34138	34139	34140	34141	34142	34143	10/20
10 x 70-1/2	38145	34146	34147	34148	34149	34150	34151	34152	34153	34154	34155	34156	34157	34158	10/20
10 x 90	38160	34161	34162	34163	34164	34165	34166	34167	34168	34169	34170	34171	34172	34173	10/20

Belts

R192 Narrow Cloth Belts



Y weight (024 - 060), X weight (080 - 600), closed coat, resin cloth, Aluminum Oxide. Our premium belt for metalworking applications. Fast cutting for stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Aluminum Oxide


Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min./Unit
1/8 x 24	36000	36001	36002	36003	36004	36005	36006	36007	36008	36009	36010	36011	36012	36013	36014	50/200
1/4 x 18	36015	36016	36017	36018	36019	36020	36021	36022	36023	36024	36025	36026	36027	36028	36029	50/200
1/4 x 24	36030	36031	36032	36033	36034	36035	36036	36037	36038	36039	36040	36041	36042	36043	36044	50/200
3/8 x 13	36045	36046	36047	36048	36049	36050	36051	36052	36053	36054	36055	36056	36057	36058	36059	50/200
3/8 x 24	36060	36061	36062	36063	36064	36065	36066	36067	36068	36069	36070	36071	36072	36073	36074	50/200
1/2 x 12	36075	36076	36077	36078	36079	36080	36081	36082	36083	36084	36085	36086	36087	36088	36089	50/200
1/2 x 18	36090	36091	36092	36093	36094	36095	36096	36097	36098	36099	36100	36101	36102	36103	36104	50/200
1/2 x 24	36105	36106	36107	36108	36109	36110	36111	36112	36113	36114	36115	36116	36117	36118	36119	50/200
1/2 x 30	36120	36121	36122	36123	36124	36125	36126	36127	36128	36129	36130	36131	36132	36133	36134	50/200
1/2 x 42	36135	36136	36137	36138	36139	36140	36141	36142	36143	36144	36145	36146	36147	36148	36149	50/200
1/2 x 48	36150	36151	36152	36153	36154	36155	36156	36157	36158	36159	36160	36161	36162	36163	36164	50/200
3/4 x 18	36165	36166	36167	36168	36169	36170	36171	36172	36173	36174	36175	36176	36177	36178	36179	50/200
3/4 x 20-1/2	36180	36181	36182	36183	36184	36185	36186	36187	36188	36189	36190	36191	36192	36193	36194	50/200
3/4 x 64	36195	36196	36197	36198	36199	36200	36201	36202	36203	36204	36205	36206	36207	36208	36209	50/200
1 x 12	36210	36211	36212	36213	36214	36215	36216	36217	36218	36219	36220	36221	36222	36223	36224	36/200
1 x 18	36225	36226	36227	36228	36229	36230	36231	36232	36233	36234	36235	36236	36237	36238	36239	36/200
1 x 21	36240	36241	36242	36243	36244	36245	36246	36247	36248	36249	36250	36251	36252	36253	36254	36/200
1 x 24	36255	36256	36257	36258	36259	36260	36261	36262	36263	36264	36265	36266	36267	36268	36269	36/200
1 x 30	36270	36271	36272	36273	36274	36275	36276	36277	36278	36279	36280	36281	36282	36283	36284	36/200
1 x 42	36285	36286	36287	36288	36289	36290	36291	36292	36293	36294	36295	36296	36297	36298	36299	36/200
1 x 44	36300	36301	36302	36303	36304	36305	36306	36307	36308	36309	36310	36311	36312	36313	36314	36/200
1 x 48	36315	36316	36317	36318	36319	36320	36321	36322	36323	36324	36325	36326	36327	36328	36329	36/200
1 x 60	36330	36331	36332	36333	36334	36335	36336	36337	36338	36339	36340	36341	36342	36343	36344	36/200
1 x 64	36345	36346	36347	36348	36349	36350	36351	36352	36353	36354	36355	36356	36357	36358	36359	36/200
1 x 65	36360	36361	36362	36363	36364	36365	36366	36367	36368	36369	36370	36371	36372	36373	36374	36/200
1 x 72	36375	36376	36377	36378	36379	36380	36381	36382	36383	36384	36385	36386	36387	36388	36389	36/200
1 x 90	36390	36391	36392	36393	36394	36395	36396	36397	36398	36399	36400	36401	36402	36403	36404	36/200
1 x 132	36405	36406	36407	36408	36409	36410	36411	36412	36413	36414	36415	36416	36417	36418	36419	36/200
1-1/8 x 21	36420	36421	36422	36423	36424	36425	36426	36427	36428	36429	36430	36431	36432	36433	36434	12/50
1-3/16 x 13-7/16	36435	36436	36437	36438	36439	36440	36441	36442	36443	36444	36445	36446	36447	36448	36449	12/50
1-1/2 x 24	36450	36451	36452	36453	36454	36455	36456	36457	36458	36459	36460	36461	36462	36463	36464	12/50
1-1/2 x 25	36465	36466	36467	36468	36469	36470	36471	36472	36473	36474	36475	36476	36477	36478	36479	12/50
1-1/2 x 48	36480	36481	36482	36483	36484	36485	36486	36487	36488	36489	36490	36491	36492	36493	36494	12/50
1-1/2 x 60	36495	36496	36497	36498	36499	36500	36501	36502	36503	36504	36505	36506	36507	36508	36509	12/50
1-1/2 x 72	36510	36511	36512	36513	36514	36515	36516	36517	36518	36519	36520	36521	36522	36523	36524	12/50
1-1/2 x 132	36525	36526	36527	36528	36529	36530	36531	36532	36533	36534	36535	36536	36537	36538	36539	12/50
2 x 18-15/16	36540	36541	36542	36543	36544	36545	36546	36547	36548	36549	36550	36551	36552	36553	36554	12/50
2 x 21	36555	36556	36557	36558	36559	36560	36561	36562	36563	36564	36565	36566	36567	36568	36569	12/50
2 x 24	36570	36571	36572	36573	36574	36575	36576	36577	36578	36579	36580	36581	36582	36583	36584	12/50
2 x 25-1/2	36585	36586	36587	36588	36589	36590	36591	36592	36593	36594	36595	36596	36597	36598	36599	12/50
2 x 30	36600	36601	36602	36603	36604	36605	36606	36607	36608	36609	36610	36611	36612	36613	36614	12/50
2 x 34	36615	36616	36617	36618	36619	36620	36621	36622	36623	36624	36625	36626	36627	36628	36629	12/50
2 x 36	36630	36631	36632	36633	36634	36635	36636	36637	36638	36639	36640	36641	36642	36643	36644	12/50
2 x 42	39060	39061	39062	39063	39064	39065	39066	39067	39068	39069	39070	39071	39072	39073	39074	12/50
2 x 48	36645	36646	36647	36648	36649	36650	36651	36652	36653	36654	36655	36656	36657	36658	36659	12/50
2 x 54	36660	36661	36662	36663	36664	36665	36666	36667	36668	36669	36670	36671	36672	36673	36674	12/50
2 x 60	36675	36676	36677	36678	36679	36680	36681	36682	36683	36684	36685	36686	36687	36688	36689	12/50
2 x 70	36690	36691	36692	36693	36694	36695	36696	36697	36698	36699	36700	36701	36702	36703	36704	12/50
2 x 72	36705	36706	36707	36708	36709	36710	36711	36712	36713	36714	36715	36716	36717	36718	36719	12/50
2 x 78	36720	36721	36722	36723	36724	36725	36726	36727	36728	36729	36730	36731	36732	36733	36734	12/50

R192 Narrow Cloth Belts

Y weight (024 - 060), X weight (080 - 600), closed coat, resin cloth, Aluminum Oxide. Our premium belt for metalworking applications. Fast cutting for stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Aluminum Oxide																
Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min./Unit
2 x 90	36735	36736	36737	36738	36739	36740	36741	36742	36743	36744	36745	36746	36747	36748	36749	12/50
2 x 96	36750	36751	36752	36753	36754	36755	36756	36757	36758	36759	36760	36761	36762	36763	36764	12/50
2 x 118	39100	39101	39102	39103	39104	39105	39106	39107	39108	39109	39110	39111	39112	39113	39114	12/50
2 x 120	36765	36766	36767	36768	36769	36770	36771	36772	36773	36774	36775	36776	36777	36778	36779	12/50
2 x 132	36780	36781	36782	36783	36784	36785	36786	36787	36788	36789	36790	36791	36792	36793	36794	12/50
2 x 168	36795	36796	36797	36798	36799	36800	36801	36802	36803	36804	36805	36806	36807	36808	36809	12/50
2-1/4 x 80	36810	36811	36812	36813	36814	36815	36816	36817	36818	36819	36820	36821	36822	36823	36824	12/50
2-1/2 x 16	36825	36826	36827	36828	36829	36830	36831	36832	36833	36834	36835	36836	36837	36838	36839	12/50
2-1/2 x 48	36840	36841	36842	36843	36844	36845	36846	36847	36848	36849	36850	36851	36852	36853	36854	12/50
2-1/2 x 60	36855	36856	36857	36858	36859	36860	36861	36862	36863	36864	36865	36866	36867	36868	36869	12/50
2-1/2 x 72	36870	36871	36872	36873	36874	36875	36876	36877	36878	36879	36880	36881	36882	36883	36884	12/50
2-1/2 x 132	36885	36886	36887	36888	36889	36890	36891	36892	36893	36894	36895	36896	36897	36898	36899	12/50
2-3/4 x 15-1/2	36900	36901	36902	36903	36904	36905	36906	36907	36908	36909	36910	36911	36912	36913	36914	12/50
3 x 18	36915	36916	36917	36918	36919	36920	36921	36922	36923	36924	36925	36926	36927	36928	36929	12/50
3 x 21	36930	36931	36932	36933	36934	36935	36936	36937	36938	36939	36940	36941	36942	36943	36944	12/50
3 x 23-3/4	36945	36946	36947	36948	36949	36950	36951	36952	36953	36954	36955	36956	36957	36958	36959	12/50
3 x 24	36960	36961	36962	36963	36964	36965	36966	36967	36968	36969	36970	36971	36972	36973	36974	12/50
3 x 27	36975	36976	36977	36978	36979	36980	36981	36982	36983	36984	36985	36986	36987	36988	36989	12/50
3 x 48	36990	36991	36992	36993	36994	36995	36996	36997	36998	36999	37000	37001	37002	37003	37004	12/50
3 x 60	37005	37006	37007	37008	37009	37010	37011	37012	37013	37014	37015	37016	37017	37018	37019	12/50
3 x 72	37020	37021	37022	37023	37024	37025	37026	37027	37028	37029	37030	37031	37032	37033	37034	12/50
3 x 79	37035	37036	37037	37038	37039	37040	37041	37042	37043	37044	37045	37046	37047	37048	37049	12/50
3 x 80	37050	37051	37052	37053	37054	37055	37056	37057	37058	37059	37060	37061	37062	37063	37064	12/50
3 x 90	37065	37066	37067	37068	37069	37070	37071	37072	37073	37074	37075	37076	37077	37078	37079	12/50
3 x 96	37080	37081	37082	37083	37084	37085	37086	37087	37088	37089	37090	37091	37092	37093	37094	12/50
3 x 118	39200	39201	39202	39203	39204	39205	39206	39207	39208	39209	39210	39211	39212	39213	39214	12/50
3 x 120	37095	37096	37097	37098	37099	37100	37101	37102	37103	37104	37105	37106	37107	37108	37109	12/50
3 x 132	37110	37111	37112	37113	37114	37115	37116	37117	37118	37119	37120	37121	37122	37123	37124	12/50
3 x 168	37125	37126	37127	37128	37129	37130	37131	37132	37133	37134	37135	37136	37137	37138	37139	12/50
3-1/2 x 15-1/2	37140	37141	37142	37143	37144	37145	37146	37147	37148	37149	37150	37151	37152	37153	37154	12/50
4 x 21	37155	37156	37157	37158	37159	37160	37161	37162	37163	37164	37165	37166	37167	37168	37169	12/50
4 x 21-3/4	37170	37171	37172	37173	37174	37175	37176	37177	37178	37179	37180	37181	37182	37183	37184	12/50
4 x 24	37185	37186	37187	37188	37189	37190	37191	37192	37193	37194	37195	37196	37197	37198	37199	12/50
4 x 27	37200	37201	37202	37203	37204	37205	37206	37207	37208	37209	37210	37211	37212	37213	37214	12/50
4 x 35	37215	37216	37217	37218	37219	37220	37221	37222	37223	37224	37225	37226	37227	37228	37229	12/50
4 x 36	37230	37231	37232	37233	37234	37235	37236	37237	37238	37239	37240	37241	37242	37243	37244	12/50
4 x 38	37245	37246	37247	37248	37249	37250	37251	37252	37253	37254	37255	37256	37257	37258	37259	12/50
4 x 48	37260	37261	37262	37263	37264	37265	37266	37267	37268	37269	37270	37271	37272	37273	37274	12/50
4 x 52	37275	37276	37277	37278	37279	37280	37281	37282	37283	37284	37285	37286	37287	37288	37289	12/50
4 x 52-1/2	37290	37291	37292	37293	37294	37295	37296	37297	37298	37299	37300	37301	37302	37303	37304	12/50
4 x 54	37305	37306	37307	37308	37309	37310	37311	37312	37313	37314	37315	37316	37317	37318	37319	12/50
4 x 60	37320	37321	37322	37323	37324	37325	37326	37327	37328	37329	37330	37331	37332	37333	37334	12/50
4 x 72	37335	37336	37337	37338	37339	37340	37341	37342	37343	37344	37345	37346	37347	37348	37349	12/50
4 x 80	37350	37351	37352	37353	37354	37355	37356	37357	37358	37359	37360	37361	37362	37363	37364	12/50
4 x 84	37365	37366	37367	37368	37369	37370	37371	37372	37373	37374	37375	37376	37377	37378	37379	12/50
4 x 90	37380	37381	37382	37383	37384	37385	37386	37387	37388	37389	37390	37391	37392	37393	37394	12/50
4 x 104	37395	37396	37397	37398	37399	37400	37401	37402	37403	37404	37405	37406	37407	37408	37409	12/50
4 x 106	37410	37411	37412	37413	37414	37415	37416	37417	37418	37419	37420	37421	37422	37423	37424	12/50
4 x 118	37425	37426	37427	37428	37429	37430	37431	37432	37433	37434	37435	37436	37437	37438	37439	12/50
4 x 120	37440	37441	37442	37443	37444	37445	37446	37447	37448	37449	37450	37451	37452	37453	37454	12/50

Belts

R192 Narrow Cloth Belts



Y weight (024 - 060), X weight (080 - 600), closed coat, resin cloth, Aluminum Oxide. Our premium belt for metalworking applications. Fast cutting for stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Aluminum Oxide

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min.Unit
4 x 132	37455	37456	37457	37458	37459	37460	37461	37462	37463	37464	37465	37466	37467	37468	37469	12/50
4 x 148	37470	37471	37472	37473	37474	37475	37476	37477	37478	37479	37480	37481	37482	37483	37484	12/50
4 x 168	37485	37486	37487	37488	37489	37490	37491	37492	37493	37494	37495	37496	37497	37498	37499	12/50
4 x 220	37500	37501	37502	37503	37504	37505	37506	37507	37508	37509	37510	37511	37512	37513	37514	12/50
4-1/2 x 26	37515	37516	37517	37518	37519	37520	37521	37522	37523	37524	37525	37526	37527	37528	37529	12/50
5 x 132	37530	37531	37532	37533	37534	37535	37536	37537	37538	37539	37540	37541	37542	37543	37544	10/20
5 x 272	37545	37546	37547	37548	37549	37550	37551	37552	37553	37554	37555	37556	37557	37558	37559	10/20
6 x 48	37560	37561	37562	37563	37564	37565	37566	37567	37568	37569	37570	37571	37572	37573	37574	10/20
6 x 48-5/16	37575	37576	37577	37578	37579	37580	37581	37582	37583	37584	37585	37586	37587	37588	37589	10/20
6 x 54-1/2	37590	37591	37592	37593	37594	37595	37596	37597	37598	37599	37600	37601	37602	37603	37604	10/20
6 x 60	37605	37606	37607	37608	37609	37610	37611	37612	37613	37614	37615	37616	37617	37618	37619	10/20
6 x 72	37620	37621	37622	37623	37624	37625	37626	37627	37628	37629	37630	37631	37632	37633	37634	10/20
6 x 80	37635	37636	37637	37638	37639	37640	37641	37642	37643	37644	37645	37646	37647	37648	37649	10/20
6 x 84	37650	37651	37652	37653	37654	37655	37656	37657	37658	37659	37660	37661	37662	37663	37664	10/20
6 x 89	37665	37666	37667	37668	37669	37670	37671	37672	37673	37674	37675	37676	37677	37678	37679	10/20
6 x 103	37680	37681	37682	37683	37684	37685	37686	37687	37688	37689	37690	37691	37692	37693	37694	10/20
6 x 104	37695	37696	37697	37698	37699	37700	37701	37702	37703	37704	37705	37706	37707	37708	37709	10/20
6 x 106	37710	37711	37712	37713	37714	37715	37716	37717	37718	37719	37720	37721	37722	37723	37724	10/20
6 x 108	37725	37726	37727	37728	37729	37730	37731	37732	37733	37734	37735	37736	37737	37738	37739	10/20
6 x 120	37740	37741	37742	37743	37744	37745	37746	37747	37748	37749	37750	37751	37752	37753	37754	10/20
6 x 123	37755	37756	37757	37758	37759	37760	37761	37762	37763	37764	37765	37766	37767	37768	37769	10/20
6 x 125	37770	37771	37772	37773	37774	37775	37776	37777	37778	37779	37780	37781	37782	37783	37784	10/20
6 x 126	37785	37786	37787	37788	37789	37790	37791	37792	37793	37794	37795	37796	37797	37798	37799	10/20
6 x 128	37800	37801	37802	37803	37804	37805	37806	37807	37808	37809	37810	37811	37812	37813	37814	10/20
6 x 132	37815	37816	37817	37818	37819	37820	37821	37822	37823	37824	37825	37826	37827	37828	37829	10/20
6 x 164	37830	37831	37832	37833	37834	37835	37836	37837	37838	37839	37840	37841	37842	37843	37844	10/20
6 x 168	37845	37846	37847	37848	37849	37850	37851	37852	37853	37854	37855	37856	37857	37858	37859	10/20
6 x 186	37860	37861	37862	37863	37864	37865	37866	37867	37868	37869	37870	37871	37872	37873	37874	10/20
6 x 258	37875	37876	37877	37878	37879	37880	37881	37882	37883	37884	37885	37886	37887	37888	37889	10/20
6 x 260	37890	37891	37892	37893	37894	37895	37896	37897	37898	37899	37900	37901	37902	37903	37904	10/20
6 x 280	37905	37906	37907	37908	37909	37910	37911	37912	37913	37914	37915	37916	37917	37918	37919	10/20
6 x 288	37920	37921	37922	37923	37924	37925	37926	37927	37928	37929	37930	37931	37932	37933	37934	10/20
6 x 298	37935	37936	37937	37938	37939	37940	37941	37942	37943	37944	37945	37946	37947	37948	37949	10/20
6 x 300	37950	37951	37952	37953	37954	37955	37956	37957	37958	37959	37960	37961	37962	37963	37964	10/20
6 x 306	37965	37966	37967	37968	37969	37970	37971	37972	37973	37974	37975	37976	37977	37978	37979	10/20
8 x 60	37980	37981	37982	37983	37984	37985	37986	37987	37988	37989	37990	37991	37992	37993	37994	10/20
8 x 77	37995	37996	37997	37998	37999	38000	38001	38002	38003	38004	38005	38006	38007	38008	38009	10/20
8 x 107	38010	38011	38012	38013	38014	38015	38016	38017	38018	38019	38020	38021	38022	38023	38024	10/20
8 x 164	38025	38026	38027	38028	38029	38030	38031	38032	38033	38034	38035	38036	38037	38038	38039	10/20
9 x 12-5/8	38040	38041	38042	38043	38044	38045	38046	38047	38048	38049	38050	38051	38052	38053	38054	10/20
9 x 20	38055	38056	38057	38058	38059	38060	38061	38062	38063	38064	38065	38066	38067	38068	38069	10/20
9 x 26-5/16	38070	38071	38072	38073	38074	38075	38076	38077	38078	38079	38080	38081	38082	38083	38084	10/20
9 x 48	38085	38086	38087	38088	38089	38090	38091	38092	38093	38094	38095	38096	38097	38098	38099	10/20
9 x 60	38100	38101	38102	38103	38104	38105	38106	38107	38108	38109	38110	38111	38112	38113	38114	10/20
9 x 85	38115	38116	38117	38118	38119	38120	38121	38122	38123	38124	38125	38126	38127	38128	38129	10/20
9 x 107	38130	38131	38132	38133	38134	38135	38136	38137	38138	38139	38140	38141	38142	38143	38144	10/20
10 x 70-1/2	38145	38146	38147	38148	38149	38150	38151	38152	38153	38154	38155	38156	38157	38158	38159	10/20
10 x 90	38160	38161	38162	38163	38164	38165	38166	38167	38168	38169	38170	38171	38172	38173	38174	10/20


Belts

R205 Narrow Cloth Belts

Y weight, closed coat, polyester resin cloth, Zirconia. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Zirconia									
Size	24Y	36X	40X	50X	60X	80X	100X	120X	Min./Unit
1/8 x 24	56000	56001	56002	56003	56004	56005	56006	56007	50/200
1/4 x 18	56015	56016	56017	56018	56019	56020	56021	56022	50/200
1/4 x 24	56030	56031	56032	56033	56034	56035	56036	56037	50/200
3/8 x 13	56045	56046	56047	56048	56049	56050	56051	56052	50/200
3/8 x 24	56060	56061	56062	56063	56064	56065	56066	56067	50/200
1/2 x 12	56075	56076	56077	56078	56079	56080	56081	56082	50/200
1/2 x 18	56090	56091	56092	56093	56094	56095	56096	56097	50/200
1/2 x 24	56105	56106	56107	56108	56109	56110	56111	56112	50/200
1/2 x 30	56120	56121	56122	56123	56124	56125	56126	56127	50/200
1/2 x 42	56135	56136	56137	56138	56139	56140	56141	56142	50/200
1/2 x 48	56150	56151	56152	56153	56154	56155	56156	56157	50/200
3/4 x 18	56165	56166	56167	56168	56169	56170	56171	56172	50/200
3/4 x 20-1/2	56180	56181	56182	56183	56184	56185	56186	56187	50/200
3/4 x 64	56195	56196	56197	56198	56199	56200	56201	56202	50/200
1 x 12	56210	56211	56212	56213	56214	56215	56216	56217	36/200
1 x 18	56225	56226	56227	56228	56229	56230	56231	56232	36/200
1 x 21	56240	56241	56242	56243	56244	56245	56246	56247	36/200
1 x 24	56255	56256	56257	56258	56259	56260	56261	56262	36/200
1 x 30	56270	56271	56272	56273	56274	56275	56276	56277	36/200
1 x 42	56285	56286	56287	56288	56289	56290	56291	56292	36/200
1 x 44	56300	56301	56302	56303	56304	56305	56306	56307	36/200
1 x 48	56315	56316	56317	56318	56319	56320	56321	56322	36/200
1 x 60	56330	56331	56332	56333	56334	56335	56336	56337	36/200
1 x 64	56345	56346	56347	56348	56349	56350	56351	56352	36/200
1 x 65	56360	56361	56362	56363	56364	56365	56366	56367	36/200
1 x 72	56375	56376	56377	56378	56379	56380	56381	56382	36/200
1 x 90	56390	56391	56392	56393	56394	56395	56396	56397	36/200
1 x 132	56405	56406	56407	56408	56409	56410	56411	56412	36/200
1-1/8 x 21	56420	56421	56422	56423	56424	56425	56426	56427	12/50
1-3/16 x 13-7/16	56435	56436	56437	56438	56439	56440	56441	56442	12/50
1-1/2 x 24	56450	56451	56452	56453	56454	56455	56456	56457	12/50
1-1/2 x 25	56465	56466	56467	56468	56469	56470	56471	56472	12/50
1-1/2 x 48	56480	56481	56482	56483	56484	56485	56486	56487	12/50
1-1/2 x 60	56495	56496	56497	56498	56499	56500	56501	56502	12/50
1-1/2 x 72	56510	56511	56512	56513	56514	56515	56516	56517	12/50
1-1/2 x 132	56525	56526	56527	56528	56529	56530	56531	56532	12/50
2 x 18-15/16	56540	56541	56542	56543	56544	56545	56546	56547	12/50
2 x 21	56555	56556	56557	56558	56559	56560	56561	56562	12/50
2 x 24	56570	56571	56572	56573	56574	56575	56576	56577	12/50
2 x 25-1/2	56585	56586	56587	56588	56589	56590	56591	56592	12/50
2 x 30	56600	56601	56602	56603	56604	56605	56606	56607	12/50
2 x 34	56615	56616	56617	56618	56619	56620	56621	56622	12/50
2 x 36	56630	56631	56632	56633	56634	56635	56636	56637	12/50
2 x 42	59060	59061	59062	59063	59064	59065	59066	59067	12/50
2 x 48	56645	56646	56647	56648	56649	56650	56651	56652	12/50
2 x 54	56660	56661	56662	56663	56664	56665	56666	56667	12/50
2 x 60	56675	56676	56677	56678	56679	56680	56681	56682	12/50
2 x 70	56690	56691	56692	56693	56694	56695	56696	56697	12/50
2 x 72	56705	56706	56707	56708	56709	56710	56711	56712	12/50
2 x 78	56720	56721	56722	56723	56724	56725	56726	56727	12/50

Belts

R205 Narrow Cloth Belts



Y weight, closed coat, polyester resin cloth, Zirconia. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	Min./Unit
2 x 90	56735	56736	56737	56738	56739	56740	56741	56742	12/50
2 x 96	56750	56751	56752	56753	56754	56755	56756	56757	12/50
2 x 118	59100	59101	59102	59103	59104	59105	59106	59107	12/50
2 x 120	56765	56766	56767	56768	56769	56770	56771	56772	12/50
2 x 132	56780	56781	56782	56783	56784	56785	56786	56787	12/50
2 x 168	56795	56796	56797	56798	56799	56800	56801	56802	12/50
2-1/4 x 80	56810	56811	56812	56813	56814	56815	56816	56817	12/50
2-1/2 x 16	56825	56826	56827	56828	56829	56830	56831	56832	12/50
2-1/2 x 48	56840	56841	56842	56843	56844	56845	56846	56847	12/50
2-1/2 x 60	56855	56856	56857	56858	56859	56860	56861	56862	12/50
2-1/2 x 72	56870	56871	56872	56873	56874	56875	56876	56877	12/50
2-1/2 x 132	56885	56886	56887	56888	56889	56890	56891	56892	12/50
2-3/4 x 15-1/2	56900	56901	56902	56903	56904	56905	56906	56907	12/50
3 x 18	56915	56916	56917	56918	56919	56920	56921	56922	12/50
3 x 21	56930	56931	56932	56933	56934	56935	56936	56937	12/50
3 x 23-3/4	56945	56946	56947	56948	56949	56950	56951	56952	12/50
3 x 24	56960	56961	56962	56963	56964	56965	56966	56967	12/50
3 x 27	56975	56976	56977	56978	56979	56980	56981	56982	12/50
3 x 48	56990	56991	56992	56993	56994	56995	56996	56997	12/50
3 x 60	57005	57006	57007	57008	57009	57010	57011	57012	12/50
3 x 72	57020	57021	57022	57023	57024	57025	57026	57027	12/50
3 x 79	57035	57036	57037	57038	57039	57040	57041	57042	12/50
3 x 80	57050	57051	57052	57053	57054	57055	57056	57057	12/50
3 x 90	57065	57066	57067	57068	57069	57070	57071	57072	12/50
3 x 96	57080	57081	57082	57083	57084	57085	57086	57087	12/50
3 x 118	59200	59201	59202	59203	59204	59205	59206	59207	12/50
3 x 120	57095	57096	57097	57098	57099	57100	57101	57102	12/50
3 x 132	57110	57111	57112	57113	57114	57115	57116	57117	12/50
3 x 168	57125	57126	57127	57128	57129	57130	57131	57132	12/50
3-1/2 x 15-1/2	57140	57141	57142	57143	57144	57145	57146	57147	12/50
4 x 21	57155	57156	57157	57158	57159	57160	57161	57162	12/50
4 x 21-3/4	57170	57171	57172	57173	57174	57175	57176	57177	12/50
4 x 24	57185	57186	57187	57188	57189	57190	57191	57192	12/50
4 x 27	57200	57201	57202	57203	57204	57205	57206	57207	12/50
4 x 35	57215	57216	57217	57218	57219	57220	57221	57222	12/50
4 x 36	57230	57231	57232	57233	57234	57235	57236	57237	12/50
4 x 38	57245	57246	57247	57248	57249	57250	57251	57252	12/50
4 x 48	57260	57261	57262	57263	57264	57265	57266	57267	12/50
4 x 52	57275	57276	57277	57278	57279	57280	57281	57282	12/50
4 x 52-1/2	57290	57291	57292	57293	57294	57295	57296	57297	12/50
4 x 54	57305	57306	57307	57308	57309	57310	57311	57312	12/50
4 x 60	57320	57321	57322	57323	57324	57325	57326	57327	12/50
4 x 72	57335	57336	57337	57338	57339	57340	57341	57342	12/50
4 x 80	57350	57351	57352	57353	57354	57355	57356	57357	12/50
4 x 84	57365	57366	57367	57368	57369	57370	57371	57372	12/50
4 x 90	57380	57381	57382	57383	57384	57385	57386	57387	12/50
4 x 104	57395	57396	57397	57398	57399	57400	57401	57402	12/50
4 x 106	57410	57411	57412	57413	57414	57415	57416	57417	12/50
4 x 118	57425	57426	57427	57428	57429	57430	57431	57432	12/50
4 x 120	57440	57441	57442	57443	57444	57445	57446	57447	12/50


Belts

R205 Narrow Cloth Belts

Y weight, closed coat, polyester resin cloth, Zirconia. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	Min.Unit
4 x 132	57455	57456	57457	57458	57459	57460	57461	57462	12/50
4 x 148	57470	57471	57472	57473	57474	57475	57476	57477	12/50
4 x 168	57485	57486	57487	57488	57489	57490	57491	57492	12/50
4 x 220	57500	57501	57502	57503	57504	57505	57506	57507	12/50
4-1/2 x 26	57515	57516	57517	57518	57519	57520	57521	57522	12/50
5 x 132	57530	57531	57532	57533	57534	57535	57536	57537	10/20
5 x 272	57545	57546	57547	57548	57549	57550	57551	57552	10/20
6 x 48	57560	57561	57562	57563	57564	57565	57566	57567	10/20
6 x 48-5/16	57575	57576	57577	57578	57579	57580	57581	57582	10/20
6 x 54-1/2	57590	57591	57592	57593	57594	57595	57596	57597	10/20
6 x 60	57605	57606	57607	57608	57609	57610	57611	57612	10/20
6 x 72	57620	57621	57622	57623	57624	57625	57626	57627	10/20
6 x 80	57635	57636	57637	57638	57639	57640	57641	57642	10/20
6 x 84	57650	57651	57652	57653	57654	57655	57656	57657	10/20
6 x 89	57665	57666	57667	57668	57669	57670	57671	57672	10/20
6 x 103	57680	57681	57682	57683	57684	57685	57686	57687	10/20
6 x 104	57695	57696	57697	57698	57699	57700	57701	57702	10/20
6 x 106	57710	57711	57712	57713	57714	57715	57716	57717	10/20
6 x 108	57725	57726	57727	57728	57729	57730	57731	57732	10/20
6 x 120	57740	57741	57742	57743	57744	57745	57746	57747	10/20
6 x 123	57755	57756	57757	57758	57759	57760	57761	57762	10/20
6 x 125	57770	57771	57772	57773	57774	57775	57776	57777	10/20
6 x 126	57785	57786	57787	57788	57789	57790	57791	57792	10/20
6 x 128	57800	57801	57802	57803	57804	57805	57806	57807	10/20
6 x 132	57815	57816	57817	57818	57819	57820	57821	57822	10/20
6 x 164	57830	57831	57832	57833	57834	57835	57836	57837	10/20
6 x 168	57845	57846	57847	57848	57849	57850	57851	57852	10/20
6 x 186	57860	57861	57862	57863	57864	57865	57866	57867	10/20
6 x 258	57875	57876	57877	57878	57879	57880	57881	57882	10/20
6 x 260	57890	57891	57892	57893	57894	57895	57896	57897	10/20
6 x 280	57905	57906	57907	57908	57909	57910	57911	57912	10/20
6 x 288	57920	57921	57922	57923	57924	57925	57926	57927	10/20
6 x 298	57935	57936	57937	57938	57939	57940	57941	57942	10/20
6 x 300	57950	57951	57952	57953	57954	57955	57956	57957	10/20
6 x 306	57965	57966	57967	57968	57969	57970	57971	57972	10/20
8 x 60	57980	57981	57982	57983	57984	57985	57986	57987	10/20
8 x 77	57995	57996	57997	57998	57999	58000	58001	58002	10/20
8 x 107	58010	58011	58012	58013	58014	58015	58016	58017	10/20
8 x 164	58025	58026	58027	58028	58029	58030	58031	58032	10/20
9 x 12-5/8	58040	58041	58042	58043	58044	58045	58046	58047	10/20
9 x 20	58055	58056	58057	58058	58059	58060	58061	58062	10/20
9 x 26-5/16	58070	58071	58072	58073	58074	58075	58076	58077	10/20
9 x 48	58085	58086	58087	58088	58089	58090	58091	58092	10/20
9 x 60	58100	58101	58102	58103	58104	58105	58106	58107	10/20
9 x 85	58115	58116	58117	58118	58119	58120	58121	58122	10/20
9 x 107	58130	58131	58132	58133	58134	58135	58136	58137	10/20
10 x 70-1/2	58145	58146	58147	58148	58149	58150	58151	58152	10/20
10 x 90	58160	58161	58162	58163	58164	58165	58166	58167	10/20

Belts

R203 Narrow Cloth Belts



Y weight, closed coat, polyester resin cloth, Zirconia with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	Min./Unit
1/8 x 24	52000	52001	52002	52003	52004	52005	52006	52007	52008	50/200
1/4 x 18	52015	52016	52017	52018	52019	52020	52021	52022	52023	50/200
1/4 x 24	52030	52031	52032	52033	52034	52035	52036	52037	52038	50/200
3/8 x 13	52045	52046	52047	52048	52049	52050	52051	52052	52053	50/200
3/8 x 24	52060	52061	52062	52063	52064	52065	52066	52067	52068	50/200
1/2 x 12	52075	52076	52077	52078	52079	52080	52081	52082	52083	50/200
1/2 x 18	52090	52091	52092	52093	52094	52095	52096	52097	52098	50/200
1/2 x 24	52105	52106	52107	52108	52109	52110	52111	52112	52113	50/200
1/2 x 30	52120	52121	52122	52123	52124	52125	52126	52127	52128	50/200
1/2 x 42	52135	52136	52137	52138	52139	52140	52141	52142	52143	50/200
1/2 x 48	52150	52151	52152	52153	52154	52155	52156	52157	52158	50/200
3/4 x 18	52165	52166	52167	52168	52169	52170	52171	52172	52173	50/200
3/4 x 20-1/2	52180	52181	52182	52183	52184	52185	52186	52187	52188	50/200
3/4 x 64	52195	52196	52197	52198	52199	52200	52201	52202	52203	50/200
1 x 12	52210	52211	52212	52213	52214	52215	52216	52217	52218	36/200
1 x 18	52225	52226	52227	52228	52229	52230	52231	52232	52233	36/200
1 x 21	52240	52241	52242	52243	52244	52245	52246	52247	52248	36/200
1 x 24	52255	52256	52257	52258	52259	52260	52261	52262	52263	36/200
1 x 30	52270	52271	52272	52273	52274	52275	52276	52277	52278	36/200
1 x 42	52285	52286	52287	52288	52289	52290	52291	52292	52293	36/200
1 x 44	52300	52301	52302	52303	52304	52305	52306	52307	52308	36/200
1 x 48	52315	52316	52317	52318	52319	52320	52321	52322	52323	36/200
1 x 60	52330	52331	52332	52333	52334	52335	52336	52337	52338	36/200
1 x 64	52345	52346	52347	52348	52349	52350	52351	52352	52353	36/200
1 x 65	52360	52361	52362	52363	52364	52365	52366	52367	52368	36/200
1 x 72	52375	52376	52377	52378	52379	52380	52381	52382	52383	36/200
1 x 90	52390	52391	52392	52393	52394	52395	52396	52397	52398	36/200
1 x 132	52405	52406	52407	52408	52409	52410	52411	52412	52413	36/200
1-1/8 x 21	52420	52421	52422	52423	52424	52425	52426	52427	52428	12/50
1-3/16 x 13-7/16	52435	52436	526437	52438	52439	52440	52441	52442	52443	12/50
1-1/2 x 24	52450	52451	52452	52453	52454	52455	52456	52457	52458	12/50
1-1/2 x 25	52465	52466	52467	52468	52469	52470	52471	52472	52473	12/50
1-1/2 x 48	52480	52481	52482	52483	52484	52485	52486	52487	52488	12/50
1-1/2 x 60	52495	52496	52497	52498	52499	52500	52501	52502	52503	12/50
1-1/2 x 72	52510	52511	52512	52513	52514	52515	52516	52517	52518	12/50
1-1/2 x 132	52525	52526	52527	52528	52529	52530	52531	52532	52533	12/50
2 x 18-15/16	52540	52541	52542	52543	52544	52545	52546	52547	52548	12/50
2 x 21	52555	52556	52557	52558	52559	52560	52561	52562	52563	12/50
2 x 24	52570	52571	52572	52573	52574	52575	52576	52577	52578	12/50
2 x 25-1/2	52585	52586	52587	52588	52589	52590	52591	52592	52593	12/50
2 x 30	52600	52601	52602	52603	52604	52605	52606	52607	52608	12/50
2 x 34	52615	52616	52617	52618	52619	52620	52621	52622	52623	12/50
2 x 36	52630	52631	52632	52633	52634	52635	52636	52637	52638	12/50
2 x 42	55060	55061	55062	55063	55064	55065	55066	55067	55068	12/50
2 x 48	52645	52646	52647	52648	52649	52650	52651	52652	52653	12/50
2 x 54	52660	52661	52662	52663	52664	52665	52666	52667	52668	12/50
2 x 60	52675	52676	52677	52678	52679	52680	52681	52682	52683	12/50
2 x 70	52690	52691	52692	52693	52694	52695	52696	52697	52698	12/50
2 x 72	52705	52706	52707	52708	52709	52710	52711	52712	52713	12/50
2 x 78	52720	52721	52722	52723	52724	52725	52726	52727	52728	12/50


Belts

R203 Narrow Cloth Belts

Y weight, closed coat, polyester resin cloth, Zirconia with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	Min./Unit
2 x 90	52735	52736	52737	52738	52739	52740	52741	52742	52743	12/50
2 x 96	52750	52751	52752	52753	52754	52755	52756	52757	52758	12/50
2 x 118	55100	55101	55102	55103	55104	55105	55106	55107	55108	12/50
2 x 120	52765	52766	52767	52768	52769	52770	52771	52772	52773	12/50
2 x 132	52780	52781	52782	52783	52784	52785	52786	52787	52788	12/50
2 x 168	52795	52796	52797	52798	52799	52800	52801	52802	52803	12/50
2-1/4 x 80	52810	52811	52812	52813	52814	52815	52816	52817	52818	12/50
2-1/2 x 16	52825	52826	52827	52828	52829	52830	52831	52832	52833	12/50
2-1/2 x 48	52840	52841	52842	52843	52844	52845	52846	52847	52848	12/50
2-1/2 x 60	52855	52856	52857	52858	52859	52860	52861	52862	52863	12/50
2-1/2 x 72	52870	52871	52872	52873	52874	52875	52876	52877	52878	12/50
2-1/2 x 132	52885	52886	52887	52888	52889	52890	52891	52892	52893	12/50
2-3/4 x 15-1/2	52900	52901	52902	52903	52904	52905	52906	52907	52908	12/50
3 x 18	52915	52916	52917	52918	52919	52920	52921	52922	52923	12/50
3 x 21	52930	52931	52932	52933	52934	52935	52936	52937	52938	12/50
3 x 23-3/4	52945	52946	52947	52948	52949	52950	52951	52952	52953	12/50
3 x 24	52960	52961	52962	52963	52964	52965	52966	52967	52968	12/50
3 x 27	52975	52976	52977	52978	52979	52980	52981	52982	52983	12/50
3 x 48	52990	52991	52992	52993	52994	52995	52996	52997	52998	12/50
3 x 60	53005	53006	53007	53008	53009	53010	53011	53012	53013	12/50
3 x 72	53020	53021	53022	53023	53024	53025	53026	53027	53028	12/50
3 x 79	53035	53036	53037	53038	53039	53040	53041	53042	53043	12/50
3 x 80	53050	53051	53052	53053	53054	53055	53056	53057	53058	12/50
3 x 90	53065	53066	53067	53068	53069	53070	53071	53072	53073	12/50
3 x 96	53080	53081	53082	53083	53084	53085	53086	53087	53088	12/50
3 x 118	55200	55201	55202	55203	55204	55205	55206	55207	55208	12/50
3 x 120	53095	53096	53097	53098	53099	53100	53101	53102	53103	12/50
3 x 132	53110	53111	53112	53113	53114	53115	53116	53117	53118	12/50
3 x 168	53125	53126	53127	53128	53129	53130	53131	53132	53133	12/50
3-1/2 x 15-1/2	53140	53141	53142	53143	53144	53145	53146	53147	53148	12/50
4 x 21	53155	53156	53157	53158	53159	53160	53161	53162	53163	12/50
4 x 21-3/4	53170	53171	53172	53173	53174	53175	53176	53177	53178	12/50
4 x 24	53185	53186	53187	53188	53189	53190	53191	53192	53193	12/50
4 x 27	53200	53201	53202	53203	53204	53205	53206	53207	53208	12/50
4 x 35	53215	53216	53217	53218	53219	53220	53221	53222	53223	12/50
4 x 36	53230	53231	53232	53233	53234	53235	53236	53237	53238	12/50
4 x 38	53245	53246	53247	53248	53249	53250	53251	53252	53253	12/50
4 x 48	53260	53261	53262	53263	53264	53265	53266	53267	53268	12/50
4 x 52	53275	53276	53277	53278	53279	53280	53281	53282	53283	12/50
4 x 52-1/2	53290	53291	53292	53293	53294	53295	53296	53297	53298	12/50
4 x 54	53305	53306	53307	573308	53309	53310	53311	53312	53313	12/50
4 x 60	53320	53321	53322	53323	53324	53325	53326	53327	53328	12/50
4 x 72	53335	53336	53337	53338	53339	53340	53341	53342	53343	12/50
4 x 80	53350	53351	53352	53353	53354	53355	53356	53357	53358	12/50
4 x 84	53365	53366	53367	53368	53369	53370	53371	53372	53373	12/50
4 x 90	53380	53381	53382	53383	53384	53385	53386	53387	53388	12/50
4 x 104	53395	53396	53397	53398	53399	53400	53401	53402	53403	12/50
4 x 106	53410	53411	53412	53413	53414	53415	53416	53417	53418	12/50
4 x 118	53425	53426	53427	53428	53429	53430	53431	53432	53433	12/50
4 x 120	53440	53441	53442	53443	53444	53445	53446	53447	53448	12/50

Belts

R203 Narrow Cloth Belts



Y weight, closed coat, polyester resin cloth, Zirconia with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	Min.Unit
4 x 132	53455	53456	53457	53458	53459	53460	53461	53462	53463	12/50
4 x 148	53470	53471	53472	53473	53474	53475	53476	53477	53478	12/50
4 x 168	53485	53486	53487	53488	53489	53490	53491	53492	53493	12/50
4 x 220	53500	53501	53502	53503	53504	53505	53506	53507	53508	12/50
4-1/2 x 26	53515	53516	53517	53518	53519	53520	53521	53522	53523	12/50
5 x 132	53530	53531	53532	53533	53534	53535	53536	53537	53538	10/20
5 x 272	53545	53546	53547	53548	53549	53550	53551	53552	53553	10/20
6 x 48	53560	53561	53562	53563	53564	53565	53566	53567	53568	10/20
6 x 48-5/16	53575	53576	53577	53578	53579	53580	53581	53582	53583	10/20
6 x 54-1/2	53590	53591	53592	53593	53594	53595	53596	53597	53598	10/20
6 x 60	53605	53606	53607	53608	53609	53610	53611	53612	53613	10/20
6 x 72	53620	53621	53622	53623	53624	53625	53626	53627	53628	10/20
6 x 80	53635	53636	53637	53638	53639	53640	53641	53642	53643	10/20
6 x 84	53650	53651	53652	53653	53654	53655	53656	53657	53658	10/20
6 x 89	53665	53666	53667	53668	53669	53670	53671	53672	53673	10/20
6 x 103	53680	53681	53682	53683	53684	53685	53686	53687	53688	10/20
6 x 104	53695	53696	53697	53698	53699	53700	53701	53702	53703	10/20
6 x 106	53710	53711	53712	53713	53714	53715	53716	53717	53718	10/20
6 x 108	53725	53726	53727	53728	53729	53730	53731	53732	53733	10/20
6 x 120	53740	53741	53742	53743	53744	53745	53746	53747	53748	10/20
6 x 123	53755	53756	53757	53758	53759	53760	53761	53762	53763	10/20
6 x 125	53770	53771	53772	53773	53774	53775	53776	53777	53778	10/20
6 x 126	53785	53786	53787	53788	53789	53790	53791	53792	53793	10/20
6 x 128	53800	53801	53802	53803	53804	53805	53806	53807	53808	10/20
6 x 132	53815	53816	53817	53818	53819	53820	53821	53822	53823	10/20
6 x 164	53830	53831	53832	53833	53834	53835	53836	53837	53838	10/20
6 x 168	53845	53846	53847	53848	53849	53850	53851	53852	53853	10/20
6 x 186	53860	53861	53862	53863	53864	53865	53866	53867	53868	10/20
6 x 258	53875	53876	53877	53878	53879	53880	53881	53882	53883	10/20
6 x 260	53890	53891	53892	53893	53894	53895	53896	53897	53898	10/20
6 x 280	53905	53906	53907	53908	53909	53910	53911	53912	53913	10/20
6 x 288	53920	53921	53922	53923	53924	53925	53926	53927	53928	10/20
6 x 298	53935	53936	53937	53938	53939	53940	53941	53942	53943	10/20
6 x 300	53950	53951	53952	53953	53954	53955	53956	53957	53958	10/20
6 x 306	53965	53966	53967	53968	53969	53970	53971	53972	53973	10/20
8 x 60	53980	53981	53982	53983	53984	53985	53986	53987	53988	10/20
8 x 77	53995	53996	53997	53998	53999	54000	54001	54002	54003	10/20
8 x 107	54010	54011	54012	54013	54014	54015	54016	54017	54018	10/20
8 x 164	54025	54026	54027	54028	54029	54030	54031	54032	54033	10/20
9 x 12-5/8	54040	54041	54042	54043	54044	54045	54046	54047	54048	10/20
9 x 20	54055	54056	54057	54058	54059	54060	54061	54062	54063	10/20
9 x 26-5/16	54070	54071	54072	54073	54074	54075	54076	54077	54078	10/20
9 x 48	54085	54086	54087	54088	54089	54090	54091	54092	54093	10/20
9 x 60	54100	54101	54102	54103	54104	54105	54106	54107	54108	10/20
9 x 85	54115	54116	54117	54118	54119	54120	54121	54122	54123	10/20
9 x 107	54130	54131	54132	54133	54134	54135	54136	54137	54138	10/20
10 x 70-1/2	54145	54146	54147	54148	54149	54150	54151	54152	54153	10/20
10 x 90	54160	54161	54162	54163	54164	54165	54166	54167	54168	10/20


Belts

P963S Narrow Cloth Belts

Y weight (024 - 036), X weight (040 - 120), closed coat, polyester resin cloth, Ceramic with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications with heavy pressure. Suitable for gates & risers, cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Ceramic									
Size	24Y	36X	40X	50X	60X	80X	100X	120X	Min./Unit
1/8 x 24	71630	71631	71632	71633	71634	71635	71636	71637	50/200
1/4 x 18	71645	71646	71647	71648	71649	71650	71651	71652	50/200
1/4 x 24	71660	71661	71662	71663	71664	71665	71666	71667	50/200
3/8 x 13	71675	71676	71677	71678	71679	71680	71681	71682	50/200
3/8 x 24	71690	71691	71692	71693	71694	71695	71696	71697	50/200
1/2 x 12	71705	71706	71707	71708	71709	71710	71711	71712	50/200
1/2 x 18	71720	71721	71722	71723	71724	71725	71726	71727	50/200
1/2 x 24	71735	71736	71737	71738	71739	71740	71741	71742	50/200
1/2 x 30	71750	71751	71752	71753	71754	71755	71756	71757	50/200
1/2 x 42	71765	71766	71767	71768	71769	71770	71771	71772	50/200
1/2 x 48	71780	71781	71782	71783	71784	71785	71786	71787	50/200
3/4 x 18	71795	71796	71797	71798	71799	71800	71801	71802	50/200
3/4 x 20-1/2	71810	71811	71812	71813	71814	71815	71816	71817	50/200
3/4 x 64	71825	71826	71827	71828	71829	71830	71831	71832	50/200
1 x 12	71840	71841	71842	71843	71844	71845	71846	71847	36/200
1 x 18	71855	71856	71857	71858	71859	71860	71861	71862	36/200
1 x 21	71870	71871	71872	71873	71874	71875	71876	71877	36/200
1 x 24	71885	71886	71887	71888	71889	71890	71891	71892	36/200
1 x 30	71900	71901	71902	71903	71904	71905	71906	71907	36/200
1 x 42	71915	71916	71917	71918	71919	71920	71921	71922	36/200
1 x 44	71930	71931	71932	71933	71934	71935	71936	71937	36/200
1 x 48	71945	71946	71947	71948	71949	71950	71951	71952	36/200
1 x 60	71960	71961	71962	71963	71964	71965	71966	71967	36/200
1 x 64	71975	71976	71977	71978	71979	71980	71981	71982	36/200
1 x 65	71990	71991	71992	71993	71994	71995	71996	71997	36/200
1 x 72	72005	72006	72007	72008	72009	72010	72011	72012	36/200
1 x 90	72020	72021	72022	72023	72024	72025	72026	72027	36/200
1 x 132	72035	72036	72037	72038	72039	72040	72041	72042	36/200
1-1/8 x 21	72050	72051	72052	72053	72054	72055	72056	72057	12/50
1-3/16 x 13-7/16	72065	72066	72067	72068	72069	72070	72071	72072	12/50
1-1/2 x 24	72080	72081	72082	72083	72084	72085	72086	72087	12/50
1-1/2 x 25	72095	72096	72097	72098	72099	72100	72101	72102	12/50
1-1/2 x 48	72110	72111	72112	72113	72114	72115	72116	72117	12/50
1-1/2 x 60	72125	72126	72127	72128	72129	72130	72131	72132	12/50
1-1/2 x 72	72140	72141	72142	72143	72144	72145	72146	72147	12/50
1-1/2 x 132	72155	72156	72157	72158	72159	72160	72161	72162	12/50
2 x 18-15/16	72170	72171	72172	72173	72174	72175	72176	72177	12/50
2 x 21	72185	72186	72187	72188	72189	72190	72191	72192	12/50
2 x 24	72200	72201	72202	72203	72204	72205	72206	72207	12/50
2 x 25-1/2	72215	72216	72217	72218	72219	72220	72221	72222	12/50
2 x 30	72230	72231	72232	72233	72234	72235	72236	72237	12/50
2 x 34	72245	72246	72247	72248	72249	72250	72251	72252	12/50
2 x 36	72260	72261	72262	72263	72264	72265	72266	72267	12/50
2 x 42	74660	74661	74662	74663	74664	74665	74666	74667	12/50
2 x 48	72275	72276	72277	72278	72279	72280	72281	72282	12/50
2 x 54	72290	72291	72292	72293	72294	72295	72296	72297	12/50
2 x 60	72305	72306	72307	72308	72309	72310	72311	72312	12/50
2 x 70	72320	72321	72322	72323	72324	72325	72326	72327	12/50
2 x 72	72335	72336	72337	72338	72339	72340	72341	72342	12/50
2 x 78	72350	72351	72352	72353	72354	72355	72356	72357	12/50

Belts

P963S Narrow Cloth Belts



Y weight (024 - 036), X weight (040 - 120), closed coat, polyester resin cloth, Ceramic with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications with heavy pressure. Suitable for gates & risers, cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Ceramic

Size	24Y	36X	40X	50X	60X	80X	100X	120X	Min./Unit
2 x 90	72365	72366	72367	72368	72369	72370	72371	72372	12/50
2 x 96	72380	72381	72382	72383	72384	72385	72386	72387	12/50
2 x 118	74680	74681	74682	74683	74684	74685	74686	74687	12/50
2 x 120	72395	72396	72397	72398	72399	72400	72401	72402	12/50
2 x 132	72410	72411	72412	72413	72414	72415	72416	72417	12/50
2 x 168	72425	72426	72427	72428	72429	72430	72431	72432	12/50
2-1/4 x 80	72440	72441	72442	72443	72444	72445	72446	72447	12/50
2-1/2 x 16	72455	72456	72457	72458	72459	72460	72461	72462	12/50
2-1/2 x 48	72470	72471	72472	72473	72474	72475	72476	72477	12/50
2-1/2 x 60	72485	72486	72487	72488	72489	72490	72491	72491	12/50
2-1/2 x 72	72500	72501	72502	72503	72504	72505	72506	72507	12/50
2-1/2 x 132	72515	72516	72517	72518	72519	72520	72521	72522	12/50
2-3/4 x 15-1/2	72530	72531	72532	72533	72534	72535	72536	72537	12/50
3 x 18	72545	72546	72547	72548	72549	72550	72551	72552	12/50
3 x 21	72560	72561	72562	72563	72564	72565	72566	72567	12/50
3 x 23-3/4	72575	72576	72577	72578	72579	72580	72581	72582	12/50
3 x 24	72590	72591	72592	72593	72594	72595	72596	72597	12/50
3 x 27	72605	72606	72607	72608	72609	72610	72611	72612	12/50
3 x 48	72620	72621	72622	72623	72624	72625	72626	72627	12/50
3 x 60	72635	72636	72637	72638	72639	72640	72641	72642	12/50
3 x 72	72650	72651	72652	72653	72654	72655	72656	72657	12/50
3 x 79	72665	72666	72667	72668	72669	72670	72671	72672	12/50
3 x 80	72680	72681	72682	72683	72684	72685	72686	72687	12/50
3 x 90	72695	72696	72697	72698	72699	72700	72701	72702	12/50
3 x 96	72710	72711	72712	72713	72714	72715	72716	72717	12/50
3 x 118	74700	74701	74702	74703	74704	74705	74706	74707	12/50
3 x 120	72725	72726	72727	72728	72729	72730	72731	72732	12/50
3 x 132	72740	72741	72742	72743	72744	72745	72746	72747	12/50
3 x 168	72755	72756	72757	72758	72759	72760	72761	72762	12/50
3-1/2 x 15-1/2	72770	72771	72772	72773	72774	72775	72776	72777	12/50
4 x 21	72785	72786	72787	72788	72789	72790	72791	72792	12/50
4 x 21-3/4	72800	72801	72802	72803	72804	72805	72806	72807	12/50
4 x 24	72815	72816	72817	72818	72819	72820	72821	72822	12/50
4 x 27	72830	72831	72832	72833	72834	72835	72836	72837	12/50
4 x 35	72845	72846	72847	72848	72849	72850	72851	72852	12/50
4 x 36	72860	72861	72862	72863	72864	72865	72866	72867	12/50
4 x 38	72875	72876	72877	72878	72879	72880	72881	72882	12/50
4 x 48	72890	72891	72892	72893	72894	72895	72896	72897	12/50
4 x 52	72905	72906	72907	72908	72909	72910	72911	72912	12/50
4 x 52-1/2	72920	72921	72922	72923	72924	72925	72926	72927	12/50
4 x 54	72935	72936	72937	72938	72939	72940	72941	72942	12/50
4 x 60	72950	72951	72952	72953	72954	72955	72956	72957	12/50
4 x 72	72965	72966	72967	72968	72969	72970	72971	72972	12/50
4 x 80	72980	72981	72982	72983	72984	72985	72986	72987	12/50
4 x 84	72995	72996	72997	72998	72999	73000	73001	73002	12/50
4 x 90	73010	73011	73012	73013	73014	73015	73016	73017	12/50
4 x 104	73025	73026	73027	73028	73029	73030	73031	73032	12/50
4 x 106	73040	73041	73042	73043	73044	73045	73046	73047	12/50
4 x 118	73055	73056	73057	73058	73059	73060	73061	73062	12/50
4 x 120	73070	73071	73072	73073	73074	73075	73076	73077	12/50


Belts

P963S Narrow Cloth Belts

Y weight (024 - 036), X weight (040 - 120), closed coat, polyester resin cloth, Ceramic with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications with heavy pressure. Suitable for gates & risers, cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Ceramic									
Size	24Y	36X	40X	50X	60X	80X	100X	120X	Min.Unit
4 x 132	73085	73086	73087	73088	73089	73090	73091	73092	12/50
4 x 148	73100	73101	73102	73103	73104	73105	73106	73107	12/50
4 x 168	73115	73116	73117	73118	73119	73120	73121	73122	12/50
4 x 220	73130	73131	73132	73133	73134	73135	73136	73137	12/50
4-1/2 x 26	73145	73146	73147	73148	73149	73150	73151	73152	12/50
5 x 132	73160	73161	73162	73163	73164	73165	73166	73167	10/20
5 x 272	73175	73176	73177	73178	73179	73180	73181	73182	10/20
6 x 48	73190	73191	73192	73193	73194	73195	73196	73197	10/20
6 x 48-5/16	73205	73206	73207	73208	73209	73210	73211	73212	10/20
6 x 54-1/2	73220	73221	73222	73223	73224	73225	73226	73227	10/20
6 x 60	73235	73236	73237	73238	73239	73240	73241	73242	10/20
6 x 72	73250	73251	73252	73253	73254	73255	73256	73257	10/20
6 x 80	73265	73266	73267	73268	73269	73270	73271	73272	10/20
6 x 84	73280	73281	73282	73283	73284	73285	73286	73287	10/20
6 x 89	73295	73296	73297	73298	73299	73300	73301	73302	10/20
6 x 103	73310	73311	73312	73313	73314	73315	73316	73317	10/20
6 x 104	73325	73326	73327	73328	73329	73330	73331	73332	10/20
6 x 106	73340	73341	73342	73343	73344	73345	73346	73347	10/20
6 x 108	73355	73356	73357	73358	73359	73360	73361	73362	10/20
6 x 120	73370	73371	73372	73373	73374	73375	73376	73377	10/20
6 x 123	73385	73386	73387	73388	73389	73390	73391	73392	10/20
6 x 125	73400	73401	73402	73403	73404	73405	73406	73407	10/20
6 x 126	73415	73416	73417	73418	73419	73420	73421	73422	10/20
6 x 128	73430	73431	73432	73433	73434	73435	73436	73437	10/20
6 x 132	73445	73446	73447	73448	73449	73450	73451	73452	10/20
6 x 164	73460	73461	73462	73463	73464	73465	73466	73467	10/20
6 x 168	73475	73476	73477	73478	73479	73480	73481	73482	10/20
6 x 186	73490	73491	73492	73493	73494	73495	73496	73497	10/20
6 x 258	73505	73506	73507	73508	73509	73510	73511	73512	10/20
6 x 260	73520	73521	73522	73523	73524	73525	73526	73527	10/20
6 x 280	73535	73536	73537	73538	73539	73540	73541	73542	10/20
6 x 288	73550	73551	73552	73553	73554	73555	73556	73557	10/20
6 x 298	73565	73566	73567	73568	73569	73570	73571	73572	10/20
6 x 300	73580	73581	73582	73583	73584	73585	73586	73587	10/20
6 x 306	73595	73596	73597	73598	73599	73600	73601	73602	10/20
8 x 60	73610	73611	73612	73613	73614	73615	73616	73617	10/20
8 x 77	73625	73626	73627	73628	73629	73630	73631	73632	10/20
8 x 107	73640	73641	73642	73643	73644	73645	73646	73647	10/20
8 x 164	73655	73656	73657	73658	73659	73660	73661	73662	10/20
9 x 12-5/8	73670	73671	73672	73673	73674	73675	73676	73677	10/20
9 x 20	73685	73686	73687	73688	73689	73690	73691	73692	10/20
9 x 26-5/16	73700	73701	73702	73703	73704	73705	73706	73707	10/20
9 x 48	73715	73716	73717	73718	73719	73720	73721	73722	10/20
9 x 60	73730	73731	73732	73733	73734	73735	73736	73737	10/20
9 x 85	73745	73746	73747	73748	73749	73750	73751	73752	10/20
9 x 107	73760	73761	73762	73763	73764	73765	73766	73767	10/20
10 x 70-1/2	73775	73776	73777	73778	73779	73780	73781	73782	10/20
10 x 90	73790	73791	73792	73793	73794	73795	73796	73797	10/20

Belts

S181 Narrow Cloth Belts



Y weight (024 - 080), X weight (100 - 600), closed coat, resin cloth, Silicon Carbide. Our premium belt for wet or dry applications. Fast cutting for glass, ceramic, artificial stones, asbestos, cement, stone, and other non-ferrous materials. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Silicon Carbide

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min./Unit
1/8 x 24	48000	48001	48002	48003	48004	48005	48006	48007	48008	48009	48010	48011	48012	48013	48015	50/200
1/4 x 18	48016	48017	48018	48019	48020	48021	48022	48023	48024	48025	48026	48027	48028	48029	48031	50/200
1/4 x 24	48032	48033	48034	48035	48036	48037	48038	48039	48040	48041	48042	48043	48044	48045	48047	50/200
3/8 x 13	48048	48049	48050	48051	48052	48053	48054	48055	48056	48057	48058	48059	48060	48061	48063	50/200
3/8 x 24	48064	48065	48066	48067	48068	48069	48070	48071	48072	48073	48074	48075	48076	48077	48079	50/200
1/2 x 12	48080	48081	48082	48083	48084	48085	48086	48087	48088	48089	48090	48091	48092	48093	48095	50/200
1/2 x 18	48096	48097	48098	48099	48100	48101	48102	48103	48104	48105	48106	48107	48108	48109	48111	50/200
1/2 x 24	48112	48113	48114	48115	48116	48117	48118	48119	48120	48121	48122	48123	48124	48125	48127	50/200
1/2 x 30	48128	48129	48130	48131	48132	48133	48134	48135	48136	48137	48138	48139	48140	48141	48143	50/200
1/2 x 42	48144	48145	48146	48147	48148	48149	48150	48151	48152	48153	48154	48155	48156	48157	48159	50/200
1/2 x 48	48160	48161	48162	48163	48164	48165	48166	48167	48168	48169	48170	48171	48172	48173	48175	50/200
3/4 x 18	48176	48177	48178	48179	48180	48181	48182	48183	48184	48185	48186	48187	48188	48189	48191	50/200
3/4 x 20-1/2	48192	48193	48194	48195	48196	48197	48198	48199	48200	48201	48202	48203	48204	48205	48207	50/200
3/4 x 64	48208	48209	48210	48211	48212	48213	48214	48215	48216	48217	48218	48219	48220	48221	48223	50/200
1 x 12	48224	48225	48226	48227	48228	48229	48230	48231	48232	48233	48234	48235	48236	48237	48239	36/200
1 x 18	48240	48241	48242	48243	48244	48245	48246	48247	48248	48249	48250	48251	48252	48253	48255	36/200
1 x 21	48256	48257	48258	48259	48260	48261	48262	48263	48264	48265	48266	48267	48268	48269	48271	36/200
1 x 24	48272	48273	48274	48275	48276	48277	48278	48279	48280	48281	48282	48283	48284	48285	48287	36/200
1 x 30	48288	48289	48290	48291	48292	48293	48294	48295	48296	48297	48298	48299	48300	48301	48303	36/200
1 x 42	48304	48305	48306	48307	48308	48309	48310	48311	48312	48313	48314	48315	48316	48317	48319	36/200
1 x 44	48320	48321	48322	48323	48324	48325	48326	48327	48328	48329	48330	48331	48332	48333	48335	36/200
1 x 48	48336	48337	48338	48339	48340	48341	48342	48343	48344	48345	48346	48347	48348	48349	48351	36/200
1 x 60	48352	48353	48354	48355	48356	48357	48358	48359	48360	48361	48362	48363	48364	48365	48367	36/200
1 x 64	48368	48369	48370	48371	48372	48373	48374	48375	48376	48377	48378	48379	48380	48381	48383	36/200
1 x 65	48384	48385	48386	48387	48388	48389	48390	48391	48392	48393	48394	48395	48396	48397	48399	36/200
1 x 72	48400	48401	48402	48403	48404	48405	48406	48407	48408	48409	48410	48411	48412	48413	48415	36/200
1 x 90	48416	48417	48418	48419	48420	48421	48422	48423	48424	48425	48426	48427	48428	48429	48431	36/200
1 x 132	48432	48433	48434	48435	48436	48437	48438	48439	48440	48441	48442	48443	48444	48445	48447	36/200
1-1/8 x 21	48448	48449	48450	48451	48452	48453	48454	48455	48456	48457	48458	48459	48460	48461	48463	12/50
1-3/16 x 13-7/16	48464	48465	48466	48467	48468	48469	48470	48471	48472	48473	48474	48475	48476	48477	48479	12/50
1-1/2 x 24	48480	48481	48482	48483	48484	48485	48486	48487	48488	48489	48490	48491	48492	48493	48495	12/50
1-1/2 x 25	48496	48497	48498	48499	48500	48501	48502	48503	48504	48505	48506	48507	48508	48509	48511	12/50
1-1/2 x 48	48512	48513	48514	48515	48516	48517	48518	48519	48520	48521	48522	48523	48524	48525	48527	12/50
1-1/2 x 60	48528	48529	48530	48531	48532	48533	48534	48535	48536	48537	48538	48539	48540	48541	48543	12/50
1-1/2 x 72	48544	48545	48546	48547	48548	48549	48550	48551	48552	48553	48554	48555	48556	48557	48559	12/50
1-1/2 x 132	48560	48561	48562	48563	48564	48565	48566	48567	48568	48569	48570	48571	48572	48573	48575	12/50
2 x 18-15/16	48576	48577	48578	48579	48580	48581	48582	48583	48584	48585	48586	48587	48588	48589	48591	12/50
2 x 21	48592	48593	48594	48595	48596	48597	48598	48599	48600	48601	48602	48603	48604	48605	48607	12/50
2 x 24	48608	48609	48610	48611	48612	48613	48614	48615	48616	48617	48618	48619	48620	48621	48623	12/50
2 x 25-1/2	48624	48625	48626	48627	48628	48629	48630	48631	48632	48633	48634	48635	48636	48637	48639	12/50
2 x 30	48640	48641	48642	48643	48644	48645	48646	48647	48648	48649	48650	48651	48652	48653	48655	12/50
2 x 34	48656	48657	48658	48659	48660	48661	48662	48663	48664	48665	48666	48667	48668	48669	48671	12/50
2 x 36	48672	48673	48674	48675	48676	48677	48678	48679	48680	48681	48682	48683	48684	48685	48687	12/50
2 x 42	51240	51241	51242	51243	51244	51245	51246	51247	51248	51249	51250	51251	51252	51253	51255	12/50
2 x 48	48688	48689	48690	48691	48692	48693	48694	48695	48696	48697	48698	48699	48700	48701	48703	12/50
2 x 54	48704	48705	48706	48707	48708	48709	48710	48711	48712	48713	48714	48715	48716	48717	48719	12/50
2 x 60	48720	48721	48722	48723	48724	48725	48726	48727	48728	48729	48730	48731	48732	48733	48735	12/50
2 x 70	48736	48737	48738	48739	48740	48741	48742	48743	48744	48745	48746	48747	48748	48749	48751	12/50
2 x 72	48752	48753	48754	48755	48756	48757	48758	48759	48760	48761	48762	48763	48764	48765	48767	12/50
2 x 78	48768	48769	48770	48771	48772	48773	48774	48775	48776	48777	48778	48779	48780	48781	48783	12/50


Belts

S181 Narrow Cloth Belts

Y weight (024 - 080), X weight (100 - 600), closed coat, resin cloth, Silicon Carbide. Our premium belt for wet or dry applications. Fast cutting for glass, ceramic, artificial stones, asbestos, cement, stone, and other non-ferrous materials. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.




Part Number Prefix— 801034

Silicon Carbide																
Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min./Unit
2 x 90	48784	48785	48786	48787	48788	48789	48790	48791	48792	48793	48794	48795	48796	48797	48799	12/50
2 x 96	48800	48801	48802	48803	48804	48805	48806	48807	48808	48809	48810	48811	48812	48813	48815	12/50
2 x 118	51260	51261	51262	51263	51264	51265	51266	51267	51268	51269	51270	51271	51272	51273	51275	12/50
2 x 120	48816	48817	48818	48819	48820	48821	48822	48823	48824	48825	48826	48827	48828	48829	48831	12/50
2 x 132	48832	48833	48834	48835	48836	48837	48838	48839	48840	48841	48842	48843	48844	48845	48847	12/50
2 x 168	48848	48849	48850	48851	48852	48853	48854	48855	48856	48857	48858	48859	48860	48861	48863	12/50
2-1/4 x 80	48864	48865	48866	48867	48868	48869	48870	48871	48872	48873	48874	48875	48876	48877	48879	12/50
2-1/2 x 16	48880	48881	48882	48883	48884	48885	48886	48887	48888	48889	48890	48891	48892	48893	48895	12/50
2-1/2 x 48	48896	48897	48898	48899	48900	48901	48902	48903	48904	48905	48906	48907	48908	48909	48911	12/50
2-1/2 x 60	48912	48913	48914	48915	48916	48917	48918	48919	48920	48921	48922	48923	48924	48925	48927	12/50
2-1/2 x 72	48928	48929	48930	48931	48932	48933	48934	48935	48936	48937	48938	48939	48940	48941	48943	12/50
2-1/2 x 132	48944	48945	48946	48947	48948	48949	48950	48951	48952	48953	48954	48955	48956	48957	48959	12/50
2-3/4 x 15-1/2	48960	48961	48962	48963	48964	48965	48966	48967	48968	48969	48970	48971	48972	48973	48975	12/50
3 x 18	48976	48977	48978	48979	48980	48981	48982	48983	48984	48985	48986	48987	48988	48989	48991	12/50
3 x 21	48992	48993	48994	48995	48996	48997	48998	48999	49000	49001	49002	49003	49004	49005	49007	12/50
3 x 23-3/4	49008	49009	49010	49011	49012	49013	49014	49015	49016	49017	49018	49019	49020	49021	49023	12/50
3 x 24	49024	49025	49026	49027	49028	49029	49030	49031	49032	49033	49034	49035	49036	49037	49039	12/50
3 x 27	49040	49041	49042	49043	49044	49045	49046	49047	49048	49049	49050	49051	49052	49053	49055	12/50
3 x 48	49056	49057	49058	49059	49060	49061	49062	49063	49064	49065	49066	49067	49068	49069	49071	12/50
3 x 60	49072	49073	49074	49075	49076	49077	49078	49079	49080	49081	49082	49083	49084	49085	49087	12/50
3 x 72	49088	49089	49090	49091	49092	49093	49094	49095	49096	49097	49098	49099	49100	49101	49103	12/50
3 x 79	49104	49105	49106	49107	49108	49109	49110	49111	49112	49113	49114	49115	49116	49117	49119	12/50
3 x 80	49120	49121	49122	49123	49124	49125	49126	49127	49128	49129	49130	49131	49132	49133	49135	12/50
3 x 90	49136	49137	49138	49139	49140	49141	49142	49143	49144	49145	49146	49147	49148	49149	49151	12/50
3 x 96	49152	49153	49154	49155	49156	49157	49158	49159	49160	49161	49162	49163	49164	49165	49167	12/50
3 x 118	51280	51281	51282	51283	51284	51285	51286	51287	51288	51289	51290	51291	51292	51293	51295	12/50
3 x 120	49168	49169	49170	49171	49172	49173	49174	49175	49176	49177	49178	49179	49180	49181	49183	12/50
3 x 132	49184	49185	49186	49187	49188	49189	49190	49191	49192	49193	49194	49195	49196	49197	49199	12/50
3 x 168	49200	49201	49202	49203	49204	49205	49206	49207	49208	49209	49210	49211	49212	49213	49215	12/50
3-1/2 x 15-1/2	49216	49217	49218	49219	49220	49221	49222	49223	49224	49225	49226	49227	49228	49229	49231	12/50
4 x 21	49232	49233	49234	49235	49236	49237	49238	49239	49240	49241	49242	49243	49244	49245	49247	12/50
4 x 21-3/4	49248	49249	49250	49251	49252	49253	49254	49255	49256	49257	49258	49259	49260	49261	49263	12/50
4 x 24	49264	49265	49266	49267	49268	49269	49270	49271	49272	49273	49274	49275	49276	49277	49279	12/50
4 x 27	49280	49281	49282	49283	49284	49285	49286	49287	49288	49289	49290	49291	49292	49293	49295	12/50
4 x 35	49296	49297	49298	49299	49300	49301	49302	49303	49304	49305	49306	49307	49308	49309	49311	12/50
4 x 36	49312	49313	49314	49315	49316	49317	49318	49319	49320	49321	49322	49323	49324	49325	49327	12/50
4 x 38	49328	49329	49330	49331	49332	49333	49334	49335	49336	49337	49338	49339	49340	49341	49343	12/50
4 x 48	49344	49345	49346	49347	49348	49349	49350	49351	49352	49353	49354	49355	49356	49357	49359	12/50
4 x 52	49360	49361	49362	49363	49364	49365	49366	49367	49368	49369	49370	49371	49372	49373	49375	12/50
4 x 52-1/2	49376	49377	49378	49379	49380	49381	49382	49383	49384	49385	49386	49387	49388	49389	49391	12/50
4 x 54	49392	49393	49394	49395	49396	49397	49398	49399	49400	49401	49402	49403	49404	49405	49407	12/50
4 x 60	49408	49409	49410	49411	49412	49413	49414	49415	49416	49417	49418	49419	49420	49421	49423	12/50
4 x 72	49424	49425	49426	49427	49428	49429	49430	49431	49432	49433	49434	49435	49436	49437	49439	12/50
4 x 80	49440	49441	49442	49443	49444	49445	49446	49447	49448	49449	49450	49451	49452	49453	49455	12/50
4 x 84	49456	49457	49458	49459	49460	49461	49462	49463	49464	49465	49466	49467	49468	49469	49471	12/50
4 x 90	49472	49473	49474	49475	49476	49477	49478	49479	49480	49481	49482	49483	49484	49485	49487	12/50
4 x 104	49488	49489	49490	49491	49492	49493	49494	49495	49496	49497	49498	49499	49500	49501	49503	12/50
4 x 106	49504	49505	49506	49507	49508	49509	49510	49511	49512	49513	49514	49515	49516	49517	49519	12/50
4 x 118	49520	49521	49522	49523	49524	49525	49526	49527	49528	49529	49530	49531	49532	49533	49535	12/50
4 x 120	49536	49537	49538	49539	49540	49541	49542	49543	49544	49545	49546	49547	49548	49549	49551	12/50

Belts

S181 Narrow Cloth Belts



Y weight (024 - 080), X weight (100 - 600), closed coat, resin cloth, Silicon Carbide. Our premium belt for wet or dry applications. Fast cutting for glass, ceramic, artificial stones, asbestos, cement, stone, and other non-ferrous materials. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Silicon Carbide																
Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min.Unit
4 x 132	49552	49553	49554	49555	49556	49557	49558	49559	49560	49561	49562	49563	49564	49565	49567	12/50
4 x 148	49568	49569	49570	49571	49572	49573	49574	49575	49576	49577	49578	49579	49580	49581	49583	12/50
4 x 168	49584	49585	49586	49587	49588	49589	49590	49591	49592	49593	49594	49595	49596	49597	49599	12/50
4 x 220	49600	49601	49602	49603	49604	49605	49606	49607	49608	49609	49610	49611	49612	49613	49615	12/50
4-1/2 x 26	49616	49617	49618	49619	49620	49621	49622	49623	49624	49625	49626	49627	49628	49629	49631	12/50
5 x 132	49632	49633	49634	49635	49636	49637	49638	49639	49640	49641	49642	49643	49644	49645	49647	10/20
5 x 272	49648	49649	49650	49651	49652	49653	49654	49655	49656	49657	49658	49659	49660	49661	49663	10/20
6 x 48	49664	49665	49666	49667	49668	49669	49670	49671	49672	49673	49674	49675	49676	49677	49679	10/20
6 x 48-5/16	49680	49681	49682	49683	49684	49685	49686	49687	49688	49689	49690	49691	49692	49693	49695	10/20
6 x 54-1/2	49696	49697	49698	49699	49700	49701	49702	49703	49704	49705	49706	49707	49708	49709	49711	10/20
6 x 60	49712	49713	49714	49715	49716	49717	49718	49719	49720	49721	49722	49723	49724	49725	49727	10/20
6 x 72	49728	49729	49730	49731	49732	49733	49734	49735	49736	49737	49738	49739	49740	49741	49743	10/20
6 x 80	49744	49745	49746	49747	49748	49749	49750	49751	49752	49753	49754	49755	49756	49757	49759	10/20
6 x 84	49760	49761	49762	49763	49764	49765	49766	49767	49768	49769	49770	49771	49772	49773	49775	10/20
6 x 89	49776	49777	49778	49779	49780	49781	49782	49783	49784	49785	49786	49787	49788	49789	49791	10/20
6 x 103	49792	49793	49794	49795	49796	49797	49798	49799	49800	49801	49802	49803	49804	49805	49807	10/20
6 x 104	49808	49809	49810	49811	49812	49813	49814	49815	49816	49817	49818	49819	49820	49821	49823	10/20
6 x 106	49824	49825	49826	49827	49828	49829	49830	49831	49832	49833	49834	49835	49836	49837	49839	10/20
6 x 108	49840	49841	49842	49843	49844	49845	49846	49847	49848	49849	49850	49851	49852	49853	49855	10/20
6 x 120	49856	49857	49858	49859	49860	49861	49862	49863	49864	49865	49866	49867	49868	49869	49871	10/20
6 x 123	49872	49873	49874	49875	49876	49877	49878	49879	49880	49881	49882	49883	49884	49885	49887	10/20
6 x 125	49888	49889	49890	49891	49892	49893	49894	49895	49896	49897	49898	49899	49900	49901	49903	10/20
6 x 126	49904	49905	49906	49907	49908	49909	49910	49911	49912	49913	49914	49915	49916	49917	49919	10/20
6 x 128	49920	49921	49922	49923	49924	49925	49926	49927	49928	49929	49930	49931	49932	49933	49935	10/20
6 x 132	49936	49937	49938	49939	49940	49941	49942	49943	49944	49945	49946	49947	49948	49949	49951	10/20
6 x 164	49952	49953	49954	49955	49956	49957	49958	49959	49960	49961	49962	49963	49964	49965	49967	10/20
6 x 168	49968	49969	49970	49971	49972	49973	49974	49975	49976	49977	49978	49979	49980	49981	49983	10/20
6 x 186	49984	49985	49986	49987	49988	49989	49990	49991	49992	49993	49994	49995	49996	49997	49999	10/20
6 x 258	50000	50001	50002	50003	50004	50005	50006	50007	50008	50009	50010	50011	50012	50013	50015	10/20
6 x 260	50016	50017	50018	50019	50020	50021	50022	50023	50024	50025	50026	50027	50028	50029	50031	10/20
6 x 280	50032	50033	50034	50035	50036	50037	50038	50039	50040	50041	50042	50043	50044	50045	50047	10/20
6 x 288	50048	50049	50050	50051	50052	50053	50054	50055	50056	50057	50058	50059	50060	50061	50063	10/20
6 x 298	50064	50065	50066	50067	50068	50069	50070	50071	50072	50073	50074	50075	50076	50077	50079	10/20
6 x 300	50080	50081	50082	50083	50084	50085	50086	50087	50088	50089	50090	50091	50092	50093	50095	10/20
6 x 306	50096	50097	50098	50099	50100	50101	50102	50103	50104	50105	50106	50107	50108	50109	50111	10/20
8 x 60	50112	50113	50114	50115	50116	50117	50118	50119	50120	50121	50122	50123	50124	50125	50127	10/20
8 x 77	50128	50129	50130	50131	50132	50133	50134	50135	50136	50137	50138	50139	50140	50141	50143	10/20
8 x 107	50144	50145	50146	50147	50148	50149	50150	50151	50152	50153	50154	50155	50156	50157	50159	10/20
8 x 164	50160	50161	50162	50163	50164	50165	50166	50167	50168	50169	50170	50171	50172	50173	50175	10/20
9 x 12-5/8	50176	50177	50178	50179	50180	50181	50182	50183	50184	50185	50186	50187	50188	50189	50191	10/20
9 x 20	50192	50193	50194	50195	50196	50197	50198	50199	50200	50201	50202	50203	50204	50205	50207	10/20
9 x 26-5/16	50208	50209	50210	50211	50212	50213	50214	50215	50216	50217	50218	50219	50220	50221	50223	10/20
9 x 48	50224	50225	50226	50227	50228	50229	50230	50231	50232	50233	50234	50235	50236	50237	50239	10/20
9 x 60	50240	50241	50242	50243	50244	50245	50246	50247	50248	50249	50250	50251	50252	50253	50255	10/20
9 x 85	50256	50257	50258	50259	50260	50261	50262	50263	50264	50265	50266	50267	50268	50269	50271	10/20
9 x 107	50272	50273	50274	50275	50276	50277	50278	50279	50280	50281	50282	50283	50284	50285	50287	10/20
10 x 70-1/2	50288	50289	50290	50291	50292	50293	50294	50295	50296	50297	50298	50299	50300	50301	50303	10/20
10 x 90	50304	50305	50306	50307	50308	50309	50310	50311	50312	50313	50314	50315	50316	50317	50318	10/20

Belts

W25 Wide Cloth Belts

Y weight, open coat, polyester, resin cloth, Aluminum Oxide. Use for wide belt sanding on plywood and mosaic wooden panels and for flat sanding at high speed. Durable and washable.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt. & Y-wt., backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.



Part Number Prefix— 801034

Aluminum Oxide															
Size	24Y	36Y	40Y	50Y	60Y	80Y	100Y	120Y	150Y	180Y	220Y	240Y	320Y	80 & Coarser	100 & Finer
18 x 48	22175	22176	22177	22178	22179	22180	22181	22182	22183	22184	22185	22186	22187	3	5
18 x 72	22190	22191	22192	22193	22194	22195	22196	22197	22198	22199	22200	22201	22202	3	5
18 x 75	22205	22206	22207	22208	22209	22210	22211	22212	22213	22214	22215	22216	22217	3	5
18 x 85	22220	22221	22222	22223	22224	22225	22226	22227	22228	22229	22230	22231	22232	3	5
19 x 48	22235	22236	22237	22238	22239	22240	22241	22242	22243	22244	22245	22246	22247	3	5
19 x 60	23400	23401	23402	23403	23404	23405	23406	23407	23408	23409	23410	23411	23412	3	5
20 x 103	22250	22251	22252	22253	22254	22255	22256	22257	22258	22259	22260	22261	22262	3	5
20 x 145	22265	22266	22267	22268	22269	22270	22271	22272	22273	22274	22275	22276	22277	3	5
24 x 48	22280	22281	22282	22283	22284	22285	22286	22287	22288	22289	22290	22291	22292	3	5
24 x 55	22295	22296	22297	22298	22299	22300	22301	22302	22303	22304	22305	22306	22307	3	5
24 x 60	22310	22311	22312	22313	22314	22315	22316	22317	22318	22319	22320	22321	22322	3	5
24 x 72	22325	22326	22327	22328	22329	22330	22331	22332	22333	22334	22335	22336	22337	3	5
24 x 75	22340	22341	22342	22343	22344	22345	22346	22347	22348	22349	22350	22351	22352	3	5
24 x 84	22355	22356	22357	22358	22359	22360	22361	22362	22363	22364	22365	22366	22367	3	5
24 x 103	22370	22371	22372	22373	22374	22375	22376	22377	22378	22379	22380	22381	22382	3	5
25 x 48	22385	22386	22387	22388	22389	22390	22391	22392	22393	22394	22395	22396	22397	3	5
25 x 60	22400	22401	22402	22403	22404	22405	22406	22407	22408	22409	22410	22411	22412	3	5
25 x 72	22415	22416	22417	22418	22419	22420	22421	22422	22423	22424	22425	22426	22427	3	5
25 x 75	22430	22431	22432	22433	22434	22435	22436	22437	22438	22439	22440	22441	22442	3	5
25 x 103	22445	22446	22447	22448	22449	22450	22451	22452	22453	22454	22455	22456	22457	3	5
30 x 72	22460	22461	22462	22463	22464	22465	22466	22467	22468	22469	22470	22471	22472	3	5
30 x 75	22475	22476	22477	22478	22479	22480	22481	22482	22483	22484	22485	22486	22487	3	5
30 x 84	22490	22491	22492	22493	22494	22495	22496	22497	22498	22499	22500	22501	22502	3	5
30 x 103	22505	22506	22507	22508	22509	22510	22511	22512	22513	22514	22515	22516	22517	3	5
35 x 75	22520	22521	22522	22523	22524	22525	22526	22527	22528	22529	22530	22531	22532	3	5
36 x 48	22535	22536	22537	22538	22539	22540	22541	22542	22543	22544	22545	22546	22547	3	5
36 x 55	22550	22551	22552	22553	22554	22555	22556	22557	22558	22559	22560	22561	22562	3	5
36 x 60	22565	22566	22567	22568	22569	22570	22571	22572	22573	22574	22575	22576	22577	3	5
36 x 72	22580	22581	22582	22583	22584	22585	22586	22587	22588	22589	22590	22591	22592	3	5
36 x 75	22595	22596	22597	22598	22599	22600	22601	22602	22603	22604	22605	22606	22607	3	5
36 x 84	22610	22611	22612	22613	22614	22615	22616	22617	22618	22619	22620	22621	22622	3	5
36 x 103	22625	22626	22627	22628	22629	22630	22631	22632	22633	22634	22635	22636	22637	3	5
37 x 48	22640	22641	22642	22643	22644	22645	22646	22647	22648	22649	22650	22651	22652	3	5
37 x 60	22655	22656	22657	22658	22659	22660	22661	22662	22663	22664	22665	22666	22667	3	5
37 x 72	22670	22671	22672	22673	22674	22675	22676	22677	22678	22679	22680	22681	22682	3	5
37 x 75	22685	22686	22687	22688	22689	22690	22691	22692	22693	22694	22695	22696	22697	3	5
38 x 103	22700	22701	22702	22703	22704	22705	22706	22707	22708	22709	22710	22711	22712	3	5
40 x 75	22715	22716	22717	22718	22719	22720	22721	22722	22723	22724	22725	22726	22727	3	5
42 x 72	22730	22731	22732	22733	22734	22735	22736	22737	22738	22739	22740	22741	22742	3	5
42 x 75	22745	22746	22747	22748	22749	22750	22751	22752	22753	22754	22755	22756	22757	3	5
42 x 84	22760	22761	22762	22763	22764	22765	22766	22767	22768	22769	22770	22771	22772	3	5
43 x 60	22775	22776	22777	22778	22779	22780	22781	22782	22783	22784	22785	22786	22787	3	5
43 x 72	22790	22791	22792	22793	22794	22795	22796	22797	22798	22799	22800	22801	22802	3	5
43 x 75	22805	22806	22807	22808	22809	22810	22811	22812	22813	22814	22815	22816	22817	3	5
43 x 85	22820	22821	22822	22823	22824	22825	22826	22827	22828	22829	22830	22831	22832	3	5
44 x 75	22835	22836	22837	22838	22839	22840	22841	22842	22843	22844	22845	22846	22847	3	5
44 x 85	22850	22851	22852	22853	22854	22855	22856	22857	22858	22859	22860	22861	22862	3	5
44 x 103	22865	22866	22867	22868	22869	22870	22871	22872	22873	22874	22875	22876	22877	3	5

Belts

W25 Wide Cloth Belts



Y weight, open coat, polyester, resin cloth, Aluminum Oxide. Use for wide belt sanding on plywood and mosaic wooden panels and for flat sanding at high speed. Durable and washable.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt. & Y-wt., backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Aluminum Oxide

Size	24Y	36Y	40Y	50Y	60Y	80Y	100Y	120Y	150Y	180Y	220Y	240Y	320Y	80 & Coarser	100 & Finer
50 x 75	22880	22881	22882	22883	22884	22885	22886	22887	22888	22889	22890	22891	22892	3	5
50 x 84	22895	22896	22897	22898	22899	22900	22901	22902	22903	22904	22905	22906	22907	3	5
50 x 103	22910	22911	22912	22913	22914	22915	22916	22917	22918	22919	22920	22921	22922	3	5
50 x 126	22925	22926	22927	22928	22929	22930	22931	22932	22933	22934	22935	22936	22937	3	5
50 x 142	22940	22941	22942	22943	22944	22945	22946	22947	22948	22949	22950	22951	22952	3	5
51 x 103	22955	22956	22957	22958	22959	22960	22961	22962	22963	22964	22965	22966	22967	3	5
52 x 75	22970	22971	22972	22973	22974	22975	22976	22977	22978	22979	22980	22981	22982	3	5
52 x 85	22985	22986	22987	22988	22989	22990	22991	22992	22993	22994	22995	22996	22997	3	5
52 x 103	23000	23001	23002	23003	23004	23005	23006	23007	23008	23009	23010	23011	23012	3	5
52 x 243	23015	23016	23017	23018	23019	23020	23021	23022	23023	23024	23025	23026	23027	3	5

R205 Wide Cloth Belts



Y weight, closed coat, polyester resin cloth, Zirconia. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	80 & Coarser	100 & Finer
18 x 48	58175	58176	58177	58178	58179	58180	58181	58182	3	5
18 x 72	58190	58191	58192	58193	58194	58195	58196	58197	3	5
18 x 75	58205	58206	58207	58208	58209	58210	58211	58212	3	5
18 x 85	58220	58221	58222	58223	58224	58225	58226	58227	3	5
19 x 48	58235	58236	58237	58238	58239	58240	58241	58242	3	5
19 x 60	59400	59401	59402	59403	59404	59405	59406	59407	3	5
20 x 103	58250	58251	58252	58253	58254	58255	58256	58257	3	5
20 x 145	58265	58266	58267	58268	58269	58270	58271	58272	3	5
24 x 48	58280	58281	58282	58283	58284	58285	58286	58287	3	5
24 x 55	58295	58296	58297	58298	58299	58300	58301	58302	3	5
24 x 60	58310	58311	58312	58313	58314	58315	58316	58317	3	5
24 x 72	58325	58326	58327	58328	58329	58330	58331	58332	3	5
24 x 75	58340	58341	58342	58343	58344	58345	58346	58347	3	5

Belts

R205 Wide Cloth Belts

Y weight, closed coat, polyester resin cloth, Zirconia. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.



Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	80 & Coarser	100 & Finer
24 x 84	58355	58356	58357	58358	58359	58360	58361	58362	3	5
24 x 103	58370	58371	58372	58373	58374	58375	58376	58377	3	5
25 x 48	58385	58386	58387	58388	58389	58390	58391	58392	3	5
25 x 60	58400	58401	58402	58403	58404	58405	58406	58407	3	5
25 x 72	58415	58416	58417	58418	58419	58420	58421	58422	3	5
25 x 75	58430	58431	58432	58433	58434	58435	58436	58437	3	5
25 x 103	58445	58446	58447	58448	58449	58450	58451	58452	3	5
30 x 72	58460	58461	58462	58463	58464	58465	58466	58467	3	5
30 x 75	58475	58476	58477	58478	58479	58480	58481	58482	3	5
30 x 84	58490	58491	58492	58493	58494	58495	58496	58497	3	5
30 x 103	58505	58506	58507	58508	58509	58510	58511	58512	3	5
35 x 75	58520	58521	58522	58523	58524	58525	58526	58527	3	5
36 x 48	58535	58536	58537	58538	58539	58540	58541	58542	3	5
36 x 55	58550	58551	58552	58553	58554	58555	58556	58557	3	5
36 x 60	58565	58566	58567	58568	58569	58570	58571	58572	3	5
36 x 72	58580	58581	58582	58583	58584	58585	58586	58587	3	5
36 x 75	58595	58596	58597	58598	58599	58600	58601	58602	3	5
36 x 84	58610	58611	58612	58613	58614	58615	58616	58617	3	5
36 x 103	58625	58626	58627	58628	58629	58630	58631	58632	3	5
37 x 48	58640	58641	58642	58643	58644	58645	58646	58647	3	5
37 x 60	58655	58656	58657	58658	58659	58660	58661	58662	3	5
37 x 72	58670	58671	58672	58673	58674	58675	58676	58677	3	5
37 x 75	58685	58686	58687	58688	58689	58690	58691	58692	3	5
38 x 103	58700	58701	58702	58703	58704	58705	58706	58707	3	5
40 x 75	58715	58716	58717	58718	58719	58720	58721	58722	3	5
42 x 72	58730	58731	58732	58733	58734	58735	58736	58737	3	5
42 x 75	58745	58746	58747	58748	58749	58750	58751	58752	3	5
42 x 84	58760	58761	58762	58763	58764	58765	58766	58767	3	5
43 x 60	58775	58776	58777	58778	58779	58780	58781	58782	3	5
43 x 72	58790	58791	58792	58793	58794	58795	58796	58797	3	5
43 x 75	58805	58806	58807	58808	58809	58810	58811	58812	3	5
43 x 85	58820	58821	58822	58823	58824	58825	58826	58827	3	5
44 x 75	58835	58836	58837	58838	58839	58840	58841	58842	3	5
44 x 85	58850	58851	58852	58853	58854	58855	58856	58857	3	5
44 x 103	58865	58866	58867	58868	58869	58870	58871	58872	3	5
50 x 75	58880	58881	58882	58883	58884	58885	58886	58887	3	5
50 x 84	58895	58896	58897	58898	58899	58900	58901	58902	3	5
50 x 103	58910	58911	58912	58913	58914	58915	58916	58917	3	5
50 x 126	58925	58926	58927	58928	58929	58930	58931	58932	3	5
50 x 142	58940	58941	58942	58943	58944	58945	58946	58947	3	5
51 x 103	58955	58956	58957	58958	58959	58960	58961	58962	3	5
52 x 75	58970	58971	58972	58973	58974	58975	58976	58977	3	5
52 x 85	58985	58986	58987	58988	58989	58990	58991	58992	3	5
52 x 103	59000	59001	59002	59003	59004	59005	59006	59007	3	5
52 x 243	59015	59016	59017	59018	59019	59020	59021	59022	3	5

Belts

R203 Wide Cloth Belts



Y weight, closed coat, polyester resin cloth, Zirconia with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	80 & Coarser	100 & Finer
18 x 48	54175	54176	54177	54178	54179	54180	54181	54182	54183	3	5
18 x 72	54190	54191	54192	54193	54194	54195	54196	54197	54198	3	5
18 x 75	54205	54206	54207	54208	54209	54210	54211	54212	54213	3	5
18 x 85	54220	54221	54222	54223	54224	54225	54226	54227	54228	3	5
19 x 48	54235	54236	54237	54238	54239	54240	54241	54242	54243	3	5
19 x 60	55400	55401	55402	55403	55404	55405	55406	55407	55408	3	5
20 x 103	54250	54251	54252	54253	54254	54255	54256	54257	54258	3	5
20 x 145	54265	54266	54267	54268	54269	54270	54271	54272	54273	3	5
24 x 48	54280	54281	54282	54283	54284	54285	54286	54287	54288	3	5
24 x 55	54295	54296	54297	54298	54299	54300	54301	54302	54303	3	5
24 x 60	54310	54311	54312	54313	54314	54315	54316	54317	54318	3	5
24 x 72	54325	54326	54327	54328	54329	54330	54331	54332	54333	3	5
24 x 75	54340	54341	54342	54343	54344	54345	54346	54347	54348	3	5
24 x 84	54355	54356	54357	54358	54359	54360	54361	54362	54363	3	5
24 x 103	54370	54371	54372	54373	54374	54375	54376	54377	54378	3	5
25 x 48	54385	54386	54387	54388	54389	54390	54391	54392	54393	3	5
25 x 60	54400	54401	54402	54403	54404	54405	54406	54407	54408	3	5
25 x 72	54415	54416	54417	54418	54419	54420	54421	54422	54423	3	5
25 x 75	54430	54431	54432	54433	54434	54435	54436	54437	54438	3	5
25 x 103	54445	54446	54447	54448	54449	54450	54451	54452	54453	3	5
30 x 72	54460	54461	54462	54463	54464	54465	54466	54467	54468	3	5
30 x 75	54475	54476	54477	54478	54479	54480	54481	54482	54483	3	5
30 x 84	54490	54491	54492	54493	54494	54495	54496	54497	54498	3	5
30 x 103	54505	54506	54507	54508	54509	54510	54511	54512	54513	3	5
35 x 75	54520	54521	54522	54523	54524	54525	54526	54527	54528	3	5
36 x 48	54535	54536	54537	54538	54539	54540	54541	54542	54543	3	5
36 x 55	54550	54551	54552	54553	54554	54555	54556	54557	54558	3	5
36 x 60	54565	54566	54567	54568	54569	54570	54571	54572	54573	3	5
36 x 72	54580	54581	54582	54583	54584	54585	54586	54587	54588	3	5
36 x 75	54595	54596	54597	54598	54599	54600	54601	54602	54603	3	5
36 x 84	54610	54611	54612	54613	54614	54615	54616	54617	54618	3	5
36 x 103	54625	54626	54627	54628	54629	54630	54631	54632	54633	3	5
37 x 48	54640	54641	54642	54643	54644	54645	54646	54647	54648	3	5
37 x 60	54655	54656	54657	54658	54659	54660	54661	54662	54663	3	5
37 x 72	54670	54671	54672	54673	54674	54675	54676	54677	54678	3	5
37 x 75	54685	54686	54687	54688	54689	54690	54691	54692	54693	3	5
38 x 103	54700	54701	54702	54703	54704	54705	54706	54707	54708	3	5
40 x 75	54715	54716	54717	54718	54719	54720	54721	54722	54723	3	5
42 x 72	54730	54731	54732	54733	54734	54735	54736	54737	54738	3	5
42 x 75	54745	54746	54747	54748	54749	54750	54751	54752	54753	3	5
42 x 84	54760	54761	54762	54763	54764	54765	54766	54767	54768	3	5
43 x 60	54775	54776	54777	54778	54779	54780	54781	54782	54783	3	5
43 x 72	54790	54791	54792	54793	54794	54795	54796	54797	54798	3	5
43 x 75	54805	54806	54807	54808	54809	54810	54811	54812	54813	3	5
43 x 85	54820	54821	54822	54823	54824	54825	54826	54827	54828	3	5
44 x 75	54835	54836	54837	54838	54839	54840	54841	54842	54843	3	5
44 x 85	54850	54851	54852	54853	54854	54855	54856	54857	54858	3	5
44 x 103	54865	54866	54867	54868	54869	54870	54871	54872	54873	3	5
50 x 75	54880	54881	54882	54883	54884	54885	54886	54887	54888	3	5
50 x 84	54895	54896	54897	54898	54899	54900	54901	54902	54903	3	5

Belts

R203 Wide Cloth Belts

Y weight, closed coat, polyester resin cloth, Zirconia with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications. Suitable for cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.



Part Number Prefix— 801034

Zirconia

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	80 & Coarser	100 & Finer
50 x 103	54910	54911	54912	54913	54914	54915	54916	54917	54918	3	5
50 x 126	54925	54926	54927	54928	54929	54930	54931	54932	54933	3	5
50 x 142	54940	54941	54942	54943	54944	54945	54946	54947	54948	3	5
51 x 103	54955	54956	54957	54958	54959	54960	54961	54962	54963	3	5
52 x 75	54970	54971	54972	54973	54974	54975	54976	54977	54978	3	5
52 x 85	54985	54986	54987	54988	54989	54990	54991	54992	54993	3	5
52 x 103	55000	55001	55002	55003	55004	55005	55006	55007	55008	3	5
52 x 243	55015	55016	55017	55018	55019	55020	55021	55022	55023	3	5

P963S Wide Cloth Belts

Y weight (024 - 036), X weight (040 - 120), closed coat, polyester resin cloth, Ceramic with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications with heavy pressure. Suitable for gates & risers, cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.



Part Number Prefix— 801034

Ceramic

Size	24Y	36X	40X	50X	60X	80X	100X	120X	80 & Coarser	100 & Finer
18 x 48	73805	73806	73807	73808	73809	73810	73811	73812	3	5
18 x 72	73820	73821	73822	73823	73824	73825	73826	73827	3	5
18 x 75	73835	73836	73837	73838	73839	73840	73841	73842	3	5
18 x 85	73850	73851	73852	73853	73854	73855	73856	73857	3	5
19 x 48	73865	73866	73867	73868	73869	73870	73871	73872	3	5
20 x 103	73880	73881	73882	73883	73884	73885	73886	73887	3	5
20 x 145	73895	73896	73897	73898	73899	73900	73901	73902	3	5
24 x 48	73910	73911	73912	73913	73914	73915	73916	73917	3	5
24 x 55	73925	73926	73927	73928	73929	73930	73931	73932	3	5
24 x 60	73940	73941	73942	73943	73944	73945	73946	73947	3	5
24 x 72	73955	73956	73957	73958	73959	73960	73961	73962	3	5
24 x 75	73970	73971	73972	73973	73974	73975	73976	73977	3	5
24 x 84	73985	73986	73987	73988	73989	73990	73991	73992	3	5
24 x 103	74000	74001	74002	74003	74004	74005	74006	74007	3	5

Belts

P963S Wide Cloth Belts



Y weight (024 - 036), X weight (040 - 120), closed coat, polyester resin cloth, Ceramic with a grinding aid to reduce heat buildup. Fast cutting for heavy grinding applications with heavy pressure. Suitable for gates & risers, cast iron, stainless steel, nickel steel, alloy steel, tool steel, etc. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Ceramic

Size	24Y	36X	40X	50X	60X	80X	100X	120X	80 & Coarser	100 & Finer
25 x 48	74015	74016	74017	74018	74019	74020	74021	74022	3	5
25 x 60	74030	74031	74032	74033	74034	74035	74036	74037	3	5
25 x 72	74045	74046	74047	74048	74049	74050	74051	74052	3	5
25 x 75	74060	74061	74062	74063	74064	74065	74066	74067	3	5
25 x 103	74075	74076	74077	74078	74079	74080	74081	74082	3	5
30 x 72	74090	74091	74092	74093	74094	74095	74096	74097	3	5
30 x 75	74105	74106	74107	74108	74109	74110	74111	74112	3	5
30 x 84	74120	74121	74122	74123	74124	74125	74126	74127	3	5
30 x 103	74135	74136	74137	74138	74139	74140	74141	74142	3	5
35 x 75	74150	74151	74152	74153	74154	74155	74156	74157	3	5
36 x 48	74165	74166	74167	74168	74169	74170	74171	74172	3	5
36 x 55	74180	74181	74182	74183	74184	74185	74186	74187	3	5
36 x 60	74195	74196	74197	74198	74199	74200	74201	74202	3	5
36 x 72	74210	74211	74212	74213	74214	74215	74216	74217	3	5
36 x 75	74225	74226	74227	74228	74229	74230	74231	74232	3	5
36 x 84	74240	74241	74242	74243	74244	74245	74246	74247	3	5
36 x 103	74255	74256	74257	74258	74259	74260	74261	74262	3	5
37 x 48	74270	74271	74272	74273	74274	74275	74276	74277	3	5
37 x 60	74285	74286	74287	74288	74289	74290	74291	74292	3	5
37 x 72	74300	74301	74302	74303	74304	74305	74306	74307	3	5
37 x 75	74315	74316	74317	74318	74319	74320	74321	74322	3	5
38 x 103	74330	74331	74332	74333	74334	74335	74336	74337	3	5
40 x 75	74345	74346	74347	74348	74349	74350	74351	74352	3	5
42 x 72	74360	74361	74362	74363	74364	74365	74366	74367	3	5
42 x 75	74375	74376	74377	74378	74379	74380	74381	74382	3	5
42 x 84	74390	74391	74392	74393	74394	74395	74396	74397	3	5
43 x 60	74405	74406	74407	74408	74409	74410	74411	74412	3	5
43 x 72	74420	74421	74422	74423	74424	74425	74426	74427	3	5
43 x 75	74435	74436	74437	74438	74439	74440	74441	74442	3	5
43 x 85	74450	74451	74452	74453	74454	74455	74456	74457	3	5
44 x 75	74465	74466	74467	74468	74469	74470	74471	74472	3	5
44 x 85	74480	74481	74482	74483	74484	74485	74486	74487	3	5
44 x 103	74495	74496	74497	74498	74499	74500	74501	74502	3	5
50 x 75	74510	74511	74512	74513	74514	74515	74516	74517	3	5
50 x 84	74525	74526	74527	74528	74529	74530	74531	74532	3	5
50 x 103	74540	74541	74542	74543	74544	74545	74546	74547	3	5
50 x 126	74555	74556	74557	74558	74559	74560	74561	74562	3	5
50 x 142	74570	74571	74572	74573	74574	74575	74576	74577	3	5
51 x 103	74585	74586	74587	74588	74589	74590	74591	74592	3	5
52 x 75	74600	74601	74602	74603	74604	74605	74606	74607	3	5
52 x 85	74615	74616	74617	74618	74619	74620	74621	74622	3	5
52 x 103	74630	74631	74632	74633	74634	74635	74636	74637	3	5
52 x 243	74645	74646	74647	74648	74649	74650	74651	74652	3	5

Belts

S181 Wide Cloth Belts

Y weight (024 - 080), X weight (100 - 600), closed coat, resin cloth, Silicon Carbide. Our premium belt for wet or dry applications. Fast cutting for glass, ceramic, artificial stones, asbestos, cement, stone, and other non-ferrous materials. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.



Part Number Prefix— 801034

Silicon Carbide																		
Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	80 & Coarser	100 & Finer	
18 x 48	50320	50321	50322	50323	50324	50325	50326	50327	50328	50329	50330	50331	50332	50333	50335	3	5	
18 x 72	50336	50337	50338	50339	50340	50341	50342	50343	50344	50345	50346	50347	50348	50349	50351	3	5	
18 x 75	50352	50353	50354	50355	50356	50357	50358	50359	50360	50361	50362	50363	50364	50365	50367	3	5	
18 x 85	50368	50369	50370	50371	50372	50373	50374	50375	50376	50377	50378	50379	50380	50381	50383	3	5	
19 x 48	50384	50385	50386	50387	50388	50389	50390	50391	50392	50393	50394	50395	50396	50397	50399	3	5	
19 x 60	51300	51301	51302	51303	51304	51305	51306	51307	51308	51309	51310	51311	51312	51313	51315	3	5	
20 x 103	50400	50401	50402	50403	50404	50405	50406	50407	50408	50409	50410	50411	50412	50413	50415	3	5	
20 x 145	50416	50417	50418	50419	50420	50421	50422	50423	50424	50425	50426	50427	50428	50429	50431	3	5	
24 x 48	50432	50433	50434	50435	50436	50437	50438	50439	50440	50441	50442	50443	50444	50445	50447	3	5	
24 x 55	50448	50449	50450	50451	50452	50453	50454	50455	50456	50457	50458	50459	50460	50461	50463	3	5	
24 x 60	50464	50465	50466	50467	50468	50469	50470	50471	50472	50473	50474	50475	50476	50477	50479	3	5	
24 x 72	50480	50481	50482	50483	50484	50485	50486	50487	50488	50489	50490	50491	50492	50493	50495	3	5	
24 x 75	50496	50497	50498	50499	50500	50501	50502	50503	50504	50505	50506	50507	50508	50509	50511	3	5	
24 x 84	50512	50513	50514	50515	50516	50517	50518	50519	50520	50521	50522	50523	50524	50525	50527	3	5	
24 x 103	50528	50529	50530	50531	50532	50533	50534	50535	50536	50537	50538	50539	50540	50541	50543	3	5	
25 x 48	50544	50545	50546	50547	50548	50549	50550	50551	50552	50553	50554	50555	50556	50557	50559	3	5	
25 x 60	50560	50561	50562	50563	50564	50565	50566	50567	50568	50569	50570	50571	50572	50573	50575	3	5	
25 x 72	50576	50577	50578	50579	50580	50581	50582	50583	50584	50585	50586	50587	50588	50589	50591	3	5	
25 x 75	50592	50593	50594	50595	50596	50597	50598	50599	50600	50601	50602	50603	50604	50605	50607	3	5	
25 x 103	50608	50609	50610	50611	50612	50613	50614	50615	50616	50617	50618	50619	50620	50621	50623	3	5	
30 x 72	50624	50625	50626	50627	50628	50629	50630	50631	50632	50633	50634	50635	50636	50637	50639	3	5	
30 x 75	50640	50641	50642	50643	50644	50645	50646	50647	50648	50649	50650	50651	50652	50653	50655	3	5	
30 x 84	50656	50657	50658	50659	50660	50661	50662	50663	50664	50665	50666	50667	50668	50669	50671	3	5	
30 x 103	50672	50673	50674	50675	50676	50677	50678	50679	50680	50681	50682	50683	50684	50685	50687	3	5	
35 x 75	50688	50689	50690	50691	50692	50693	50694	50695	50696	50697	50698	50699	50700	50701	50703	3	5	
36 x 48	50704	50705	50706	50707	50708	50709	50710	50711	50712	50713	50714	50715	50716	50717	50719	3	5	
36 x 55	50720	50721	50722	50723	50724	50725	50726	50727	50728	50729	50730	50731	50732	50733	50735	3	5	
36 x 60	50736	50737	50738	50739	50740	50741	50742	50743	50744	50745	50746	50747	50748	50749	50751	3	5	
36 x 72	50752	50753	50754	50755	50756	50757	50758	50759	50760	50761	50762	50763	50764	50765	50767	3	5	
36 x 75	50768	50769	50770	50771	50772	50773	50774	50775	50776	50777	50778	50779	50780	50781	50783	3	5	
36 x 84	50784	50785	50786	50787	50788	50789	50790	50791	50792	50793	50794	50795	50796	50797	50799	3	5	
36 x 103	50800	50801	50802	50803	50804	50805	50806	50807	50808	50809	50810	50811	50812	50813	50815	3	5	
37 x 48	50816	50817	50818	50819	50820	50821	50822	50823	50824	50825	50826	50827	50828	50829	50831	3	5	
37 x 60	50832	50833	50834	50835	50836	50837	50838	50839	50840	50841	50842	50843	50844	50845	50847	3	5	
37 x 72	50848	50849	50850	50851	50852	50853	50854	50855	50856	50857	50858	50859	50860	50861	50863	3	5	
37 x 75	50864	50865	50866	50867	50868	50869	50870	50871	50872	50873	50874	50875	50876	50877	50879	3	5	
38 x 103	50880	50881	50882	50883	50884	50885	50886	50887	50888	50889	50890	50891	50892	50893	50895	3	5	
40 x 75	50896	50897	50898	50899	50900	50901	50902	50903	50904	50905	50906	50907	50908	50909	50911	3	5	
42 x 72	50912	50913	50914	50915	50916	50917	50918	50919	50920	50921	50922	50923	50924	50925	50927	3	5	
42 x 75	50928	50929	50930	50931	50932	50933	50934	50935	50936	50937	50938	50939	50940	50941	50943	3	5	
42 x 84	50944	50945	50946	50947	50948	50949	50950	50951	50952	50953	50954	50955	50956	50957	50959	3	5	
43 x 60	50960	50961	50962	50963	50964	50965	50966	50967	50968	50969	50970	50971	50972	50973	50975	3	5	
43 x 72	50976	50977	50978	50979	50980	50981	50982	50983	50984	50985	50986	50987	50988	50989	50991	3	5	
43 x 75	50992	50993	50994	50995	50996	50997	50998	50999	51000	51001	51002	51003	51004	51005	51007	3	5	
43 x 85	51008	51009	51010	51011	51012	51013	51014	51015	51016	51017	51018	51019	51020	51021	51023	3	5	
44 x 75	51024	51025	51026	51027	51028	51029	51030	51031	51032	51033	51034	51035	51036	51037	51039	3	5	
44 x 85	51040	51041	51042	51043	51044	51045	51046	51047	51048	51049	51050	51051	51052	51053	51055	3	5	
44 x 103	51056	51057	51058	51059	51060	51061	51062	51063	51064	51065	51066	51067	51068	51069	51071	3	5	
50 x 75	51072	51073	51074	51075	51076	51077	51078	51079	51080	51081	51082	51083	51084	51085	51087	3	5	
50 x 84	51088	51089	51090	51091	51092	51093	51094	51095	51096	51097	51098	51099	51100	51101	51103	3	5	

Belts

S181 Wide Cloth Belts



Y weight (024 - 080), X weight (100 - 600), closed coat, resin cloth, Silicon Carbide. Our premium belt for wet or dry applications. Fast cutting for glass, ceramic, artificial stones, asbestos, cement, stone, and other non-ferrous materials. Contact customer service for current available specifications.

Also available in other product specifications, with and without grinding aids, in J-wt., X-wt., & Y-wt. backing. Also, other minerals; Premium Aluminum Oxide, Zirconia, Ceramic and Silicon Carbide.

For other materials see pages 136 - 139.

Part Number Prefix— 801034

Silicon Carbide

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	600X	80 & Coarser	100 & Finer
50 x 103	51104	51105	51106	51107	51108	51109	51110	51111	51112	51113	51114	51115	51116	51117	51119	3	5
50 x 126	51120	51121	51122	51123	51124	51125	51126	51127	51128	51129	51130	51131	51132	51133	51135	3	5
50 x 142	51136	51137	51138	51139	51140	51141	51142	51143	51144	51145	51146	51147	51148	51149	51151	3	5
51 x 103	51152	51153	51154	51155	51156	51157	51158	51159	51160	51161	51162	51163	51164	51165	51167	3	5
52 x 75	51168	51169	51170	51171	51172	51173	51174	51175	51176	51177	51178	51179	51180	51181	51183	3	5
52 x 85	51184	51185	51186	51187	51188	51189	51190	51191	51192	51193	51194	51195	51196	51197	51199	3	5
52 x 103	51200	51201	51202	51203	51204	51205	51206	51207	51208	51209	51210	51211	51212	51213	51215	3	5
52 x 243	51216	51217	51218	51219	51220	51221	51222	51223	51224	51225	51226	51227	51228	51229	51231	3	5

Belt Cleaning Sticks



Makes belts look and perform like new. Removes abraded material lodged between abrasive grains. Helps prevent burning, chatter marks, and machine vibration caused by loaded belts. Increases uniformity of finish. Decreases costly down time.

Not intended for use on wide belt or conveyor type sanders.

Part Number Prefix— 801034


Belt Cleaning Sticks

Size	Description	Part No.	Min./Unit
1-1/2 x 1-1/2 x 8	#1 Belt Cleaner Stick	99990	1/5
2 x 2 x 12	#2 Belt Cleaner Stick	99995	1/5

Graphite Coated Canvas Rolls

This heavy duty friction fighter will withstand high pressure applications. Sanding belts will last longer as a result of the graphite lubrication and cooling effect.

Available in rolls and sheets



Part Number Prefix – 801034

Graphite Coated Canvas HD

Size	Part No.	Min./Unit
ROLL 2X5 Graphite Coated Canvas HD	55500	1/1
ROLL 2X10 Graphite Coated Canvas HD	55501	1/1
ROLL 2X20 Graphite Coated Canvas HD	55502	1/1
ROLL 3X5 Graphite Coated Canvas HD	55503	1/1
ROLL 3X10 Graphite Coated Canvas HD	55504	1/1
ROLL 3X20 Graphite Coated Canvas HD	55505	1/1
ROLL 4X5 Graphite Coated Canvas HD	55506	1/1
ROLL 4X10 Graphite Coated Canvas HD	55507	1/1
ROLL 4X20 Graphite Coated Canvas HD	55508	1/1
ROLL 6X5 Graphite Coated Canvas HD	55509	1/1
ROLL 6X10 Graphite Coated Canvas HD	55510	1/1
ROLL 6X20 Graphite Coated Canvas HD	55511	1/1
ROLL 8X5 Graphite Coated Canvas HD	55512	1/1
ROLL 8X10 Graphite Coated Canvas HD	55513	1/1
ROLL 8X20 Graphite Coated Canvas HD	55514	1/1

Resin Fiber Discs

Resin Fiber Discs



Part Number Prefix – 809775

Aluminum Oxide, C-Type

Size	16	24	36	50	60	80	100	120	Min./Unit
4 x 5/8	00000	00003	00006	00009	00012	00015	00018	00021	25/100
4 x 7/8	00036	00039	00042	00045	00048	00051	00054	00057	25/100
4-1/2 x 7/8	00072	00075	00078	00081	00084	00087	00090	00093	25/100
5 x 7/8	00108	00111	00114	00117	00120	00123	00126	00129	25/100
7 x 7/8	00144	00147	00150	00153	00156	00159	00162	00165	25/100
9-1/8 x 7/8	00180	00183	00186	00189	00192	00195	00198	00201	25/100

C-Type

Aluminum Oxide for general purpose grinding.

Z-Type

Premium Zirconia for long life and cool cut.

XF Ceramic Plus

Ceramic discs are longer lasting with cool cut. Highest productivity on difficult to grind materials.

S-Type

Silicon Carbide for fast cutting on non-ferrous metals, stone, terrazzo and ceramic.

Part Number Prefix – 809775

Premium Zirconia, Z-Type

Size	16	24	36	50	60	80	Min./Unit
4 x 5/8	00600	00603	00606	00609	00612	00615	25/100
4-1/2 x 7/8	00672	00675	00678	00681	00684	00687	25/100
5 x 7/8	00708	00711	00714	00717	00720	00723	25/100
7 x 7/8	00744	00747	00750	00753	00756	00759	25/100
9-1/8 x 7/8	00780	00783	00786	00789	00792	00795	25/100

Part Number Prefix – 809775

Ceramic Plus, XF-Type

Size	24	36	50	60	80	100	120	Min./Unit
4-1/2 x 7/8	01275	01278	01281	01284	01287	01290	01293	25/100
5 x 7/8	01311	01314	01317	01320	01323	01326	01329	25/100
7 x 7/8	01347	01350	01353	01356	01359	01362	01365	25/100
9-1/4x7/8	01383	01386	01389	01392	01395	01398	01401	25/100

Part Number Prefix – 809775

Silicon Carbide, S-Type

Size	16	24	36	50	60	80	100	120	Min./Unit
4-1/2 x 7/8	00972	00975	00978	00981	00984	00987	00990	00993	25/100
5 x 7/8	01008	01011	01014	01017	01020	01023	01026	01029	25/100
7 x 7/8	01044	01047	01050	01053	01056	01059	01062	01065	25/100

Resin Fiber Discs are available with a disposable 5/8-11 arbor

Other sizes available upon request – Call for Pricing

Resin Fiber Discs

Resin Fiber Pads, Nuts and Wrenches

Part Number Prefix – 809775

Resin Fiber Backing Pads

Size	Description	Part No.
4 x 5/8-11	R400R	44000
4-1/2 x 5/8-SB	R425RSB	44003
5 x 5/8-11	R500R	44006
7 x 5/8-11	R700R	44009
9 x 5/8-11	R900R	44012

Other sizes available upon request



Resin Fiber Backing Pads

These rubberized backing pads are ideal for all sanding operations on metal, plastic, fiberglass, etc. The raised ridge design allows for cooler cutting and extended disc life.

Nuts and Wrenches

Nuts and wrenches are not included with pads and must be ordered separately.

Part Number Prefix – 809775

Nuts

Size	Description	Part No.
5/8-11 Nut for 7"-9" Pads	#102	44020
5/8-11 Nut for 4"-5" Pads	#103	44023

Part Number Prefix – 809775


Wrenches

	Description	Part No.
Spanner Wrench	#102SPWR	44030

Other sizes available upon request – Call for Pricing

Quick Change Discs

Button Type Guide



Quick Change Disc Button Types

GAP	R/O	T/O	S/O
3M /Std. Abr	TR	TS	TP
Norton	TR (Type III)	TS (Type II)	TP (Type I)

Premium Aluminum Oxide



General purpose grinding, deburring and blending on most metals.
Ideal for flat or contour surfaces. 2-ply construction.



Part Number Prefix – 809775

Aluminum Oxide

Size	Type	Max RPM	24	36	40	50	60	80	100	120	180	320	Min./Unit
1	T/O	40,000	03000	03003	03006	03009	03012	03015	03018	03021	03027	03036	100/500
1-1/2	T/O	30,000	03045	03048	03051	03054	03057	03060	03063	03066	03072	03081	100/500
2	T/O	30,000	03090	03093	03096	03099	03102	03105	03108	03111	03117	03126	100/500
3	T/O	20,000	03135	03138	03141	03144	03147	03150	03153	03156	03162	03171	50/250
4	T/O	12,000	03180	03183	03186	03189	03192	03195	03198	03201	03207	03216	25/100
1	R/O	40,000	03800	03803	03806	03809	03812	03815	03818	03821	03827	03836	100/500
1-1/2	R/O	30,000	03845	03848	03851	03854	03857	03860	03863	03866	03872	03881	100/500
2	R/O	30,000	03890	03893	03896	03899	03902	03905	03908	03911	03917	03926	100/500
3	R/O	20,000	03935	03938	03941	03944	03947	03950	03953	03956	03962	03971	50/250
4	R/O	12,000	03980	03983	03986	03989	03992	03995	03998	04001	04007	04016	25/100
1	S/O	40,000	04300	04303	04306	04309	04312	04315	04318	04321	04327	04336	100/500
1-1/2	S/O	30,000	04345	04348	04351	04354	04357	04360	04363	04366	04372	04381	100/500
2	S/O	30,000	04390	04393	04396	04399	04402	04405	04408	04411	04417	04426	100/500
3	S/O	20,000	04435	04438	04441	04444	04447	04450	04453	04456	04462	04471	50/250


For Quick Change Surface Conditioning Discs, see page 72

Additional discounts available for case quantities

Quick Change Discs

Zirconia Plus

Rapid stock removal on stainless steel. Uses Y weight backing with special grinding aid size coat. Medium to heavy pressure. 2-ply construction.



Part Number Prefix – 809775

Zirconia Plus

Size	Type	Max RPM	24	36	40	50	60	80	100	120	Min./Unit
1	T/O	40,000	57200	57201	57202	57203	57204	57205	57206	57207	100/500
1-1/2	T/O	30,000	57220	57221	57222	57223	57224	57225	57226	57227	100/500
2	T/O	30,000	57240	57241	57242	57243	57244	57245	57246	57247	100/500
3	T/O	20,000	57260	57261	57262	57263	57264	57265	57266	57267	50/250
4	T/O	12,000	57280	57281	57282	57283	57284	57285	57286	57287	25/100
1	R/O	40,000	57300	57301	57302	57303	57304	57305	57306	57307	100/500
1-1/2	R/O	30,000	57320	57321	57322	57323	57324	57325	57326	57327	100/500
2	R/O	30,000	57340	57341	57342	57343	57344	57345	57346	57347	100/500
3	R/O	20,000	57360	57361	57362	57363	57364	57365	57366	57367	50/250
4	R/O	12,000	57380	57381	57382	57383	57384	57385	57386	57387	25/100

Additional discounts available for case quantities

Ceramic is the best choice when grinding stainless steel and high nickel alloys. It provides more efficient stock removal than Aluminum Oxide and Zirconia. The addition of a grinding aid provides cooler cutting and less loading.



Part Number Prefix – 809775

Ceramic Plus

Size	Type	Max RPM	36	40	50	60	80	120	Min./Unit
1-1/2	T/O	30,000	56411	56412	56413	56414	56415	56417	100/500
2	T/O	30,000	56421	56422	56423	56424	56425	56427	100/500
3	T/O	20,000	56431	56432	56433	56434	56435	56437	50/250
1-1/2	R/O	30,000	56461	56462	56463	56464	56465	56467	100/500
2	R/O	30,000	56471	56472	56473	56474	56475	56477	100/500
3	R/O	20,000	56481	56482	56483	56484	56485	56487	50/250

Additional discounts available for case quantities

Quick Change Discs

Resin Fiber Discs



Aluminum Oxide - General purpose grinding, deburring and blending on most metals.

Zirconia - For titanium, inconel, hastalloy and other exotic metals. Also for fiberglass and composites.



Part Number Prefix – 809775

Aluminum Oxide

Size	Type	Max RPM	24	36	50	60	80	100	120	Min./Unit
2	Type T/O	30,000	01155	01156	01157	01158	01159	01160	01161	100/500
3	Type T/O	20,000	01165	01166	01167	01168	01169	01170	01171	50/250
2	Type R/O	30,000	01115	01116	01117	01118	01119	01120	01121	100/500
3	Type R/O	20,000	01125	01126	01127	01128	01129	01130	01131	50/250

Part Number Prefix – 809775

Zirconia

Size	Type	Max RPM	24	36	50	60	80	Min./Unit
2	Type T/O	30,000	01175	01176	01177	01178	01179	100/500
3	Type T/O	20,000	01185	01186	01187	01188	01189	50/250
2	Type R/O	30,000	01135	01136	01137	01138	01139	100/500
3	Type R/O	20,000	01145	01146	01147	01148	01149	50/250

Quick Change Discs

Quick Change Holders

Part Number Prefix – 809775

Quick Change Holders

Size	Type	Part No.	Max. RPM
1 x 1/4-Shank	Type T/O	45000	40,000
1-1/2 x 1/4-Shank	Type T/O	45003	30,000
2 x 1/4-Shank	Type T/O	45006	30,000
3 x 1/4-Shank	Type T/O	45009	20,000
4 x 1/4-Shank	Type T/O	45012	10,000
1 x 1/4-Shank	Type R/O	45018	40,000
1-1/2 x 1/4-Shank	Type R/O	45021	30,000
2 x 1/4-Shank	Type R/O	45024	30,000
3 x 1/4-Shank	Type R/O	45027	20,000
4 x 1/4-Shank	Type R/O	45030	10,000
1 x 1/4-Shank	Type S/O	45036	40,000
1-1/2 x 1/4-Shank	Type S/O	45039	30,000
2 x 1/4-Shank	Type S/O	45042	30,000
3 x 1/4-Shank	Type S/O	45045	20,000



Precision molded and balanced. Made of high strength neoprene and engineered for true high speed operations. Reinforced at the locking surface to ensure a close fit and a true plane concentric to mandrel.

Trim-Kut® Discs are made of premium Aluminum Oxide grains bonded to a durable polymer backing. The result is a highly versatile grinding tool which requires no backing pad.

These cool cutting, rapid stock removal discs may be trimmed as needed to expose fresh grinding surfaces.

Part Number Prefix – 809775

Aluminum Oxide

Size	24	36	60	120	Min./Unit
3	01500	01503	01506	01509	100
5	01512	01515	01518	01521	100




Mini Flap Discs

Zirconia & Ceramic



Utilizing technology advancements in abrasives, adhesives and automation, this high performance flap disc will improve productivity and become a favorite tool in your plant. Its special flap design can accomplish two operations in one step - grinding and finishing. Extended life over conventional quick change discs of at least 5 to 1 make this product one of the most effective breakthroughs in the small disc market.



Zirconia

A superior material due to its uniform particle size, aggressive cut and premium blend of ingredients. Great for cleaning weld lines, weld spatter, deburring, deflashing, removing rust, blending or general stock removal in narrow and small areas.

Part Number Prefix – 809775

Zirconia

Size	Type	Max. RPM	36	40	60	80	120	Min./Unit
2	Type T/O	30,000	02030	02032	02034	02036	02038	10
3	Type T/O	20,000	02040	02042	02044	02046	02048	10
2	Type R/O	30,000	02010	02012	02014	02016	02018	10
3	Type R/O	20,000	02020	02022	02024	02026	02028	10

Ceramic

Hard and self sharpening abrasive, faster stock removal and much longer life compared to zirconia. Ideal to work on edges or with heavy pressure.

Part Number Prefix – 809775

Ceramic

Size	Type	Max. RPM	36	40	60	80	120	Min./Unit
2	Type T/O	30,000	02080	02082	02084	02086	02088	10
3	Type T/O	20,000	02090	02092	02094	02096	02098	10
2	Type R/O	30,000	02060	02062	02064	02066	02068	10
3	Type R/O	20,000	02070	02072	02074	02076	02078	10

Quick Change Holders



Precision molded and balanced. Made of high strength neoprene and engineered for true high speed operations. Reinforced at the locking surface to ensure a close fit and a true plane concentric to mandrel.

Part Number Prefix – 809775

Quick Change Holders

Size	Type	Part No.	Max. RPM
2 x 1/4-Shank	Type T/O	45006	30,000
3 x 1/4-Shank	Type T/O	45009	20,000
2 x 1/4-Shank	Type R/O	45024	30,000
3 x 1/4-Shank	Type R/O	45027	20,000

Flap Discs

Ceramic, Zirconia & High Density Zirconia

Ceramic

Ceramic flap discs are the best choice for grinding stainless steel, exotic alloys and other hard metals. The ceramic mineral provides a cooler grinding surface and resultant longer life.

Part Number Prefix – 809775

Ceramic Fiberglass Backed

Size	Type	Max. RPM	36	40	60	80	120	Min./Unit
4-1/2 x 7/8	Type 27	13,300	02701	02702	02704	02705	02707	1/10
4-1/2 x 5/8-11	Type 27T	13,300	02721	02722	02724	02725	02727	1/10
4-1/2 x 7/8	Type 29	13,300	02841	02842	02844	02845	02847	1/10
7 x 7/8	Type 29	8,600	02761	02762	02764	02765	02767	1/10
4-1/2 x 5/8-11	Type 29T	13,300	02861	02862	02864	02865	02867	1/10
7 x 5/8-11	Type 29T	8,600	02771	02772	02774	02775	02777	1/10



Zirconia

Zirconia grain flap discs are designed to wear away evenly and provide cool grinding on carbon steel, stainless, aluminum and most alloys.

Also available in exceptionally strong plastic backing.



Part Number Prefix – 809775

Zirconia Fiberglass Backed

Size	Type	Max. RPM	36	40	60	80	120	Min./Unit
4-1/2 x 7/8	Type 27	13,300	02100	02103	02106	02109	02112	1/10
4-1/2 x 7/8 FAB	Type 27	13,300	-	02104	02107	02110	02113	100
4-1/2 x 5/8-11	Type 27T	13,300	02200	02203	02206	02209	02212	1/10
4-1/2 x 5/8-11 FAB	Type 27T	13,300	-	02204	02207	02210	02213	50
4 x 5/8	Type 29	13,300	02300	02303	02306	02309	02312	1/10
4-1/2 x 7/8	Type 29	13,300	02327	02330	02333	02336	02339	1/10
4-1/2 x 7/8 FAB	Type 29	13,300	-	02331	02334	02337	02340	100
7 x 7/8	Type 29	8,600	02354	02357	02360	02363	02366	1/10
4-1/2 x 5/8-11	Type 29T	13,300	02427	02430	02433	02436	02439	1/10
4-1/2 x 5/8-11 FAB	Type 29T	13,300	-	02431	02434	02437	02440	50
7 x 5/8-11	Type 29T	8,600	02454	02457	02460	02463	02466	1/1

High Density Zirconia

Part Number Prefix – 809775

High Density Zirconia Fiberglass Backed

Size	Type	Max. RPM	36	40	60	80	120	Min./Unit
4-1/2 x 7/8	Type 27	13,300	02600	02603	02609	02612	02615	1/10
4-1/2 x 7/8 FAB	Type 27	13,300	02601	02604	02610	02613	02616	1/10
4-1/2 x 5/8-11	Type 27T	13,300	02650	02653	02659	02662	02665	1/10
4-1/2 x 5/8-11 FAB	Type 27T	13,300	02651	02654	02660	02663	02666	1/10
4-1/2 x 7/8	Type 29	13,300	-	02681	02683	02684	02686	1/10
4-1/2 x 5/8-11	Type 29T	13,300	-	02691	02693	02694	02696	1/10

Up to 50% more material to increase product life.

Flap Discs

Aluminum Oxide



Made of individual flaps designed for even wear and greater durability vs. conventional fiber discs.

Use on iron, steel, leather, glass, marble, plastic and wood for stripping and cleaning.

Part Number Prefix – 809775

Aluminum Oxide Fiberglass Backed

Size	Type	Max. RPM	36	40	60	80	120	Min./Unit
4-1/2 x 7/8	Type 27	13,300	01600	01603	01606	01609	01612	1/10
4-1/2 x 5/8-11	Type 27T	13,300	01700	01703	01706	01709	01712	1/10
4-1/2 x 7/8	Type 29	13,300	-	01830	01833	01836	01839	1/10
7 x 7/8	Type 29	8,600	-	01857	01860	01863	01866	1/10
4-1/2 x 5/8-11	Type 29T	13,300	-	01930	01933	01936	01939	1/10
7 x 5/8-11	Type 29T	8,600	-	01957	01960	01963	01966	1/10

Flap Discs

Surface Conditioning Flap Discs

Made using surface conditioning material. Used to condition, clean, and finish workpiece surfaces without undercutting the base material. They produce a brushed or lightly grained finish, especially suitable for stainless steel applications.

Available in Type 29 (Conical shape) and also come with a 7/8" arbor or a 5/8-11 threaded arbor.

Typical applications include gasket removal, coatings removal, cleaning weld splatter, and removing heat discoloration. Leaves surfaces with a uniform satin finish.



Part Number Prefix – 809775

Aluminum Oxide

Size	Type	Max. RPM	A-CRS Tan	A-MED Maroon	A-VFN Blue	Min./Unit
4-1/2 x 7/8	Type 29	13,300	02941	02942	02943	1/10
4-1/2 x 5/8-11	Type 29T	13,300	02946	02947	02948	1/10

Surface Preparation Wheels

Non-woven unitized type material bonded to a firm backing provides strength.

Designed with a medium density unitized type material for use on all types of angle grinders. Ideal for breaking an edge, removing light scratches, blending parting lines and producing a brilliant finish.

Exceptional product for creating architectural or decorative finishes on stainless steel, brass, bronze and aluminum.

Part Number Prefix – 809775

Aluminum Oxide – Silicon Carbide

Size	Type	Max. RPM	Maroon A-FINE	Gray S-SFN	Min./Unit
4-1/2 x 7/8	Type 27	13,300	40407	40409	10/10
4-1/2 x 5/8-11	Type 27T	13,300	40422	40424	10/10

Flap Disc Adapter Kits

Part Number Prefix— 662953

Flap Disc Adapter Kits

Size	Description	Min./Unit	Part No.
D25-FD	5/8-11 Adapter Kit for 4-1/2" and 5" Flap Discs	1/1	30101
D35-FD	5/8-11 Adapter Kit for 6" and 7" Flap Discs	1/1	30104



Flap Wheels

Mini-Flap Wheels with 1/8 Shank



Resin bond cloth provides excellent durability and finish with smooth running and fast cutting action. Designed for use in tight areas and other intricate forms and shapes.

Recommended for use on steel, stainless steel, non-ferrous metals, cast iron, plastics, rubber and wood.

Packaged 10 per box.

Part Number Prefix – 809775

Aluminum Oxide

Size	Max. RPM	60	80	120	Min./Unit
3/8 x 3/8 x 1/8	40,000	25008	25010	25014	10
5/8 x 5/8 x 1/8	40,000	25048	25050	25054	10
5/8 x 3/4 x 1/8	40,000	25088	25090	25094	10
3/4 x 3/4 x 1/8	35,000	25168	25170	25174	10
1-3/16 x 1/8 x 1/8	30,000	25218	25220	25224	10
1-3/16 x 3/16 x 1/8	30,000	25258	25260	25264	10

Other sizes & grits available upon request – Call for Pricing

Mounted Flap Wheels with 1/4-20 Threaded Shank




Part Number Prefix – 809775

Aluminum Oxide

Size	Max. RPM	40	60	80	120	180	Min./Unit
1 x 1 x 1/4-20	30,000	26906	26912	26915	26921	26927	1/10
1-1/2 x 1 x 1/4-20	30,000	26954	26960	26963	26969	26975	1/10
2 x 1 x 1/4-20	23,000	27002	27008	27011	27017	27023	1/10
3 x 1 x 1/4-20	20,000	27050	27056	27059	27065	27071	1/10

Additional discounts available for orders over 100 pcs

Flap Wheel Adapters



Part Number Prefix – 809775

1/4-20 Flap Wheel Adapter

Part Number	Code	Description
45700	QC1420	1/4-20 Adapter for Flap Wheels

Other sizes available upon request – Call for Pricing

Flap Wheels

Mounted Flap Wheels with 1/4 Shank

Designed for finishing, smoothing and polishing of metal surfaces. Adaptable to forms having convex or concave surfaces, cylinders, cavities, etc. Delivers a smooth, polish-grind action on flat, contoured or intricate surfaces with ease and safety.

Reduces labor costs on many applications formerly finished with wire brushes, rubber points, felt bobs or cartridge rolls.

Recommended for blending and polishing fine die work, draw marks, machine burrs, casting flaws, spot welds, valve corrosion and fiberglass forms.



Part Number Prefix – 809775

Aluminum Oxide – Premium Line

Size	Max. RPM	40	60	80	100	120	180	240	320	Min./Unit
1 x 5/8 x 1/4	30,000	26006	26012	26015	26018	26021	26027	26033	26039	1/10
1 x 3/4 x 1/4	30,000	26054	26060	26063	26066	26069	26075	26081	26087	1/10
1 x 1 x 1/4	30,000	26102	26108	26111	26114	26117	26123	26129	26135	1/10
1-1/2 x 1/2 x 1/4	30,000	26150	26156	26159	26162	26165	26171	26177	26183	1/10
1-1/2 x 3/4 x 1/4	30,000	26198	26204	26207	26210	26213	26219	26225	26231	1/10
1-1/2 x 1 x 1/4	30,000	26246	26252	26255	26258	26261	26267	26273	26279	1/10
2 x 1/2 x 1/4	23,000	26294	26300	26303	26306	26309	26315	26321	26327	1/10
2 x 3/4 x 1/4	23,000	26342	26348	26351	26354	26357	26363	26369	26375	1/10
2 x 1 x 1/4	23,000	26390	26396	26399	26402	26405	26411	26417	26423	1/10
2 x 1-1/2 x 1/4	15,000	26438	26444	26447	26450	26453	26459	26465	26471	1/10
2-1/2 x 1/2 x 1/4	23,000	26486	26492	26495	26498	26501	26507	26513	26519	1/10
2-1/2 x 1 x 1/4	23,000	26534	26540	26543	26546	26549	26555	26561	26567	1/10
2-1/2 x 1-1/2 x 1/4	13,000	26582	26588	26591	26594	26597	26603	26609	26615	1/10
3 x 1/2 x 1/4	20,000	26630	26636	26639	26642	26645	26651	26657	26663	1/10
3 x 3/4 x 1/4	20,000	26678	26684	26687	26690	26693	26699	26705	26711	1/10
3 x 1 x 1/4	20,000	26726	26732	26735	26738	26741	26747	26753	26759	1/10
3 x 1-1/2 x 1/4	8,000	26774	26780	26783	-	26789	26795	26801	26807	1/10
3 x 2 x 1/4	6,000	26822	26828	26831	26834	26837	26843	26849	26855	1/10

*Available in other grits and sizes upon request.
Additional discounts available for orders over 100 pcs*

Fabco Mounted Flap Wheels with 1/4 Shank

FABCO products are economically priced versions of our GAP brand mounted flap wheels.

Designed for finishing, smoothing & polishing of metal surfaces. Adaptable to forms having convex or concave surfaces, cylinders, cavities, etc. Delivers a smooth, polish-grind action on flat, contoured or intricate surfaces with ease & safety.

Recommended for blending & polishing fine die work, draw marks, machine burrs, casting flaws, spot welds, valve corrosion and fiberglass forms.



Part Number Prefix – 809775

Aluminum Oxide – Value Line

Size	Max. RPM	40	60	80	120	Min./Unit
1 X 1 X 1/4	30,000	26103	26109	26112	26118	1/10
1-1/2 X 1 X 1/4	30,000	26247	26253	26256	26262	1/10
2 X 1 X 1/4	23,000	26391	26397	26400	26406	1/10
3 X 1 X 1/4	20,000	26727	26733	26736	26742	1/10

Additional discounts available for orders over 100 pcs

Flap Wheels

Unmounted Flap Wheels



Abrasive flap wheels have proved to be the best soft abrasive wheel for blending and polishing jobs in production work as well as miscellaneous clean up and maintenance jobs. The controllable aggressiveness, working speed and low cost of the wheels make them, on many applications, superior to wire brush, fibrous and setup wheels in a wide range of applications. Ideal for use on all metals (ferrous and non-ferrous), plastic, rubber and wood.


Packaged in boxes. Ask about our new Felt Polishing Wheels.

Part Number Prefix – 809775

Aluminum Oxide

Size	Max. RPM	40	50	60	80	100	120	150	180	240	320	Min./Unit
3-1/2 x 1 x 5/8	12,000	28006	-	28012	28015	-	28021	-	28027	28033	28039	1/10
3-1/2 x 1-1/2 x 5/8	12,000	28054	-	28060	28063	-	28069	-	28075	28081	28087	1/10
3-1/2 x 2 x 5/8	12,000	28102	-	28108	28111	-	28117	-	28123	28129	28135	1/10
4 x 1 x 5/8	12,000	28150	-	28156	28159	-	28165	-	28171	28177	28183	1/10
4 x 1-1/2 x 5/8	12,000	28198	-	28204	28207	-	28213	-	28219	28225	28231	1/10
4 x 2 x 5/8	12,000	28246	-	28252	28255	-	28261	-	28267	28273	28279	1/10
6 x 1 x 1	6,000	28390	28393	28396	28399	28402	28405	28408	28411	28417	28423	1/5
6 x 1-1/2 x 1	6,000	28438	28441	28444	28447	28450	28453	28456	28459	28465	28471	1/5
6 x 2 x 1	6,000	28486	28489	28492	28495	28498	28501	28504	28507	28513	28519	1/5
6 x 3 x 1	6,000	28534	28537	28540	28543	28546	28549	28552	28555	28561	28567	1/5
8 x 1 x 1	4,300	28582	28585	28588	28591	28594	28597	28600	28603	28609	28615	1/3
8 x 2 x 1	4,300	28630	28633	28636	28639	28642	28645	28648	28651	28657	28663	1/3
10 x 1 x 1-3/4	3,400	28678	28681	28684	28687	28690	28693	28696	28699	28705	28711	1/2
10 x 2 x 1-3/4	3,400	28726	28729	28732	28735	28738	28741	28744	28747	28753	28759	1/2

Flap Rolls



Made with premium aluminum oxide grain.

Used for graining and light stock removal. The wide profile makes them ideal for finishing large surface areas with portable finishing tools. Flap rolls give a consistent finish without loading up.

Also available in interleaf and non woven styles.

Part Number Prefix – 809775

Aluminum Oxide

Size	Max. RPM	60	80	120	Min./Unit
4-1/4 X 2 X 5/8-11	5,000	28900	28901	28903	1/2
4-1/4 X 4 X 5/8-11	5,000	28910	28911	28913	1/2

Flap Wheels

Interleaf Flap Wheels

Alternating flaps of abrasive cloth and non-woven abrasive provide stock removal and uniform brushed finish. Excellent for blending and finishing.

Part Number Prefix – 809775



Mounted 1/4 Shank

Size	Max. RPM	A80/Med	A150/Fine	A240/V.Fine	Min./Unit
1 x 1 x 1/4	15000	29002	29005	29008	10
2 x 1 x 1/4	13700	29022	29025	29028	10
3 x 1 x 1/4	8600	29042	29045	29048	10

Buff and Blend Non-Woven Flap Wheels

Excellent general purpose product used to remove light oxidation, blend in surface imperfections, clean surfaces prior to coating or painting and removing small burrs.

Part Number Prefix – 809775



Mounted 1/4 Shank

Size	Max. RPM	A-CRS	A-MED	A-FINE	A-VFN	Min./Unit
1 X 1 X 1/4	20000	29200	29201	29202	29203	10/10
1-1/2 X 1 X 1/4	18000	29204	29205	29206	29207	10/10
2 X 1 X 1/4	15000	29208	29209	29210	29211	10/10
2 X 1-1/2 X 1/4	15000	29212	29213	29214	29215	50/50
2 X 2 X 1/4	15000	29216	29217	29218	29219	10/10
3 X 1 X 1/4	8600	29220	29221	29222	29223	10/10
3 X 1-1/2 X 1/4	8600	29224	29225	29226	29227	10/10
3 X 2 X 1/4	8600	29228	29229	29230	29231	10/10

Shop & Utility Cloth Rolls

Shop Rolls - 50 Yards



These rolls are made of a very flexible Aluminum Oxide cloth and are packaged in easy dispensing sleeves.

This material and packaging allows an operator to easily remove the desired amount of material for a wide range of applications.

Part Number Prefix – 809775

Aluminum Oxide

Size	36X	40X	50X	60X	80J	100J	120J	150J	180J	220J	240J	280J	320J	400J	500J	Min./Unit
1	09003	09006	09009	09012	09015	09018	09021	09024	09027	09030	09033	09036	09039	09042	09045	1/10
1-1/2	09054	09057	09060	09063	09066	09069	09072	09075	09078	09081	09084	09087	09090	09093	09096	1/10
2	09105	09108	09111	09114	09117	09120	09123	09126	09129	09132	09135	09138	09141	09144	09147	1/10

**Special: Mix or match 10 rolls to equal 1 unit.
Special 50 roll discount available.**

Utility Cloth Rolls - 50 Yards



This product is the same as our shop roll material.

These rolls are custom cut to meet your specific width requirements.

Part Number Prefix – 809775

Aluminum Oxide

Size	36X	40X	50X	60X	80J	100J	120J	150J	180J	220J	240J	280J	320J	400J	500J	Min./Unit
2-1/2	09303	09306	09309	09312	09315	09318	09321	09324	09327	09330	09333	09336	09339	09342	09345	1/10
3	09354	09357	09360	09363	09366	09369	09372	09375	09378	09381	09384	09387	09390	09393	09396	1/8
4	09405	09408	09411	09414	09417	09420	09423	09426	09429	09432	09435	09438	09441	09444	09447	1/6
4-1/2	09456	09459	09462	09465	09468	09471	09474	09477	09480	09483	09486	09489	09492	09495	09498	1/6
5	09507	09510	09513	09516	09519	09522	09525	09528	09531	09534	09537	09540	09543	09546	09549	1/6
6	09558	09561	09564	09567	09570	09573	09576	09579	09582	09585	09588	09591	09594	09597	09600	1/4
7	09609	09612	09615	09618	09621	09624	09627	09630	09633	09636	09639	09642	09645	09648	09651	1/4
8	09660	09663	09666	09669	09672	09675	09678	09681	09684	09687	09690	09693	09696	09699	09702	1/3
9	09711	09714	09717	09720	09723	09726	09729	09732	09735	09738	09741	09744	09747	09750	09753	1/3
10	09762	09765	09768	09771	09774	09777	09780	09783	09786	09789	09792	09795	09798	09801	09804	1/2
12	09813	09816	09819	09822	09825	09828	09831	09834	09837	09840	09843	09846	09849	09852	09855	1/2
24	09864	09867	09870	09873	09876	09879	09882	09885	09888	09891	09894	09897	09900	09903	09906	1

Other sizes available upon request.

Resin Cloth Rolls

R145 Resin Cloth Rolls - 50 Yards

These resin-over-resin bonded rolls are made of an Aluminum Oxide grain with a heavy duty X-weight backing. These rolls are designed for more aggressive, longer lasting performance than standard shop rolls or utility cloth.

Also available in other Aluminum Oxide, Zirconia and Silicon Carbide materials.



Part Number Prefix – 809775

Aluminum Oxide

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	Min./Unit
1	14700	14703	14706	14709	14712	14715	14718	14721	14724	14727	14730	14733	14739	14742	1/10
1-1/2	14751	14754	14757	14760	14763	14766	14769	14772	14775	14778	14781	14784	14790	14793	1/10
2	14802	14805	14808	14811	14814	14817	14820	14823	14826	14829	14832	14835	14841	14844	1/10
3	14853	14856	14859	14862	14865	14868	14871	14874	14877	14880	14883	14886	14892	14895	1/8
4	14904	14907	14910	14913	14916	14919	14922	14925	14928	14931	14934	14937	14943	14946	1/6
5	14955	14958	14961	14964	14967	14970	14973	14976	14979	14982	14985	14988	14994	14997	1/6
6	15006	15009	15012	15015	15018	15021	15024	15027	15030	15033	15036	15039	15045	15048	1/4
7	15057	15060	15063	15066	15069	15072	15075	15078	15081	15084	15087	15090	15096	15099	1/4
8	15108	15111	15114	15117	15120	15123	15126	15129	15132	15135	15138	15141	15147	15150	1/3
9	15159	15162	15165	15168	15171	15174	15177	15180	15183	15186	15189	15192	15198	15201	1/3
10	15210	15213	15216	15219	15222	15225	15228	15231	15234	15237	15240	15243	15249	15252	1/2
11	15261	15264	15267	15270	15273	15276	15279	15282	15285	15288	15291	15294	15300	15303	1/2
12	15312	15315	15318	15321	15324	15327	15330	15333	15336	15339	15342	15345	15351	15354	1

Available in other sizes, grits and materials.

PSA Resin Cloth Rolls

These full resin bonded rolls are made of an Aluminum Oxide grain bonded to a heavy duty X-weight backing.

Pressure sensitive adhesive backings are fast and easy to use, simply remove the protective release liner and stick to your desired surface.

Part Number Prefix – 809775

Aluminum Oxide – 25 Yard Rolls

Size	24Y	36X	40X	50X	60X	Min./Unit
2	21026	21029	21032	21035	21038	1/5
3	21074	21077	21080	21083	21086	1/4
4	21122	21125	21128	21131	21134	1/3
6	21170	21173	21176	21179	21182	1/2
12	21314	21317	21320	21323	21326	1

Part Number Prefix – 809775

Aluminum Oxide – 50 Yard Rolls

Size	80X	100X	120X	150X	180X	240X	320X	Min./Unit
2	21041	21044	21047	21050	21053	21059	21065	1/5
3	21089	21092	21095	21098	21101	21107	21113	1/4
4	21137	21140	21143	21146	21149	21155	21161	1/3
6	21185	21188	21191	21194	21197	21203	21209	1/2
12	21329	21332	21335	21338	21341	21347	21353	1



Miscellaneous Rolls

Plumber Rolls



Made of a flexible Aluminum Oxide "J" weight material in 120 grit.
Excellent for cleaning pipe ends.

Part Number Prefix – 809775

Aluminum Oxide

Size	Part No.	Min./Unit
1-1/2 x 10 Yards	20190	20
1-1/2 x 25 Yards	20193	10

Crocus Cloth Rolls - 50 Yards

Crocus is a natural mineral used for extremely fine finishing and polishing.

Part Number Prefix – 809775

Crocus Cloth

Size	Part No.	Min./Unit
1 x 50 Yards	20900	1/10
1-1/2 x 50 Yards	20903	1/10
2 x 50 Yards	20906	1/10

Silicon Carbide Mesh Rolls - 25 Yards



Special sanding material designed to reduce loading or glazing problems.
Screen material is coated on both sides with a sharp Silicon Carbide abrasive.

May be used wet or dry for various cleaning and finishing applications. Ideal for ceramics, plastics, fiberglass, painted and varnished surfaces.

Part Number Prefix – 809775

Silicon Carbide

Size	60	80	100	120	150	180	220	320	Min./Unit
1 x 25 Yards	20212	20215	20218	20221	20224	20227	20230	20236	1/10
1-1/2 x 25 Yards	20257	20260	20263	20266	20269	20272	20275	20281	1/10
2 x 25 Yards	20302	20305	20308	20311	20314	20317	20320	20326	1/10
3 x 25 Yards	20347	20350	20353	20356	20359	20362	20365	20371	1/8
4 x 25 Yards	20392	20395	20398	20401	20404	20407	20410	20416	1/6
6 x 25 Yards	20482	20485	20488	20491	20494	20497	20500	20506	1/4

Other sizes are available upon request.

Miscellaneous Rolls

Slashed Rolls A/O Resin Cloth

Durable Aluminum Oxide heavy weight paper rolls. Excellent finish and grain adhesion for Nash spindle sanding applications.

Also available in Aluminum Oxide Resin Cloth.

Part Number Prefix – 809775

1/8 Full Nash Aluminum Oxide Resin Paper

Size		80	100	120	150	Min./Unit
4 x 25 Yards	A/O	20019	20022	20025	20028	1/4
6 x 25 Yards	A/O	20070	20073	20076	20079	1/4



Slashed Rolls S/C Resin Cloth

Sharp Silicon Carbide grain on X-weight, resin cloth backing. Slash pattern gives flexibility in sanding contour shapes. Use for assembling loadings or on turning sanders.

Part Number Prefix – 809775

1/8 Staggered Silicon Carbide Resin Cloth

Size		80	100	120	150	Min./Unit
4 x 50 Yards	S/C	19815	19818	19821	19824	1/4
6 x 50 Yards	S/C	19866	19869	19872	19875	1/4



Part Number Prefix – 809775

1/4 Staggered Silicon Carbide Resin Cloth

Size		80	100	120	150	Min./Unit
4 x 50 Yards	S/C	19917	19920	19923	19926	1/4
6 x 50 Yards	S/C	19968	19971	19974	19977	1/4

Sheets

FilmBac A/O Sheets



Premium Aluminum Oxide grain coated on a tear resistant film backing.

Excellent when used as a cut sheet on handheld, clip on sanders, where tearing and premature edge wear is a problem.

Part Number Prefix – 809775

Aluminum Oxide

Size	40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000	1200	1500	2000	Min./Unit
9 x 11	62100	62102	62103	62104	62105	62106	62107	62108	62109	62111	62112	62113	62114	62115	62116	62117	62118	62119	50

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Red Stearated Paper Sheets



Premium Aluminum Oxide grain with long lasting resin bond.

Excellent for wood, ferrous and non-ferrous metal, paint primer and fiberglass.

Part Number Prefix – 809775

Aluminum Oxide

Size	80C	100C	120C	150C	180C	220C	240C	320C	400C	500C	600C	Min./Unit
9 x 11	62805	-	-	-	-	-	-	-	-	-	-	50
	-	62806	62807	62808	62809	62810	62811	62813	62814	62815	62816	100
3-2/3 x 9	62905	-	-	-	-	-	-	-	-	-	-	150
	-	62906	62907	62908	62909	62910	62911	62913	62914	62915	62916	300
4-1/2 x 5-1/2	63005	-	-	-	-	-	-	-	-	-	-	200
	-	63006	63007	63008	63009	63010	63011	63013	63014	63015	63016	400

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Gold Stearated Paper Sheets



Aluminum Oxide, resin bond. Special coating resists loading.

Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

Part Number Prefix – 809775

Aluminum Oxide

Size	36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
9 x 11	63298	63299	63301	63302	63303	63304	-	-	-	-	-	-	-	-	-	-	-	-	-	50
	-	-	-	-	-	-	63305	63306	63307	63308	63309	63310	63311	63312	63313	63315	63316	63317	63318	100
3-2/3 x 9	63398	63399	63401	63402	63403	63404	-	-	-	-	-	-	-	-	-	-	-	-	-	150
	-	-	-	-	-	-	63405	63406	63407	63408	63409	63410	63411	63412	63413	63415	63416	63417	63418	300
4-1/2 x 5-1/2	63598	63599	63501	63502	63503	63504	-	-	-	-	-	-	-	-	-	-	-	-	-	200
	-	-	-	-	-	-	63505	63506	63507	63508	63509	63510	63511	63512	63513	63515	63516	63517	63518	400

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Aluminum Oxide Paper Sheets (Cabinet & Finishing)

Cabinet & finishing. Tough and durable Aluminum Oxide grain.

Dry sanding of paint, primers, metal and wood.



Part Number Prefix – 809775

Aluminum Oxide

Size	36D	40D	50D	60D	80D					Min./Unit
9 x 11	21700	21703	21706	21709	-					25
	-	-	-	-	21712					50
Size	80C	100C	120C	150C	180C	220C	240C	280C	320A	Min./Unit
9 x 11	-	21727	21730	21733	21736	21739	21742	21745	-	50
	-	-	-	-	-	-	-	-	21748	100
3-2/3 x 9	-	66009	66010	66011	66012	66013	66014	66015	66016	300
4-1/2 x 5-1/2	-	66109	66110	66111	66112	66113	66114	66115	66116	400

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Garnet Paper Sheets (Cabinet & Finishing)

Sharp, durable Garnet abrasive, open coat.

Used for hand and machine sanding of wood.



Part Number Prefix – 809775

Garnet

Size	40D	50D	60C	80C	100C	120C	150C	M	Min./Unit
9 x 11	21800	-	-	-	-	-	-	2	25
	-	21803	21806	21809	-	-	-	5	50
	-	-	-	-	21812	21815	21818	1	100
Size	80A	100A	120A	150A	180A	220A	240A	280A	Min./ Unit
9 x 11	21821	-	-	-	-	-	-	-	50
	-	21824	21827	21830	21833	21836	21839	21842	100
3-2/3 x 9	66307	-	-	-	-	-	-	-	150
	-	66308	66309	66310	66311	66312	66313	66314	300
4-1/2 x 5-1/2	66407	-	-	-	-	-	-	-	200
	-	66408	66409	66410	66411	66412	66413	66414	400

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Sheets

Emery Polishing Paper Sheets



Ultra Fine Emery powder for fine metal polishing applications.

Part Number Prefix – 809775

Emery Paper

Size	1/0	2/0	3/0	4/0	Min./Unit
9 x 13-3/4	22350	22353	22356	22359	100

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Silicon Carbide Stearated Sheets



Sharp Silicon Carbide abrasive grain, open coat.

Special coating resists loading.

Hand and machine sanding of paint, primer, plastic, wood and metal.

Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
9 x 11	21903	-	-	-	-	-	-	-	-	-	50
	-	21906	21909	21912	21915	21918	21921	21924	21927	21930	100
3-2/3 x 9	67201	-	-	-	-	-	-	-	-	-	150
	-	67202	67203	67204	67205	67206	67207	67208	67209	67211	300
4-1/2 x 5-1/2	67301	-	-	-	-	-	-	-	-	-	200
	-	67302	67303	67304	67305	67306	67307	67308	67309	67311	400

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Silicon Carbide Waterproof Paper Sheets



Paper may be used wet or dry. Ideal for finish sanding. Excellent grain adhesion.

Use on paint, lacquer, urethane and for feather-edging painted surfaces.

Part Number Prefix – 809775

Silicon Carbide

Size	60C	80C	100C	120C	150C	180C	220A	240A	280A	320A	360A	400A	500A	600A	800A	1000A	1200A	1500A	2000A	Min./Unit
9 x 11	21600	21603	21606	21609	21612	21615	21618	21621	21624	21627	21630	21633	21636	21639	21642	21645	21648	21651	21657	50
5-1/2 x 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66900	66901	66902	66903	100

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Sheets

Aluminum Oxide Cloth Sheets

Tough and durable grain. Flexible cloth follows contours and shapes. For hand sanding, deburring, polishing and general maintenance work.



Part Number Prefix – 809775

Aluminum Oxide

Size	36X	40X	50X	60X	80J	100J	120J	150J	180J	220J	240J	320J	400J	500J	Min./Unit
9 x 11	22000	22003	22006	22009	22012	22015	22018	22021	22024	22027	22030	22036	22039	22042	50

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Emery Cloth Sheets

Natural Emery abrasive grain bonded to a flexible cloth backing removes rust, scale and thin coatings on metals. Also used for removing burrs, cleaning and polishing metal. May be used dry or with oil.



Part Number Prefix – 809775

Emery Cloth

Size	Extra Coarse	Coarse	Medium	Fine	Min./Unit
9 x 11	22100	22103	22106	22109	50

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Crocus Cloth Sheets

Crocus is a natural mineral used for extremely fine finishing and polishing.



Part Number Prefix – 809775

Crocus Cloth

Size	Crocus	Min./Unit
9 x 11	22150	50

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Sheets

Silicon Carbide Mesh Sheets



Strong mesh backing specially designed to reduce loading and glazing problems. Screen material coated on both sides with long lasting abrasive.

Part Number Prefix – 809775

Silicon Carbide

Size	60	80	100	120	150	180	220	320	Min./Unit
9 x 11	22212	22215	22218	22221	22224	22227	22230	22239	25

Additional discounts available on 9x11 sheets, for orders over 1000 pcs

Fileboard Sheets



Part Number Prefix – 809775

Stearated B, C and E weight paper sheets designed for use on straight-line sanders.

Available in plain, PSA and Hook & Loop styles and with or without vacuum holes.

Aluminum Oxide

Size	36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
Peel-It PSA Gold Sheets																				
2-3/4 x 16-1/2 - No Holes	68000	68001	68002	68003	68009	68010	68011	68012	68013	68014	68015	68016	68017	68018	68019	68101	68102	68103	68104	100
2-3/4 x 16-1/2 - 14 Holes	68040	68041	68042	68043	68049	68050	68051	68052	68053	68054	68055	68056	68057	68058	68059	68141	68142	68143	68144	100
Pres-Loc H&L Gold Sheets																				
2-3/4 x 16-1/2 - No Holes	68200	68201	68202	68203	68209	68210	68211	68212	68213	68214	68215	68216	68217	68218	68219	68301	68302	68303	68304	100
2-3/4 x 16-1/2 - 14 Holes	68220	68221	68222	68223	68229	68230	68231	68232	68233	68234	68235	68236	68237	68238	68239	68321	68322	68323	68324	100
Clip On Gold Sheets																				
2-3/4 x 17-1/2	68020	68021	68022	68023	68029	68030	68031	68032	68033	68034	68035	68036	68037	68038	68039	68121	68122	68123	68124	100

Sheets

Drywall (Pole) Silicon Carbide Mesh Sheets

Abrasive grain bonded to a heavy-duty nylon mesh. The open structure of this sheet reduces loading and prolongs life.

Part Number Prefix – 809775




Silicon Carbide

Size	60	80	100	120	150	180	220	320	Min./Unit
4-3/16 x 11	22450	22453	22456	22459	22462	22465	22468	22477	100

Drywall (Pole) Silicon Carbide Paper Sheets

Sharp Silicon Carbide grain bonded to a heavy paper backing. For economical drywall sanding.

Part Number Prefix – 809775



Silicon Carbide

Size	80D	100D	120D	150D	Min./Unit
4-3/16 x 11	22400	22403	22406	22409	100

A/O resin bond cloth. Ideal for sanding contoured, carved and molded parts. Also see Spindle Mount and Arbor Stars, page 63.

Part Number Prefix – 809775

Aluminum Oxide


Size	80	100	120	150	180	Min./Unit
2 x 4-1/2 x 1/2 AH	49510	49512	49514	49516	49518	100/500
3 x 8 x 5/8 AH	49540	49542	49544	49546	49548	100/500

Flutter Sheets



Floor Sanding Products

Floor Sanding Paper Discs



Abrasive floor products are available in Silicon Carbide grain ranging from 12 (4-1/2) grit to 120 (3/0) grit. These products are designed to provide superior results in the floor sanding trade.

12 (4-1/2) grit to 24 (3) grit have an extremely strong combination backing.
36 (2) grit to 120 (3/0) grit have a heavy duty "E" weight paper backing.

Part Number Prefix – 809775

Silicon Carbide

Size	12 (4-1/2)	16 (4)	20 (3-1/2)	24 (3)	36 (2)	40 (1-1/2)	50 (1)	60 (1/2)	80 (1/0)	100 (2/0)	120 (3/0)	Min./Unit
5 x 1/2-SLTD	23500	23503	23506	23509	23515	23518	23521	23524	23527	23530	23533	100
5 x 7/8	23542	23545	23548	23551	23557	23560	23563	23566	23569	23572	23575	100
5 x 7/8-SLTD	23584	23587	23590	23593	23599	23602	23605	23608	23611	23614	23617	100
7 x 1/2-SLTD	23752	23755	23758	23761	23767	23770	23773	23776	23779	23782	23785	100
7 x 7/8	23794	23797	23800	23803	23809	23812	23815	23818	23821	23824	23827	100
7 x 7/8-SLTD	23836	23839	23842	23845	23851	23854	23857	23860	23863	23866	23869	100
15 x 2-SLTD	23878	23881	23884	23887	23893	23896	23899	23902	23905	23908	23911	20
16 x 2-SLTD	23920	23923	23926	23929	23935	23938	23941	23944	23947	23950	23953	20
17 x 2-SLTD	23962	23965	23968	23971	23977	23980	23983	23986	23989	23992	23995	20
18 x 2-SLTD	24004	24007	24010	24013	24019	24022	24025	24028	24031	24034	24037	20
20 x 2-SLTD	24046	24049	24052	24055	24061	24064	24067	24070	24073	24076	24079	20

Floor Sanding Mesh Discs



Special sanding material designed to reduce loading or glazing problems. Screen material is coated on both sides with sharp Silicon Carbide grain.

May be used wet or dry for various cleaning applications. Ideal for ceramics, plastic, fiberglass, painted, and varnished surfaces.

Part Number Prefix – 809775

Silicon Carbide

Size	60	80	100	120	150	180	220	320	Min./Unit
15 x 0	24300	24303	24306	24309	24312	24315	24318	24321	10
16 x 0	24324	24327	24330	24333	24336	24339	24342	24345	10
17 x 0	24348	24351	24354	24357	24360	24363	24366	24369	10
18 x 0	24372	24375	24378	24381	24384	24387	24390	24393	10
20 x 0	24396	24399	24402	24405	24408	24411	24414	24417	10

Floor Sanding Products

Floor Sanding Paper Rolls—50 Yards

Abrasive floor products are available in Silicon Carbide grain ranging from 12 (4-1/2) grit to 120 (3/0) grit. These products are designed to provide superior results in the floor sanding trade.

12 (4-1/2) grit to 24 (3) grit have an extremely strong combination backing.
36 (2) grit to 120 (3/0) grit have a heavy duty "E" weight paper backing.



Part Number Prefix – 809775

Silicon Carbide


Size	12 (4-1/2)	16 (4)	20 (3-1/2)	24 (3)	36 (2)	40 (1-1/2)	50 (1)	60 (1/2)	80 (1/0)	100 (2/0)	120 (3/0)	Min./Unit
4	23000	23003	23006	23009	23015	23018	23021	23024	23027	23030	23033	1
6	23042	23045	23048	23051	23057	23060	23063	23066	23069	23072	23075	1
8	23084	23087	23090	23093	23099	23102	23105	23108	23111	23114	23117	1
12	23126	23129	23132	23135	23141	23144	23147	23150	23153	23156	23159	1
20	23168	23171	23174	23177	23183	23186	23189	23192	23195	23198	23201	1
24	23210	23213	23216	23219	23225	23228	23231	23234	23237	23240	23243	1

Floor Sanding Products

Floor Sanding Paper Sheets



Abrasive floor products are available in Silicon Carbide grain from 12 (4-1/2) grit to 120 (3/0) grit. These products are designed to provide superior results in the floor sanding trade.



Part Number Prefix – 809775

Silicon Carbide

Size		12 (4-1/2)	16 (4)	20 (3-1/2)	24 (3)	36 (2)	40 (1-1/2)	50 (1)	60 (1/2)	80 (1/0)	100 (2/0)	120 (3/0)	Min./Unit
4-1/2 x 16-3/8	Boss	24000	24003	24006	24009	24015	24018	24021	24024	24027	24030	24033	50
8 x 19-1/2	DU8	24042	24045	24048	24051	24057	24060	24063	24066	24069	24072	24075	50
8 x 20-1/4	Silverline	24084	24087	24090	24093	24099	24102	24105	24108	24111	24114	24117	50
16 x 24-7/8	Tennant	24126	24129	24132	24135	24141	24144	24147	24150	24153	24156	24159	50

Floor Sanding Products

Floor Sanding Belts

X and Y weight, closed coat Silicon Carbide resin cloth. These products are designed to provide superior results in the floor sanding trade.



Part Number Prefix— 801034

Silicon Carbide

Size	24Y	36Y	40Y	50Y	60Y	80Y	100X	120X	150X	180X	220X	240X	320X	400X	600X	Min./Unit
7-7/8 x 29-1/2	51400	51402	51404	51406	51408	51410	51412	51414	51416	51418	51420	51422	51424	51426	51430	20
8 x 19	51500	51502	51504	51506	51508	51510	51512	51514	51516	51518	51520	51522	51524	51526	51530	20
11-7/8 x 31-1/2	51600	51602	51604	51606	51608	51610	51612	51614	51616	51618	51620	51622	51624	51626	51630	20

Other sizes and materials available upon request.


Specialties

Cross Pads



Ceramic

Ceramic Cross Pads are the most aggressive and durable pads being used for polishing and finishing of cylinders and tubing, or blending radii. Grinding aid provides cooler cutting on heat sensitive alloys. Cross Pad design allows for control of stock removal since it is possible to see through the pad when it is in motion. Furnished with threaded eyelets for quick change by the operator.



Aluminum Oxide

Cross Pads are used for polishing and finishing of cylinders and tubing, or blending radii. Cross Pad design allows for control of stock removal since it is possible to see through the pad when it is in motion. Furnished with threaded eyelets for quick change by operator.

Part Number Prefix – 809775

Ceramic

Size		Eyelet	60	80	120	Min./Unit
3/4 x 3/8	8 Ply	3-48	69200	69201	69203	100
1 x 3/8	8 Ply	3-48	69205	69206	69208	100
1-1/2 x 1/2	8 Ply	8-32	69210	69211	69213	100
2 x 1/2	8 Ply	8-32	69215	69216	69218	100
2 x 3/4	8 Ply	8-32	69220	69221	69223	100
2 x 1	8 Ply	1/4-20	69225	69226	69228	100
2-1/2 x 3/4	8 Ply	8-32	69230	69231	69233	100
2-1/2 x 1	8 Ply	1/4-20	69235	69236	69238	100
3 x 1	8 Ply	1/4-20	69240	69241	69243	100
3 x 1	10 Ply	1/4-20	69245	69246	69248	100
3 x 1-1/2	8 Ply	1/4-20	69250	69251	69253	100
3 x 1-1/2	10 Ply	1/4-20	69255	69256	69258	100
4 x 1	8 Ply	1/4-20	69260	69261	69263	100
4 x 2	8 Ply	1/4-20	69265	69266	69268	100
4 x 2	10 Ply	1/4-20	69270	69271	69273	100
4-1/2 x 1-1/2	8 Ply	1/4-20	69275	69276	69278	100
4-1/2 x 1-1/2	10 Ply	1/4-20	69280	69281	69286	100

Part Number Prefix – 809775

Aluminum Oxide

Size		Eyelet	60	80	120	180	Min./Unit
3/4 x 3/8	8 Ply	3-48	69306	69308	69312	69316	100
1 x 3/8	8 Ply	3-48	69336	69338	69342	69346	100
1-1/2 x 1/2	8 Ply	8-32	69366	69368	69372	69376	100
1-1/2 x 1/2	10 Ply	8-32	69396	69398	69402	69406	100
2 x 1/2	8 Ply	8-32	69426	69428	69432	69436	100
2 x 1/2	10 Ply	8-32	69456	69458	69462	69466	100
2 x 3/4	8 Ply	8-32	69486	69488	69492	69496	100
2 x 3/4	10 Ply	8-32	69516	69518	69522	69526	100
2 x 1	8 Ply	1/4-20	69546	69548	69552	69556	100
2 x 1	10 Ply	1/4-20	69576	69578	69582	69586	100
2-1/2 x 3/4	8 Ply	8-32	69606	69608	69612	69616	100
2-1/2 x 3/4	10 Ply	8-32	69636	69638	69642	69646	100
2-1/2 x 1	8 Ply	1/4-20	69666	69668	69672	69676	100
2-1/2 x 1	10 Ply	1/4-20	69696	69698	69702	69706	100
3 x 1	8 Ply	1/4-20	69726	69728	69732	69736	100
3 x 1	10 Ply	1/4-20	69756	69758	69762	69766	100
3 x 1-1/2	8 Ply	1/4-20	69786	69788	69792	69796	100
3 x 1-1/2	10 Ply	1/4-20	69816	69818	69822	69826	100
4 x 1	8 Ply	1/4-20	69846	69848	69852	69856	100
4 x 1	10 Ply	1/4-20	69876	69878	69882	69886	100
4 x 2	8 Ply	1/4-20	69906	69908	69912	69916	100
4 x 2	10 Ply	1/4-20	69936	69938	69942	69946	100
4-1/2 x 1-1/2	8 Ply	1/4-20	69966	69968	69972	69976	100
4-1/2 x 1-1/2	10 Ply	1/4-20	69996	69998	70002	70006	100
5 x 2	8 Ply	1/4-20	70026	70028	70032	70036	100
5 x 2	10 Ply	1/4-20	70056	70058	70062	70066	100
6 x 2	8 Ply	1/4-20	70086	70088	70092	70096	100
6 x 2	10 Ply	1/4-20	70116	70118	70122	70126	100

Part Number Prefix – 809775

Cross Pad Mandrels

Size		Part No.
3-48 Eyelet	1/4 Shank	46000
8-32 Eyelet	1/4 Shank	46003
1/4-20 Eyelet	1/4 Shank	46006

Specialties


Square Pads

Part Number Prefix – 809775

Ceramic

Size	Eyelet	60	80	120	Min./Unit
1 x 1/4	8-32	70200	70201	70203	100
1 x 1/2	1/4-20	70205	70206	70208	100
1 x 3/4	1/4-20	70210	70211	70213	100
1-1/2 x 1/2	1/4-20	70215	70216	70218	100
1-1/2 x 3/4	1/4-20	70220	70221	70223	100
2 x 1/2	1/4-20	70225	70226	70228	100
2 x 3/4	1/4-20	70230	70231	70233	100
3 x 1/4	1/4-20	70235	70236	70238	100
3 x 1/2	1/4-20	70240	70241	70243	100

Ask about our lower cost Quadra Pads.



Ceramic

Ceramic resin bond cloth pads provide the most aggressive and durable performing product. The intermittent stroke of the pad corners provide fast cutting and avoids swirl marks left by discs or wheels.

Part Number Prefix – 809775

Aluminum Oxide

Size	Eyelet	60	80	100	120	Min./Unit
1 x 1/4	8-32	70306	70308	70310	70312	100
1 x 1/2	1/4-20	70336	70338	70340	70342	100
1 x 3/4	1/4-20	70366	70368	70370	70372	100
1-1/2 x 1/4	8-32	70396	70398	70400	70402	100
1-1/2 x 3/8	8-32	70426	70428	70430	70432	100
1-1/2 x 1/2	1/4-20	70456	70458	70460	70462	100
1-1/2 x 3/4	1/4-20	70486	70488	70490	70492	100
2 x 1/4	8-32	70516	70518	70520	70522	100
2 x 3/8	1/4-20	70546	70548	70550	70552	100
2 x 1/2	1/4-20	70576	70578	70580	70582	100
2 x 3/4	1/4-20	70606	70608	70610	70612	100
2-1/2 x 1/4	1/4-20	70636	70638	70640	70642	100
2-1/2 x 1/2	1/4-20	70666	70668	70670	70672	100
3 x 1/4	1/4-20	70696	70698	70700	70702	100
3 x 3/8	1/4-20	70726	70728	70730	70732	100
3 x 1/2	1/4-20	70756	70758	70760	70762	100
3 x 3/4	1/4-20	70786	70788	70790	70792	100
4 x 1/4	1/4-20	70816	70818	70820	70822	100
4 x 3/8	1/4-20	70846	70848	70850	70852	100
4 x 1/2	1/4-20	70876	70878	70880	70882	100



Aluminum Oxide

Aluminum Oxide resin bond cloth pads. The intermittent stroke of the pad corners provide fast cutting and avoids swirl marks left by discs or wheels. Excellent for blending welds inside of pipes and removing welds on flat surfaces.

Part Number Prefix – 809775

Cross Pad Mandrels

Size		Part No.
3-48 Eyelet	1/4 Shank	46000
8-32 Eyelet	1/4 Shank	46003
1/4-20 Eyelet	1/4 Shank	46006

Specialties

Eyelet Stars



Resin bond cloth stars are flexible and durable. Center eyelet provides exceptional balance at high RPM's. Ideal for polishing tubes, pipes and fittings.

Part Number Prefix – 809775

Aluminum Oxide

Size		60	80	100	120	150	180	Min./Unit
1/2 x 3-48	3 Ply	71006	71008	71010	71012	71014	71016	100/250
3/4 x 3-48	2 Ply	71036	71038	71040	71042	71044	71046	50/100
1 x 3-48	2 Ply	71066	71068	71070	71072	71074	71076	50/100
1-1/2 x 8-32	2 Ply	71096	71098	71100	71102	71104	71106	50/100
2 x 8-32	2 Ply	71126	71128	71130	71132	71134	71136	50/100
3 x 1/4-20	2 Ply	71156	71158	71160	71162	71164	71166	50/100
4 x 1/4-20	2 Ply	71186	71188	71190	71192	71194	71196	50/100
5 x 1/4-20	2 Ply	71216	71218	71220	71222	71224	71226	50/100

Part Number Prefix – 809775

Star Mandrels

Size		Part No.
3-48 Eyelet	1/4 Shank	46000
8-32 Eyelet	1/4 Shank	46003
1/4-20 Eyelet	1/4 Shank	46006

Also available in non-woven stars, see page 75

Flexshaft Mandrels



Flexible shaft with 1/4" shank allows abrasive to follow work piece shape. Use on elbows and contoured parts. Designed to be used with coated abrasives and non-woven eyelet stars.

Nominal overall length - 6".

Part Number Prefix – 809775

Flexshaft Mandrels

Size		Part No.
3-48 Eyelet	1/4 Shank	46020
8-32 Eyelet	1/4 Shank	46023
1/4-20 Eyelet	1/4 Shank	46026

Specialties

Spindle and Arbor Mount Stars

Part Number Prefix – 809775

Aluminum Oxide

Size	Max. RPM	80	100	120	150	180	220	Min./Unit
4 x 1/4 Shank	3200	71508	71510	71512	71514	71516	71518	5/10
4 x 1/2 Arbor Hole	3200	71538	71540	71542	71544	71546	71548	20/40
8 x 1 Arbor Hole	950	71568	71570	71572	71574	71576	71578	6/12



Part Number Prefix – 809775

Star Mandrels

Size	Part No.
1-1/4 Shank	46040

Use for 4 x 1/2 Arbor Mount Stars.

Fits die grinders and drills - Can fit up to size 4 Arbor Mount Stars.

Resin bond abrasive on durable yet flexible cloth backing. Stars are excellent for blending and scuffing sealer coatings on contours or flat surfaces, denibbing and sanding white wood raised panels.

Metalworking applications include light duty deburring and polishing.

Loadings

Part Number Prefix – 809775

Silicon Carbide Resin Cloth

Size		80	100	120	150	Min./Unit
4 x 19-3/8	1/8 Staggered	81008	81010	81012	81014	1/4
4 x 19-3/8	1/4 Staggered	81038	81040	81042	81044	1/4
6 x 19-3/8	1/8 Staggered	81068	81070	81072	81074	1/4
6 x 19-3/8	1/4 Staggered	81098	81100	81102	81104	1/4

Also available in Aluminum Oxide X and J weight resin cloth.




Sharp, Silicon Carbide grain on X-weight backing. Slashed pattern gives flexibility in sanding contour shapes. Loadings used to refill Vonnegut wheels to sand intricate shapes and dimensions.

Primarily used for woodworking, but can also be used for finishing metal, plastic and fiberglass.

Specialties

Sanding Sponges



Medium Duty, 1/2" Thick


Versatile 1/2" thick sanding sponge with abrasive on two sides, specially designed for obtaining extremely fine and uniform finishes on wood, metal, paint and plastics.

Unique construction allows superb finishes of almost double the grit size of conventional sandpaper to be obtained. Can be used wet or dry.

Part Number Prefix – 809775

Medium Duty

Size		60	80	100	150	180	220	Min./Unit
3-3/4 x 4-3/4 x 1/2	S/C	22820	22822	22824	22828	22830	22832	250
3-3/4 x 4-3/4 x 1/2	A/O	22800	-	22804	-	22810	22812	250



Heavy Duty, 1" Thick

1" thick sponge with abrasive on four sides, indispensable to the professional craftsman. Ideal for sanding metal, wood, plastic and paint. Ideal for sanding inside drawers and other hard-to-reach corners and angles. Can be used wet or dry.

Part Number Prefix – 809775

Heavy Duty

Size		60	80	100	120	150	180	220	Min./Unit
2-5/8 x 3-3/4 x 1	A/O	22840	22842	22844	22846	22848	22850	22852	250



Ultraflex, 3/16" Thick

Ultraflex sponge for hand sanding applications. Designed to provide a flexible, conformable means of sanding, scuffing or defuzzing contour surfaces, moldings, corners and other hard-to-reach areas. Can be used wet or dry, provides uniform finish & easy to clean - just rinse with water.


Part Number Prefix – 809775

Ultra Flex

Size		60	100	180	280	320	Min./Unit
4-1/2 x 5-1/2 x 3/16	A/O	22860	22864	22870	22874	22876	100

Specialties

No Lap Bands



Resin bond sleeves for finishing curved or contoured surfaces. Designed to prevent skipping and bumping. Generates a smooth, even cutting action.

Ask about our Surface Conditioning Polishing Bands.



Part Number Prefix – 809775

Aluminum Oxide

Dia. x Width	36	40	50	60	80	120	180	240	320	Min./Unit
1/4 x 1/2	35003	35006	35009	35012	35015	35021	35027	35033	35039	100/500
1/2 x 1/2	35579	35582	35585	35588	35591	35597	35603	35609	35615	100/500
1/2 x 1	35627	35630	35633	35636	35639	35645	35651	35657	35663	100/500
1/2 x 1-1/2	35675	35678	35681	35684	35687	35693	35699	35705	35711	100/500
1/2 x 2	35723	35726	35729	35732	35735	35741	35747	35753	35759	100/500
3/4 x 1	36251	36254	36257	36260	36263	36269	36275	36281	36287	100/500
3/4 x 1-1/2	36299	36302	36305	36308	36311	36317	36323	36329	36335	100/500
1 x 1	36827	36830	36833	36836	36839	36845	36851	36857	36863	100/500
1 x 1-1/2	36875	36878	36881	36884	36887	36893	36899	36905	36911	100/500
1-1/2 x 1/2	37403	37406	37409	37412	37415	37421	37427	37433	37439	100/300
1-1/2 x 1	37451	37454	37457	37460	37463	37469	37475	37481	37487	100/300
1-1/2 x 1-1/2	37499	37502	37505	37508	37511	37517	37523	37529	37535	100/300
1-1/2 x 2	37547	37550	37553	37556	37559	37565	37571	37577	37583	100/300
2 x 1	38027	38030	38033	38036	38039	38045	38051	38057	38063	100/300
2 x 2	38123	38126	38129	38132	38135	38141	38147	38153	38159	100/300
3 x 3	39707	39710	39713	39716	39719	39725	39731	39737	39743	100/300

Other sizes are available upon request

Rubber Expanding Drums

Designed for use with No-Lap Bands. These products are balanced for maximum performance at high speeds. They are fabricated from live rubber for controlled expansion.

Part Number Prefix – 809775

Rubber Expanding Drums

Dia. x Width	Shank	Part No.
1/4 x 1/2	1/8 Shank	39800
1/2 x 1/2	1/8 Shank	39806
1/2 x 1/2	1/4 Shank	39809
1/2 x 1	1/4 Shank	39812
1/2 x 1-1/2	1/4 Shank	39815
1/2 x 2	1/4 Shank	39818
3/4 x 1	1/4 Shank	39836
3/4 x 1-1/2	1/4 Shank	39839
1 x 1	1/4 Shank	39848
1 x 1-1/2	1/4 Shank	39851
1-1/2 x 1/2	1/4 Shank	39869
1-1/2 x 1	1/4 Shank	39872
1-1/2 x 1-1/2	1/4 Shank	39875
1-1/2 x 2	1/4 Shank	39878
2 x 1	1/4 Shank	39884
2 x 2	1/4 Shank	39890
3 x 3	3/8 Shank	39902



Specialties


Cartridge Rolls



Cartridge rolls are ideal for finishing operations on inside diameters, lapping operations and most irregular surfaces. Their self-renewing feature of wearing through one layer of abrasives to expose the layer beneath makes them an excellent tool for blending where high finishes are required. They are available in a wide range of sizes and grits for every type of application.

Straight Cartridge Rolls

Part Number Prefix – 809775




Aluminum Oxide – Straight

Base x Length x Arbor	36	40	50	60	80	100	120	150	180	Min./Unit
3/16 x 1 x 3/32	30243	30246	30249	30252	30255	30258	30261	30264	30267	100/300
1/4 x 1 x 1/8	30387	30390	30393	30396	30399	30402	30405	30408	30411	100/300
1/4 x 1-1/2 x 1/8	30435	30438	30441	30444	30447	30450	30453	30456	30459	100/300
5/16 x 1 x 1/8	30627	30630	30633	30636	30639	30642	30645	30648	30651	100/300
5/16 x 1-1/2 x 1/8	30675	30678	30681	30684	30687	30690	30693	30696	30699	100/300
3/8 x 1 x 1/8	30867	30870	30873	30876	30879	30882	30885	30888	30891	100/300
3/8 x 1-1/2 x 1/8	30915	30918	30921	30924	30927	30930	30933	30936	30939	100/300
3/8 x 2 x 1/8	30963	30966	30969	30972	30975	30978	30981	30984	30987	100/300
1/2 x 1 x 1/8	31107	31110	31113	31116	31119	31122	31125	31128	31131	100/300
1/2 x 1-1/2 x 1/8	31155	31158	31161	31164	31167	31170	31173	31176	31179	100/300
1/2 x 2 x 1/8	31203	31206	31209	31212	31215	31218	31221	31224	31227	100/300
5/8 x 1-1/2 x 3/16	31647	31650	31653	31656	31659	31662	31665	31668	31671	100/300
3/4 x 1 x 3/16	31935	31938	31941	31944	31947	31950	31953	31956	31959	100/300
3/4 x 1-1/2 x 3/16	31983	31986	31989	31992	31995	31998	32001	32004	32007	100/300
3/4 x 2 x 3/16	32031	32034	32037	32040	32043	32046	32049	32052	32055	100/300
1 x 1-1/2 x 1/4	32251	32254	32257	32260	32263	32266	32269	32272	32275	100/300
1 x 2 x 1/4	32299	32302	32305	32308	32311	32314	32317	32320	32323	100/300

Other roll sizes and grit sizes available upon request.

Full Tapered Cartridge Rolls

Part Number Prefix – 809775



Aluminum Oxide – Full Taper


Base x Length x Arbor	36	40	50	60	80	100	120	150	180	Min./Unit
3/8 x 1 x 1/8	33003	33006	33009	33012	33015	33018	33021	33024	33027	100/300
3/8 x 1-1/2 x 1/8	33051	33054	33057	33060	33063	33066	33069	33072	33075	100/300
1/2 x 1 x 1/8	33099	33102	33105	33108	33111	33114	33117	33120	33123	100/300
1/2 x 1-1/2 x 1/8	33147	33150	33153	33156	33159	33162	33165	33168	33171	100/300
1/2 x 2 x 1/8	33195	33198	33201	33204	33207	33210	33213	33216	33219	100/300
5/8 x 1-1/2 x 1/8	33291	33294	33297	33300	33303	33306	33309	33312	33315	100/300
3/4 x 1-1/2 x 1/8	33435	33438	33441	33444	33447	33450	33453	33456	33459	100/300
1 x 1-1/2 x 1/4	33867	33870	33873	33876	33879	33882	33885	33888	33891	100/300

Half Tapered Cartridge Rolls available upon request, as well as other sizes and grits.

Specialties

Cartridge Roll Mandrels

Mandrels should be ordered with a shank diameter to fit the power tool collet or chuck. Equally important is the specification of the diameter of the mandrel pilot on which the cartridge roll is mounted. Usually a 1/8" diameter pilot is used for rolls up to and including 1/2" diameter. Rolls from 1/2" up to and including 1" in diameter usually require 3/16" or 1/4" diameter pilots. Available in other sizes on request.



Part Number Prefix – 809775

Cartridge Roll Mandrels

Pilot Dia.	Pilot Length	Shank Dia.	Shank Length	Type	Part No.
3/32	1	1/8	1	F2	34303
1/8	1/2	1/8	1	F3	34306
1/8	3/4	1/8	1	F4	34309
1/8	1	1/8	1	F5	34312
1/8	1-1/2	1/8	1	F6	34315
1/8	1/2	1/4	1-1/4	F7	34318
1/8	3/4	1/4	1-1/4	F8	34321
1/8	1	1/4	1-1/4	F9	34324
1/8	1-1/2	1/4	1-1/4	F10	34327
1/8	2	1/4	1-1/4	F11	34330
3/16	1/2	1/4	1-1/4	F14	34339
3/16	3/4	1/4	1-1/4	F15	34342
3/16	1	1/4	1-1/4	F16	34345
3/16	1-1/2	1/4	1-1/4	F17	34348
3/16	2	1/4	1-1/4	F18	34351
1/4	1/2	1/4	1-1/4	F19	34354
1/4	3/4	1/4	1-1/4	F20	34357
1/4	1	1/4	1-1/4	F21	34360
1/4	1-1/2	1/4	1-1/4	F22	34363
1/4	2	1/4	1-1/4	F23	34366

Non-Woven Abrasives

Strip-It Wheels



Strip-it is an aggressive abrasive product for mechanical cleaning operations. Strip-it products are made of abrasive grains and resins bonded to a strong nylon filament. The open nature of the product allows for reduced loading and a cooler cut enabling the product to last longer while still providing consistent surface finishing.

Applications include automotive, marine, metal working, fiberglass, plastic, and cleaning of stone and cement.

Part Number Prefix – 809775

Strip-It Wheels – Type 1

Size	Max. RPM	Part No.	Grading	Min./Unit
4 x 1/2 x 1/2	8000	42000	Extra Coarse	1/10
6 x 1/2 x 1/2	5350	42003	Extra Coarse	1/10
8 x 1/2 x 1/2	4000	42006	Extra Coarse	1/10

Adapters available upon request.

Type 1

Mainly used for the removal of rust, scale, oxides, and protective coatings.

These wheels are to be used in conjunction with the appropriate Strip-It wheel adapter.

Part Number Prefix – 809775

Strip-It Wheel Adapters

Item Number	Code	Description
45900	FY45	Adapter for 4" - 6" discs
45903	FY41	Adapter for 8" discs

Strip-It Wheel Adapters

Used in conjunction with appropriate Type 1 Strip-It Wheels.

Strip-It Discs



Part Number Prefix – 809775

Strip-it Discs – Type 27

Size	Max. RPM	Part No.	Grading	Min./Unit
4 x 5/8	12400	42100	Extra Coarse	1/10
4-1/2 x 7/8	11000	42103	Extra Coarse	1/10
7 x 7/8	7000	42106	Extra Coarse	1/10

Type 27

These heavy duty fiberglass backed discs are designed to be used with angle grinders for the rapid removal of rust, scale, oxides and burrs. Ideal for use on most products including metal, stone, fiberglass, plastics, etc.

Non-Woven Abrasives


Strip-It Mounted Wheels

These highly versatile wheels come with a fixed spindle already attached to the wheel allowing for quick mounting to various portable tools.

Part Number Prefix – 809775

Strip-It Mounted Wheels

Size	Max. RPM	Part No.	Grading	Min./Unit
2 x 1 x 1/4 Shank	16000	42200	Extra Coarse	1/10
3 x 1 x 1/4 Shank	10500	42203	Extra Coarse	1/10
4 x 1/2 x 1/4 Shank	8000	42206	Extra Coarse	1/10
6 x 1/2 x 5/16 Shank	5350	42209	Extra Coarse	1/10



Strip-It Pres-Loc H&L Discs

These discs come with loop backing suitable for use in Hook & Loop applications.

This attachment style allows for easy removal and re-application of the Strip-It disc to a hooktype backing pad.

Part Number Prefix – 809775

Strip-It Pres-Loc H&L Discs

Size	Max. RPM	Part No.	Grading	Min./Unit
3-1/2 x 0	6000	81202	Extra Coarse	10
4 x 0	6000	81204	Extra Coarse	10
4-1/2 x 0	6000	81206	Extra Coarse	10
5 x 0	4000	81208	Extra Coarse	10
7 x 0	3000	81210	Extra Coarse	10



Non-Woven Abrasives

Surface Conditioning and Felt Belts



Surface conditioning belts are made with Aluminum Oxide and Silicon Carbide grain bonded to a heavy duty scrim backing.

These belts are primarily used to deburr, blend, clean, and polish a wide variety of materials with minimal stock removal.

Ask about our Felt Polishing Belts for high polish applications.

Part Number Prefix – 809775

Aluminum Oxide – Silicon Carbide – Felt

Size	A-CRS (Tan)	A-MED (Maroon)	A-VFN (Blue)	S-UFN (Grey)	Black/ Blue Felt	White Felt	Min./Unit
1/4 x 18	40982	40985	40988	40989	40990	78200	20
1/4 x 24	40991	40994	40997	40998	40999	78201	20
1/2 x 18	41000	41003	41006	41007	41008	78202	20
1/2 x 24	41009	41012	41015	41016	41017	78203	20
3/4 x 18	41018	41021	41024	41025	41024	78204	20
3/4 x 20-1/2	41027	41030	41033	41034	41035	78205	20
1 x 24	41036	41039	41042	41043	41044	78206	10
1 x 30	41045	41048	41051	41052	41053	78207	10
1 x 42	41054	41057	41060	41061	41062	78208	10
1 x 48	41063	41066	41069	41070	41071	78209	10
1 x 64	41072	41075	41078	41079	41080	78210	10
1 x 72	78000	78003	78006	78009	78010	78211	10
1-1/8 x 21	41081	41084	41087	41088	41089	78212	10
1-1/2 x 24	41090	41093	41096	41097	41098	78213	10
1-1/2 x 25	41099	41102	41105	41106	41107	78214	10
1-1/2 x 60	41108	41111	41114	41115	41116	78215	10
1-1/2 x 72	41117	41120	41123	41124	41125	78216	10
2 x 34	41126	41129	41132	41133	41134	78217	10
2 x 48	41135	41138	41141	41142	41143	78218	10
2 x 60	41144	41147	41150	41151	41152	78219	10
2 x 72	41153	41156	41159	41160	41161	78220	10
2 x 96	41162	41165	41168	41169	41170	-	10
2 x 132	41171	41174	41177	41178	41179	-	5
2-3/4 x 15-1/2	78020	78023	78026	78029	78030	78223	10
3 x 10-11/16	78040	78043	78046	78049	78050	78224	10
3 x 18	78060	78063	78066	78069	78070	78225	10
3 x 24	78080	78083	78086	78089	78090	78226	10
3 x 132	78100	78103	78106	78109	78110	-	5
3-1/2 x 15-1/2	41180	41183	41186	41187	41188	78228	10
4 x 24	41189	41192	41195	41196	41197	78229	10
4 x 36	41198	41201	41204	41205	41206	78230	10
4 x 54	41207	41210	41213	41214	41215	-	10
4 x 72	41216	41219	41222	41223	41224	-	10
4 x 132	41225	41228	41231	41232	41233	-	4
6 x 48	41234	41237	41240	41241	41242	-	4
6 x 60	41243	41246	41249	41250	41251	-	4
6 x 132	41252	41255	41258	41259	41260	-	4
9 x 48	41261	41264	41267	41268	41269	-	3
9 x 60	41270	41273	41276	41277	41278	-	3
9 x 107	41279	41282	41285	41286	41287	-	3
10 x 70-1/2	41288	41291	41294	41295	41296	-	2
18 x 85	41297	41300	41303	41304	41305	-	1
37 x 60	41306	41309	41312	41313	41314	-	1
37 x 75	41316	41319	41322	41325	41326	-	1

Pres-Loc H&L Surface Conditioning Discs



Easy grip surface conditioning discs are primarily designed for deburring, blending, cleaning, and polishing. These discs utilize a hook and loop technology to attach to the disc holder.

Part Number Prefix – 809775

Aluminum Oxide

Size	Max. RPM	A-CRS (Tan)	A-MED (Maroon)	A-VFN (Blue)	Min./Unit
2 x 0	7000	41500	41503	41506	50
3 x 0	7000	41509	41512	41515	25
4 x 0	7000	41518	41521	41524	25
4-1/2 x 0	7000	41527	41530	41533	25
5 x 0	6000	41536	41539	41542	10
6 x 0	6000	41545	41548	41551	10
7 x 0	5000	41554	41557	41560	10
8 x 0	4000	41563	41566	41569	10

Non-Woven Abrasives

Clean & Finish Discs

Part Number Prefix – 809775

Clean & Finish Discs – H&L (Loop Backed)

Size	A-CRS (Tan)	A-MED (Maroon)	A-VFN (Maroon)	S-UFN (Grey)	NAW (White)	Min./Unit
3	76500	76501	76502	76503	76505	50
3-1/2	76510	76511	76512	76513	76515	50
5	76520	76521	76522	76523	76525	50
6	76530	76531	76532	76533	76535	50
8	76550	76551	76552	76553	76555	25
11-1/4	76560	76561	76562	76563	76565	25



Part Number Prefix – 809775

Clean & Finish Discs – Plain Backed

Size	A-CRS (Tan)	A-MED (Maroon)	A-VFN (Maroon)	S-UFN (Grey)	NAW (White)	Min./Unit
3	76400	76401	76402	76403	76405	50
3-1/2	76410	76411	76412	76413	76415	50
5	76420	76421	76422	76423	76425	50
6	76430	76431	76432	76433	76435	50
8	76450	76451	76452	76453	76455	25
11-1/4	76460	76461	76462	76463	76465	25

H&L (Loop Backed)

Looped back allows for use on standard Hook and Loop pads. Some pad change over is required.

Use with Pres-Loc Disc Holder, see page 108.

Plain Backed

Flexible non-woven abrasive excellent for blending, cleaning and finishing. Use for surface preparation and finishing of metal, plastics and composites.

Use with standard SCD Pres-Loc Holder, see below.

SCD and C&F Pads and Holders

Part Number Prefix – 809775

SCD Pres-Loc H&L Pads and Holders

Size	Part No.
2 x 1/4-Shank	45800
3 x 1/4-Shank	45803
4 x 1/4-Shank	45806
4 x 5/8-11	45809
4-1/2 x 5/8-11	45812
5 x 5/8-11	45815
6 x 5/8-11	45818
7 x 5/8-11	45821
8 x 5/8-11	45824



Special pads for Surface Conditioning and Clean & Finish Discs.

Non-Woven Abrasives

Quick Change Surface Conditioning Discs



Surface conditioning discs have a tough reinforced nylon web backing. Designed for heavy rust and oxidation removal, providing burr free finishes and light deburring and blending.



Part Number Prefix – 809775

A-CRS

Aluminum Oxide - Tan
Finish similar to coated 80 grit material

A-MED

Aluminum Oxide - Maroon
Finish similar to coated 120 grit material

A-VFN

Aluminum Oxide - Blue
Finish similar to coated 320 grit material

Aluminum Oxide

Size		Max. RPM	A-CRS (Tan)	A-MED (Maroon)	A-VFN (Blue)	Min./Unit
1-1/2 x 0	Type T/O	20000	40009	40012	40015	50/100
2 x 0	Type T/O	20000	40018	40021	40024	50/100
3 x 0	Type T/O	18000	40027	40030	40033	25/50
4 x 0	Type T/O	6000	40036	40039	40042	25/50
1-1/2 x 0	Type R/O	20000	40059	40062	40065	50/100
2 x 0	Type R/O	20000	40068	40071	40074	50/100
3 x 0	Type R/O	18000	40077	40080	40083	25/50
4 x 0	Type R/O	6000	40086	40089	40092	25/50
1-1/2 x 0	Type S/O	20000	40109	40112	40115	50/100
2 x 0	Type S/O	20000	40118	40121	40124	50/100
3 x 0	Type S/O	18000	40127	40130	40133	25/50
4 x 0	Type S/O	6000	40136	40139	40142	25/50

Additional discounts available for case quantities

Quick Change Holders



Part Number Prefix – 809775

Quick Change Holders

Size	Max. RPM	Type T/O	Type R/O	Type S/O
1-1/2 x 1/4-Shank	30000	45003	45021	45039
2 x 1/4-Shank	25000	45006	45024	45042
3 x 1/4-Shank	20000	45009	45027	45045
4 x 1/4-Shank	10000	45012	45030	45048

Precision molded and balanced.
Made of high strength neoprene
and engineered for true high speed
operations. Reinforced at the locking
surface to ensure a close fit and a
true plane concentric to mandrel.

Non-Woven Abrasives

Surface Conditioning Eyelet Stars

Part Number Prefix – 809775

Aluminum Oxide

Size	Eyelet	A-CRS (Tan)	A-MED (Maroon)	A-VFN (Blue)	Min./Unit
3/4	3-48	71300	71302	71304	50/100
1	3-48	71310	71312	71314	50/100
1-1/2	3-48	71320	71322	71324	50/100
2	1/4-20	71330	71332	71334	50/100
3	1/4-20	71340	71342	71344	25/50
4	1/4-20	71350	71352	71354	25/50
4-1/2	1/4-20	71360	71362	71364	25/50



Ideal choice for polishing I.D. of pipe and tubing. Conformable star construction assures complete polishing and cleaning of all surfaces. Sizes to fit a wide variety of applications.

Part Number Prefix – 809775

Star Mandrels

Size		Part No.
3-48 Eyelet	1/4 Shank	46000
8-32 Eyelet	1/4 Shank	46003
1/4-20 Eyelet	1/4 Shank	46006

A-CRS

Aluminum Oxide - Tan
Finish similar to coated 80 grit material

A-MED

Aluminum Oxide - Maroon
Finish similar to coated 120 grit material

A-VFN

Aluminum Oxide - Blue
Finish similar to coated 320 grit material

Part Number Prefix – 809775

Flexshaft Mandrels

Size		Part No.
3-48 Eyelet	1/4 Shank	46020
8-32 Eyelet	1/4 Shank	46023
1/4-20 Eyelet	1/4 Shank	46026



Flexible shaft with 1/4" shank allows abrasive to follow work piece shape. Use on elbows and contoured parts. Designed to be used with coated abrasives and non-woven eyelet stars. Nominal overall length - 6".

Non-Woven Abrasives

Convolute Wheels - Medium Deburring



Part Number Prefix – 809775

Medium Deburring

Size	Max. RPM	8 S-Fine	8 A-Med.	8 S-Med.	9 S-Fine	9 A-Med.	Min./Unit
6 x 1/2 x 1	6000	42500	42501	-	42503	42504	4
6 x 1 x 1	6000	42506	42509	42510	42512	42515	4
8 x 1 x 3	4500	42518	42521	42522	42524	-	4
8 x 2 x 3	4500	42527	-	-	42530	-	2
12 x 1 x 5	3000	42533	-	-	42536	-	1
12 x 2 x 5	3000	42539	-	-	42542	-	1

Wheel Density



Deburring wheels are designed to be smear and heat resistant while producing fast cut rates and finer finishes with consistent results.

Recommended for medium to heavy deburring applications, blending coated abrasive scratch patterns and polishing stainless steel and titanium parts.

Convolute Wheels - Light Deburring




Part Number Prefix – 809775

Light Deburring

Size	Max. RPM	6 S-Fine	7 A-Fine	7 S-Fine	7 A-Med.	S-Med.	Min./ Unit
6 x 1 x 1	6,000	42560	42563	42566	42569	-	4
6 x 2 x 1	6,000	-	42572	-	-	-	2
8 x 1 x 3	4,500	-	42575	-	-	-	4
12 x 1 x 5	4,500	-	-	-	42578	42581	1

Wheel Density



Metal finishing wheels are for general purpose cleaning and finishing on ferrous and non-ferrous metals.

Applications include satin finishing, rust and paint removal and restoring stainless steel after weld removal.

Non-Woven Abrasives

Convolute Wheels - Surface Finishing

Part Number Prefix – 809775

Surface Finishing

Size	Max. RPM	2 S-Fine	2 A-Med.	2 S-Med.	2 A-Crs	Min./Unit
6 x 1 x 1	6,000	42302	42303	42306	42309	4
6 x 2 x 1	6,000	-	-	42312	42315	2
6 x 3 x 1	6,000	-	-	42318	-	1
8 x 1 x 3	4,500	-	-	42321	-	4
8 x 2 x 3	4,500	-	-	42324	-	2



Wheel Density



Metal finishing wheels are for general purpose cleaning and finishing on ferrous and non-ferrous metals.

Applications include satin finishing, rust and paint removal and restoring stainless steel after weld removal.

Part Number Prefix – 809775

Reducer Bushings

Size	Part No.
1 to 3/4	45770
1 to 5/8	45773
1 to 1/2	45776
3 to 1	45785
3 to 5/8	45788
3 to 1-1/4	45791
5 to 1-1/4	45794



Reducer Bushings

Non-Woven Abrasives

Unitized Wheels - XL Deburring



XL deburring unitized wheels are designed to minimize heat buildup on work surface.

Wheels run clean when deburring or polishing titanium, special alloys, composites, and plastics. Broad range of grades and densities allows them to be used for fine finishes on precision polished parts.

Wheel Density




Part Number Prefix – 809775

XL Deburring

Size	Max. RPM	2 S-Fine	2 A-Med.	2 S-Med.	6 S-Fine	6 A-Med	8 A-Med	8 A-Crs	Min./Unit
1 x 1 x 3/16	15,000	—	—	—	42400	42403	42406	42409	50
2 x 1/4 x 1/4	11,000	42412	—	—	—	—	42415	—	60
3 x 1/4 x 1/4	8,000	42418	—	42421	—	42424	42427	42430	20
3 x 1/2 x 1/4	8,000	42433	—	—	—	—	—	42436	10
4 x 1/4 x 1/4	8,000	42439	—	—	—	—	—	42442	20
6 x 1/2 x 1	4,800	42445	42448	—	—	—	—	—	4
6 x 1 x 1	4,800	42451	42454	—	—	—	42457	—	2

Unitized Wheels - Blend and Polish



Part Number Prefix – 809775

Blend and Polish

Size	Max. RPM	5 A-Fine	7 A-Med	7 S-Med	7 A-Crs	Min./Unit
1 x 1 x 3/16	25,000	42600	42602	42604	42606	50
2 x 1/4 x 1/4	18,000	—	42608	42610	42612	60
2 x 1/2 x 1/4	18,000	42614	42616	—	42618	30
3 x 1/4 x 1/4	12,000	42620	42622	—	42624	20
3 x 1/2 x 1/4	12,000	42626	42628	—	42630	10
3 x 1 x 1/4	12,000	42632	42634	—	42636	10
6 X 1/2 X 1	4,800	42638	42640	—	—	4
6 X 1 X 1	4,800	42642	42644	—	42646	2

Wheel Density



Heavy duty wheels are a high performance product ideal for polishing, blending and deburring jobs. Excellent edge wear and long life combine to produce consistent results quickly and accurately.

Non-Woven Abrasives

Non-Woven Nylon Rolls - 30 Feet

Easily cut into strips of desired size; for manual or machine operations.
Any width available up to 33".



Part Number Prefix – 809775

Clean and Finish

Size	A-CRS (Brown)	A-MED (Maroon)	A-VFN (Maroon)	S-UFN (Grey)	Non-Abrasive (White)	Min./Unit
2 x 30	41599	41600	41603	41606	41607	1/10
3 x 30	41608	41609	41612	41615	41616	1/5
4 x 30	41617	41618	41621	41624	41625	1/4
4-1/2 x 30	41626	41627	41630	41633	41634	1/4
5 x 30	41635	41636	41639	41642	41643	1/3
6 x 30	41644	41645	41648	41651	41652	1/2

Also available in disc form. Rolls available in other sizes upon request.

Non-Woven Nylon Hand Pads

Part Number Prefix – 809775

Clean and Finish

Size	Coarse (Brown)	Gen. Purp. (Green)	VFN (Maroon)	UFN (Grey)	Non-Abr (White)	Min./Unit
6 x 9	41800	—	—	—	—	40
6 x 9	—	41809	41803	41806	41812	60


*Sold in case quantities only.
Other special cut sizes available upon request.*



Non-woven hand pads are an alternative to steel wool, wire brushes, emery cloth, etc. Completely washable and reusable.

Pres-It PSA Disc Rolls

FilmBac A/O Disc Rolls



PSA - FilmBac, LD Style

This new film-backed product is made with a premium Aluminum Oxide abrasive; it also is treated with a load-resistant size coat and is designed to provide optimal cut and life. Specially treated film backing with improved bond strength preventing mineral shelling. FilmBac products exhibit excellent performance for finish removal on metal or wood, sanding solid surface materials, composites, plastics and applications where consistent surface finish, load resistance and durability are the desired features.

100 discs per roll. 600 grit and above available in tab-style individual discs.

Part Number Prefix – 809775

Aluminum Oxide

Size	40	60	80	100	120	150	180	220	240	320	400	Min./Unit
5	05441	05443	05444	05445	05446	05447	05448	05449	05450	05452	05453	1/4
6	05461	05463	05464	05465	05466	05467	05468	05469	05470	05472	05473	1/4

PSA Disc Back-Up Pads

See Page 94

FilmBac Vacuum Discs are available as Tab Discs, see page 85

Pres-It PSA Disc Rolls

Blue Ceramic Premium Disc Rolls

PSA - C Weight LD Style

Premium Ceramic Alumina grain, adhesive backed paper discs. The toughest abrasive in the industry today! Giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

100 discs per roll. 500 grit and above available in tab-style individual discs.



Part Number Prefix – 809775

Premium Ceramic

Size	80C	100C	120C	150C	180C	220C	240C	280C	320C	400C	Min./Unit
5	64104	64105	64106	64107	64108	64109	64110	64111	64112	64113	1/4
6	64124	64125	64126	64127	64128	64129	64130	64131	64132	64133	1/4

PSA Disc Back-Up Pads

See Page 94

Blue Ceramic Premium Disc Rolls, Vacuum

PSA - C Weight, Vacuum LD Style

Premium Ceramic Alumina grain, adhesive backed paper discs. The toughest abrasive in the industry today! Giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

100 discs per roll. 500 grit and above available in tab-style individual discs.



Part Number Prefix – 809775

Premium Ceramic

Size		80C	100C	120C	150C	180C	220C	240C	280C	320C	400C	Min./Unit
5	5H	64184	64185	64186	64187	64188	64189	64190	64191	64192	64193	1/4
5	8H	64204	64205	64206	64207	64208	64209	64210	64211	64212	64213	1/4
6	6H	64224	64225	64226	64227	64228	64229	64230	64231	64232	64233	1/4
6	8H	64224	64225	64226	64227	64228	64229	64230	64231	64232	64233	1/4

Pres-It PSA Disc Rolls

Red Premium A/O Disc Rolls



PSA - C Weight LD Style

Premium Aluminum Oxide grain resin bond, adhesive backed paper disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion. Excellent for wood, ferrous and non-ferrous metal, paint, primer and fiberglass.

100 discs per roll. 500 and 600 grit available in tab-style individual discs only.

Part Number Prefix – 809775

Premium Aluminum Oxide

Size	80C	100C	120C	150C	180C	220C	240C	320C	400C	Min./Unit
5	58104	58105	58106	58107	58108	58109	58110	58112	58113	1/4
6	58124	58125	58126	58127	58128	58129	58130	58132	58133	1/4

PSA Disc Back-Up Pads

See Page 94

Red Premium A/O Disc Rolls, Vacuum



PSA - C Weight, Vacuum LD Style

Premium Aluminum Oxide grain resin bond, adhesive backed paper disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion. Excellent for wood, ferrous and non-ferrous metal, paint, primer and fiberglass.

100 discs per roll. 500 and 600 grit available in tab-style individual discs only.

Part Number Prefix – 809775

Premium Aluminum Oxide

Size		80C	100C	120C	150C	180C	220C	240C	320C	400C	Min./Unit
5	5 Hole	58164	58165	58166	58167	58168	58169	58170	58172	58173	1/4
5	8 Hole	58204	58205	58206	58207	58208	58209	58210	58212	58213	1/4
6	6 Hole	58184	58185	58186	58187	58188	58189	58190	58192	58193	1/4
6	8 Hole	58224	58225	58226	58227	58228	58229	58230	58232	58233	1/4

Pres-It PSA Disc Rolls

Gold A/O Stearated Disc Rolls

PSA - B & C Weight, LD Style

Aluminum Oxide, resin bond adhesive backed paper discs. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

100 discs per roll. 500 grit and above available in tab-style Individual Discs.



Part Number Prefix – 809775

Aluminum Oxide

Size	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	05590	05593	05596	05599	05602	05605	05608	05611	05614	05617	05620	1/4
6	05635	05638	05641	05644	05647	05650	05653	05656	05659	05662	05665	1/4

PSA Disc Back-Up Pads

See Page 94

Gold A/O Stearated Disc Rolls, Vacuum

PSA - B & C Weight, Vacuum LD Style

Aluminum Oxide, resin bond adhesive backed paper discs. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

100 discs per roll. 600 grit and above available in tab-style individual Discs.



Part Number Prefix – 809775

Aluminum Oxide

Size		60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	5 Hole	05725	05728	05731	05734	05737	05740	05743	05746	05749	05752	05755	1/4
5	8 Hole	05995	05998	06001	06004	06007	06010	06013	06016	06019	06022	06025	1/4
6	6 Hole	05905	05908	05911	05914	05917	05920	05923	05926	05929	05932	05935	1/4
6	8 Hole	06123	06124	06125	06126	06127	06128	06129	06130	06131	06132	06133	1/4

Pres-It PSA Disc Rolls

White S/C Stearated Disc Rolls



PSA - B Weight LD Style

Silicon Carbide, adhesive backed paper discs. Special open coating resists loading. Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.

100 discs per roll.

Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	57604	57605	57606	57607	57608	57609	57610	57611	57612	57613	1/4
6	57624	57625	57626	57627	57628	57629	57630	57631	57632	57633	1/4

PSA Disc Back-Up Pads

See Page 94

White S/C Stearated Disc Rolls, Vacuum



PSA - B Weight, Vacuum LD Style

Silicon Carbide, adhesive backed paper discs. Special open coating resists loading. Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.

100 discs per roll.

Part Number Prefix – 809775

Silicon Carbide

Size		80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	5 Hole	57704	57705	57706	57707	57708	57709	57710	57711	57712	57713	1/4
5	8 Hole	57904	57905	57906	57907	57908	57909	57910	57911	57912	57913	1/4
6	6 Hole	57804	57805	57806	57807	57808	57809	57810	57811	57812	57813	1/4
6	8 Hole	57924	57925	57926	57927	57928	57929	57930	57931	57932	57933	1/4


Peel-It PSA Disc Rolls

Blue Ceramic Premium Disc Rolls

PSA - C Weight RP Style

Release paper liner and self storing dispenser. No grit or dust contamination & great shelf life. Ceramic Alumina adhesive backed paper discs. The toughest abrasive in the industry today, giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

100 discs per roll.



Part Number Prefix – 809775

Ceramic

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	57964	57965	57966	57967	57968	57969	57970	57971	57972	57973	1/4
6	57984	57985	57986	57987	57988	57989	57990	57991	57992	57993	1/4

PSA Disc Back-Up Pads

See Page 94

Red Premium A/O Disc Rolls

PSA - C Weight RP Style

Release paper liner and self storing dispenser. No grit or dust contamination & great shelf life. Premium Aluminum Oxide grain resin bond, adhesive backed paper disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion. Excellent for wood, ferrous and non-ferrous metal, paint, primer and fiberglass.

100 discs per roll.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size	80C	100C	120C	150C	180C	220C	240C	320C	400C	500C	600C	Min./Unit
3-1/2	59004	59005	59006	59007	59008	59009	59010	59012	59013	59014	59015	1/4
5	59024	59025	59026	59027	59028	59029	59030	59032	59033	59034	59035	1/4
6	59044	59045	59046	59047	59048	59049	59050	59052	59053	59054	59055	1/4

Peel-It PSA Disc Rolls

Gold A/O Stearated Disc Rolls



PSA - B, C, & E Weight RP Style

Release paper liner and self storing dispenser. No grit or dust contamination & great shelf life. Aluminum Oxide, resin bond adhesive backed paper discs. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

100 discs per roll.

Part Number Prefix – 809775

Premium Aluminum Oxide

Size	80	100	120	150	180	220	240	320	400	600	Min./Unit
3-1/2	58704	58705	58706	58707	58708	58709	58710	58711	58712	58715	1/4
5	58724	58725	58726	58727	58728	58729	58730	58731	58732	58735	1/4
6	58744	58745	58746	58747	58748	58749	58750	58751	58752	58755	1/4

PSA Disc Back-Up Pads

See Page 94

White S/C Stearated Disc Rolls



PSA - B Weight RP Style

Release paper liner and self storing dispenser. No grit or dust contamination & great shelf life. Silicon Carbide adhesive backed paper discs. Special open coating resists loading. Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.

100 discs per roll.

Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	58424	58425	58426	58427	58428	58429	58430	58431	58432	58433	1/4
6	58444	58445	58446	58447	58448	58449	58450	58451	58452	58453	1/4


Peel-It PSA Discs

FilmBac A/O Discs w/ Tabs

PSA - Filmbac, Tab Style

This new film-backed product is made with a premium Aluminum Oxide abrasive; it also is treated with a load-resistant size coat and is designed to provide optimal cut and life. Specially treated film backing with improved bond strength preventing mineral shelling. FilmBac products exhibit excellent performance for finish removal on metal or wood, sanding solid surface materials, composites, plastics and for applications where consistent surface finish, load resistance and durability are the desired features.

NT = No Tabs.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		40	60	80	100	120	150 (100µ)	180 (80µ)	220	240 (60µ)	320	400 (40µ)	500	600 (30µ)	800	1000	1200 (15µ)	1500	2000 (9µ)	Min./ Unit
3	NT	52902	52906	52908	52910	52912	52914	52916	52918	52920	52924	52926	52928	92930	52932	52934	52936	52938	52940	50/100
3-1/2	NT	53002	53006	53008	53010	53012	53014	53016	53018	53020	53024	53026	53028	53030	53032	53034	53036	53038	53040	50/100
5		53044	53048	53050	53052	53054	53056	53058	53060	53062	53066	53068	53070	53072	53074	53076	53078	53080	53082	50/100
6		53086	53090	53092	53094	53096	53098	53100	53102	53104	53108	53110	53112	53114	53116	53118	53120	53122	53124	50/100
7		53128	53132	53134	53136	53138	53140	53142	53144	53146	53150	53152	53154	53156	53158	53160	53162	53164	53166	50/100
8		53170	53174	53176	53178	53180	53182	53184	53186	53188	53192	53194	53196	53198	53200	53202	53204	53206	53208	50/100
11-1/4	NT	53212	53216	53218	53220	53222	53224	53226	53228	53230	53234	53236	53238	53240	53242	53244	53246	53248	53250	25/50


PSA Disc Back-Up Pads

See Page 94

FilmBac A/O Discs w/ Tabs, Vacuum

PSA - Filmbac, Vacuum Tab Style

This new film-backed product is made with a premium Aluminum Oxide abrasive; it also is treated with a load-resistant size coat and is designed to provide optimal cut and life. Specially treated film backing with improved bond strength preventing mineral shelling. FilmBac products exhibit excellent performance for finish removal on metal or wood, sanding solid surface materials, composites, plastics and for applications where consistent surface finish, load resistance and durability are the desired features.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		40	60	80	100	120	150 (100µ)	180 (80µ)	220	240 (60µ)	320	400 (40µ)	500	600 (30µ)	800	1000	1200 (15µ)	1500	2000 (9µ)	Min./ Unit
5	5 Hole	55002	55006	55008	55010	55012	55014	55016	55018	55020	55024	55026	55028	55030	55032	55034	55036	55038	55040	50/100
5	8 Hole	56102	56106	56108	56110	56112	56114	56116	56118	56120	56124	56126	56128	56130	56132	56134	56136	56138	56140	50/100
5	9 Hole	56261	56263	56264	56265	56266	56267	56268	56269	56270	56272	56273	56274	56275	56276	56277	56278	56279	56280	50/100
6	6 Hole	56002	56006	56008	56010	56012	56014	56016	56018	56020	56024	56026	56028	56030	56032	56034	56036	56038	56040	50/100
6	8 Hole	56144	56148	56150	56152	56154	56156	56158	56160	56162	56166	56168	56170	56172	56174	56176	56178	56180	56182	50/100
6	9 Hole	56231	56233	56234	56235	56236	56237	56238	56239	56240	56242	56243	56244	56245	56246	56247	56248	56249	56250	50/100
8	8 Hole	56186	56190	56192	56194	56196	56198	56200	56202	56204	56208	56210	56212	56214	56216	56248	56220	56222	56224	50/100

Peel-It PSA Discs

Blue Ceramic Premium Discs w/ Tabs



PSA - C Weight, Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination – great shelf life. Ceramic Alumina adhesive backed paper discs. The toughest abrasive in the industry today, giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

NT = No Tabs.

Part Number Prefix – 809775

Premium Ceramic

Size		80C	100C	120C	150C	180C	220C	240C	280C	320C	400C	500C	600C	Min./Unit
3	NT	64304	64305	64306	64307	64308	64309	64310	64311	64312	64313	64314	64315	100/400
3-1/2	NT	64324	64325	64326	64327	64328	64329	64330	64331	64332	64333	64334	64335	100/400
5		64344	64345	64346	64347	64348	64349	64350	64351	64352	64353	64354	64355	100/400
6		64364	64365	64366	64367	64368	64369	64370	64371	64372	64373	64374	64375	100/400
8		64384	64385	64386	64387	64388	64389	64390	64391	64392	64393	64394	64395	50/200

PSA Disc Back-Up Pads

See Page 94

Blue Ceramic Premium Discs w/ Tabs, Vacuum



PSA - C Weight, Vacuum Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination – great shelf life. Ceramic Alumina adhesive backed paper discs. The toughest abrasive in the industry today, giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

Part Number Prefix – 809775

Premium Ceramic

Size		80C	100C	120C	150C	180C	220C	240C	280C	320C	400C	500C	600C	Min./Unit
5	5H	64424	64425	64426	64427	64428	64429	64430	64431	64432	64433	64434	64435	100/400
5	8H	64444	64445	64446	64447	64448	64449	64450	64451	64452	64453	64454	64455	100/400
6	6H	64464	64465	64466	64467	64468	64469	64470	64471	64472	64473	64474	64475	100/400
6	8H	64484	64485	64486	64487	64488	64489	64490	64491	64492	64493	64494	64495	100/400
8	8H	64504	64505	64506	64507	64508	64509	64510	64511	64512	64513	64514	64515	50/200

Peel-It PSA Discs

Red Premium A/O Discs w/ Tabs

PSA - C Weight Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination and great shelf life. Premium Aluminum Oxide grain resin bond, adhesive backed paper disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion.

Excellent for wood, ferrous & non-ferrous metal, paint, primer & fiberglass.

NT = No Tabs.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		80C	100C	120C	150C	180C	220C	240C	320C	400C	500C	600C	Min./Unit
3	NT	59804	59805	59806	59807	59808	59809	59810	59812	59813	59814	59815	100/400
3-1/2	NT	59824	59825	59826	59827	59828	59829	59830	59832	59833	59834	59835	100/400
5	5	59904	59905	59906	59907	59908	59909	59910	59912	59913	59914	59915	100/400
6	5	59924	59925	59926	59927	59928	59929	59930	59932	59933	59934	59935	100/400
8	5	59944	59945	59946	59947	59948	59949	59950	59952	59953	59954	59955	50/200

PSA Disc Back-Up Pads

See Page 94

Red Premium A/O Discs w/ Tabs, Vacuum

PSA - C Weight, Vacuum Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination - great shelf life. Premium Aluminum Oxide grain resin bond, adhesive backed paper disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion.

Excellent for wood, ferrous & non-ferrous metal, paint, primer & fiberglass.




Part Number Prefix – 809775

Premium Aluminum Oxide

Size		80C	100C	120C	150C	180C	220C	240C	320C	400C	500C	600C	Min./Unit
5	5 Hole	59964	59965	59966	59967	59968	59969	59970	59972	59973	59974	59975	100/400
5	8 Hole	60004	60005	60006	60007	60008	60009	60010	60012	60013	60014	60015	100/400
6	6 Hole	59984	59985	59986	59987	59988	59989	59990	59992	59993	59994	59995	100/400
6	8 Hole	60024	60025	60026	60027	60028	60029	60030	60032	60033	60034	60035	100/400
8	8 Hole	50044	60045	60046	60047	60048	60049	60050	60052	60053	60054	60055	50/200

Peel-It PSA Discs

Gold A/O Stearated Discs w/ Tabs



PSA - B, C & E Weight, Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination - great shelf life. Aluminum oxide, resin bond adhesive backed paper discs. Special coating resists loading.

Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

NT = No Tabs.

Part Number Prefix – 809775

Aluminum Oxide

Size		36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
3	NT	59500	59501	59503	59505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
3	NT	-	-	-	-	59519	59504	59506	59507	59508	59509	59510	59511	59512	59513	59514	59516	59517	59518	56519	100/400
3-1/2	NT	59520	59521	59523	59525	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
3-1/2	NT	-	-	-	-	59539	59524	59526	59527	59528	59529	59530	59531	59532	59533	59534	59536	59537	59538	56539	100/400
5		59600	59601	59603	59616	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5		-	-	-	-	59619	59604	59605	59606	59607	59608	59609	59610	59611	59612	59613	59615	59617	59618	56619	100/400
6		59620	59621	59623	59636	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6		-	-	-	-	59639	59624	59625	59626	59627	59628	59629	59630	59631	59632	59633	59635	59637	59638	56639	100/400
8		59640	59641	59643	59656	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/100
8		-	-	-	-	59659	59644	59645	59646	59647	59648	59649	59650	59651	59652	59653	59655	59657	59658	56659	50/200
11-1/4	NT	59760	59761	59763	59764	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/100
11-1/4	NT	-	-	-	-	59779	59765	59766	59767	59768	59769	59770	59771	59772	59773	59774	59776	59777	59778	56679	25/50

PSA Disc Back-Up Pads

See Page 96

Gold A/O Stearated Discs w/ Tabs, Vacuum



PSA - B, C & E Weight, Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination - great shelf life. Aluminum oxide, resin bond adhesive backed paper discs. Special coating resists loading.

Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

Part Number Prefix – 809775

Aluminum Oxide

Size		36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
5	5H	59660	59661	59663	59676	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5	5H	-	-	-	-	59679	59664	59665	59666	59667	59668	59669	59670	59671	59672	59673	59675	59677	59678	59179	100/400
5	8H	59700	59701	59703	59716	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5	8H	-	-	-	-	59719	59704	59705	59706	59707	59708	59709	59710	59711	59712	59713	59715	59717	59718	59219	100/400
5	9H	59860	59861	59863	59854	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5	9H	-	-	-	-	59583	59584	59585	59586	59587	59588	59589	59590	59591	59592	59593	59595	59596	59597	59598	100/400
6	6H	59680	59681	59683	59696	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	6H	-	-	-	-	59699	59684	59685	59686	59687	59688	59689	59690	59691	59692	59693	59695	59697	59698	59199	100/400
6	8H	59720	59721	59723	59736	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	8H	-	-	-	-	59739	59724	59725	59726	59727	59728	59729	59730	59731	59732	59733	59735	59737	59738	59239	100/400
6	9H	59880	59881	59883	59884	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	9H	-	-	-	-	59783	59784	59785	59786	59787	59788	59789	59790	59791	59792	59793	59795	59796	59797	59798	100/400
8	8H	59740	59741	59743	59756	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/100
8	8H	-	-	-	-	59759	59744	59745	59746	59747	59748	59749	59750	59751	59752	59753	59755	59757	59758	59259	50/200

Peel-It PSA Discs

White S/C Stearated Discs w/ Tabs

PSA - B Weight, Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination - great shelf life. Silicon Carbide adhesive backed paper discs. Special open coating resists loading.

Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.



Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	59304	59305	59306	59307	59308	59309	59310	59311	59312	59313	100/400
6	59324	59325	59326	59327	59328	59329	59330	59331	59332	59333	100/400
8	59344	59345	59346	59347	59348	59349	59350	59351	59352	59353	50/200

PSA Disc Back-Up Pads

See Page 96

White S/C Stearated Discs w/ Tabs, Vacuum

PSA - B Weight, Vacuum Tab Style

Individual tabbed disc with release paper liner. No grit or dust contamination - great shelf life. Silicon Carbide adhesive backed paper discs. Special open coating resists loading.

Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.



Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5 5 Hole	59364	59365	59366	59367	59368	59369	59370	59371	59372	59373	100/400
5 8 Hole	59404	59405	59406	59407	59408	59409	59410	59411	59412	59413	100/400
6 6 Hole	59384	59385	59386	59387	59388	59389	59390	59391	59392	59393	100/400
6 8 Hole	59424	59425	59426	59427	59428	59429	59430	59431	59432	59433	100/400
8 8 Hole	59444	59445	59446	59447	59448	59449	59450	59451	59452	59453	50/200

Peel-It PSA Discs

A/O Resin Cloth Discs



PSA - X & Y Weight

Durable Aluminum Oxide, resin bond, X & Y weight heavy duty cloth. Provides excellent adhesion. Discs will not slip or fly off. Easily removed without leaving residue on holders or backing plates. Use on ferrous and non-ferrous metals as well as wood, plastic and composites. Also available in Silicon Carbide Resin Cloth.

Part Number Prefix – 809775

Aluminum Oxide

Size	24Y	36X	40X	50X	60X	80X	100X	120X	150X	180X	240X	320X	Min./Unit
1/2	07500	07503	07506	07509	07512	07515	07518	07521	07524	07527	07533	07539	500/500
3/4	07551	07554	07557	07560	07563	07566	07569	07572	07575	07578	07584	07590	500/500
1	07602	07605	07608	07611	07614	07617	07620	07623	07626	07629	07635	07641	500/500
1-1/2	07653	07656	07659	07662	07665	07668	07671	07674	07677	07680	07686	07692	500/500
2	07704	07707	07710	07713	07716	07719	07722	07725	07728	07731	07737	07743	100/500
3	07755	07758	07761	07764	07767	07770	07773	07776	07779	07782	07788	07794	100/500
4	07806	07809	07812	07815	07818	07821	07824	07827	07830	07833	07839	07845	100/500
5	07857	07860	07863	07866	07869	07872	07875	07878	07881	07884	07890	07896	50/100
6	07908	07911	07914	07917	07920	07923	07926	07929	07932	07935	07941	07947	50/100
7	07959	07962	07965	07968	07971	07974	07977	07980	07983	07986	07992	07998	50/100
8	08010	08013	08016	08019	08022	08025	08028	08031	08034	08037	08043	08049	50/100
9	08061	08064	08067	08070	08073	08076	08079	08082	08085	08088	08094	08100	25/50
10	08112	08115	08118	08121	08124	08127	08130	08133	08136	08139	08145	08151	25/50
12	08163	08166	08169	08172	08175	08178	08181	08184	08187	08190	08196	08202	25/50
14	08214	08217	08220	08223	08226	08229	08232	08235	08238	08241	08247	08253	25/50
15	08265	08268	08271	08274	08277	08280	08283	08286	08289	08292	08298	08304	25/50
16	08316	08319	08322	08325	08328	08331	08334	08337	08340	08343	08349	08355	10/20
18	08367	08370	08373	08376	08379	08382	08385	08388	08391	08394	08400	08406	10/20
20	08418	08421	08424	08427	08430	08433	08436	08439	08442	08445	08451	08457	5/10
24	08469	08472	08475	08478	08481	08484	08487	08490	08493	08496	08502	08508	5/10
26	08520	08523	08526	08529	08532	08535	08538	08541	08544	08547	08553	08559	5/10
30	08571	08574	08577	08580	08583	08586	08589	08592	08595	08598	08604	08610	5/10
36	08622	08625	08628	08631	08634	08637	08640	08643	08646	08649	08655	08661	5/10

PSA Disc Back-Up Pads

See Page 94

Peel-It PSA Discs

Zirconia Resin Cloth Discs

PSA - Y Weight

These heavy duty Zirconia cloth discs utilize a pressure sensitive adhesive for economical and efficient disc mounting. Simply remove the protective release liner and apply to your sanding pad or platen. No other adhesives are necessary. These discs are designed for maximum cut rates on hard to grind materials and heavy duty applications. The zirconia grain gives a cool cut and extra life for maximum performance and lowest overall grinding cost.



Part Number Prefix – 809775

Zirconia

Size	24Y	36Y	40Y	50Y	60Y	80Y	100Y	120Y	Min./Unit
5	50000	50001	50002	50003	50004	50005	50006	50007	50/100
6	50020	50021	50022	50023	50024	50025	50026	50027	50/100
7	50040	50041	50042	50043	50044	50045	50046	50047	50/100
8	50060	50061	50062	50063	50064	50065	50066	50067	50/100
9	50080	50081	50082	50083	50084	50085	50086	50087	25/50
10	50100	50101	50102	50103	50104	50105	50106	50107	25/50
12	50120	50121	50122	50123	50124	50125	50126	50127	25/50
14	50140	50141	50142	50143	50144	50145	50146	50147	25/50
15	50160	50161	50162	50163	50164	50165	50166	50167	25/50
16	50180	50181	50182	50183	50184	50185	50186	50187	10/20
18	50200	50201	50202	50203	50204	50205	50206	50207	10/20
20	50220	50221	50222	50223	50224	50225	50226	50227	5/10
24	50240	50241	50242	50243	50244	50245	50246	50247	5/10
26	50260	50261	50262	50263	50264	50265	50266	50267	5/10
30	50280	50281	50282	50283	50284	50285	50286	50287	5/10
36	50300	50301	50302	50303	50304	50305	50306	50307	5/10

Other sizes available upon request.

PSA Disc Back-Up Pads

See Page 94

A/O Stearated Resin Cloth Discs

PSA - J Weight, Tab Style

A special stearate coating on an A/O Resin Bond Cloth that resists loading; use on wood and painted surfaces. These cloth discs utilize a Pressure Sensitive Adhesive, reducing cost and increasing efficiency.

NT = No Tabs.



Part Number Prefix – 809775


Aluminum Oxide

Size	80J	100J	120J	150J	180J	240J	Min./Unit
5	50505	50506	50507	50508	50509	50511	50/100
6	50525	50526	50527	50528	50529	50531	50/100
8	NT	50545	50546	50547	50548	50549	50/100
10	NT	50565	50566	50567	50568	50569	25/50
12	NT	50585	50586	50587	50588	50589	25/50

Other sizes available upon request.

Peel-It PSA Discs

A/O Heavy Duty Paper Discs



PSA - F Weight

Aluminum oxide grain, resin bond on tough F weight paper backing. Excellent adhesion. Easily removed without leaving residue on holders or backing plates. Recommended for steel, stainless steel, fiberglass, hardwoods and sanding operations where loading is a problem. Large diameters used in pattern shops and non-ferrous foundries.

Part Number Prefix – 809775

Aluminum Oxide

Size	40F	60F	80F	100F	120F	150F	180F	220F	320F	Min./Unit
4	75644	75648	75650	75652	75654	75656	75658	75660	75666	50/200
5	75684	75688	75690	75692	75694	75696	75698	75700	75706	50/200
6	75724	75728	75730	75732	75734	75736	75738	75740	75746	50/200
7	75764	75768	75770	75772	75774	75776	75778	75780	75786	50/200
8	75804	75808	75810	75812	75814	75816	75818	75820	75826	50/200
9	75844	75848	75850	75852	75854	75856	75858	75860	75866	50/200
10	75884	75888	75890	75892	75894	75896	75898	75900	75906	25/100
12	75924	75928	75930	75932	75934	75936	75938	75940	75946	25/100
14	75964	75968	75970	75972	75974	75976	75978	75980	75986	25/100
15	76004	76008	76010	76012	76014	76016	76018	76020	76026	25/100
16	76044	76048	76050	76052	76054	76056	76058	76060	76066	10/50
18	76084	76088	76090	76092	76094	76096	76098	76100	76106	10/50
20	76124	76128	76130	76132	76134	76136	76138	76140	76146	10/50
24	76164	76168	76170	76172	76174	76176	76178	76180	76186	10/50
26	76204	76208	76210	76212	76214	76216	76218	76220	76226	10/50
30	76244	76248	76250	76252	76254	76256	76258	76260	76266	5/25
36	76284	76288	76290	76292	76294	76296	76298	76300	76306	5/25

Other grits and sizes available upon request. Also available with vacuum holes.

PSA Disc Back-Up Pads

See Page 94

Peel-It PSA Discs

Silicon Carbide Waterproof Paper Discs

PSA - A & C Weight

Sharp Silicon Carbide coated on A & C wt paper. Adhesive backed discs can be used wet or dry. Used in metallurgical laboratories for grinding and polishing samples.

Also available in Pres-Loc style for Hook & Loop attachment.

MET. - Special easy removal adhesive for metallurgical applications.



Part Number Prefix – 809775

Silicon Carbide

Size	60C	80C	100C	120C	150C	180C	220A	240A	320A	400A	600A	800C	1000C	1200C	1500C	2000C	2500C	3000C	Min./Unit
5	62300	62301	62302	62303	62304	62305	62306	62307	62309	62310	62312	62313	62314	62315	62316	62317	62318	62319	100/400
6	62320	62321	62322	62323	62324	62325	62326	62327	62329	62330	62332	62333	62334	62335	62336	62337	62338	62339	100/400
8	62340	62341	62342	62343	62344	62345	62346	62347	62349	62350	62352	62353	62354	62355	62356	62357	62358	62359	50/200
12	62360	62361	62362	62363	62364	62365	62366	62367	62369	62370	62372	62373	62374	62375	62376	62377	62378	62379	25/50

5 & 6 inch Tab Style discs also available

Other sizes available upon request.

PSA Disc Back-Up Pads

See Page 94

Silicon Carbide Waterproof Paper Discs

Plain - A & C Weight

Sharp Silicon Carbide coated on A & C wt paper. Discs can be used wet or dry. Used in metallurgical laboratories for grinding and polishing samples.

Also available in Pres-Loc style for Hook & Loop attachment.



Part Number Prefix – 809775

Silicon Carbide

Size	60C	80C	100C	120C	150C	180C	220A	240A	320A	400A	600A	800C	1000C	1200C	1500C	2000C	2500C	3000C	Min./Unit
5	62500	62501	62502	62503	62504	62505	62506	62507	62509	62510	62512	62513	62514	62515	62516	62517	62518	62519	100/400
6	62520	62521	62522	62523	62524	62525	62526	62527	62529	62530	62532	62533	62534	62535	62536	62537	62538	62539	100/400
8	62540	62541	62542	62543	62544	62545	62546	62547	62549	62550	62552	62553	62554	62555	62556	62557	62558	62559	50/200
12	62560	62561	62562	62563	62564	62565	62566	62567	62569	62570	62572	62573	62574	62575	62576	62577	62578	62579	25/50

Other sizes available upon request.

PSA Disc Holders

PSA Disc Holders




Part Number Prefix – 809775

PSA Disc Holder

	Size	Part No.	Max. RPM
1	1/4 Shank	45600	15,000
1-1/2	1/4 Shank	45603	15,000
2	1/4 Shank	45606	12,000
3	1/4 Shank	45609	10,000
4	1/4 Shank	45612	7,000
5	1/4 Shank	45615	5,000

Optimal performance with PSA Cloth and Paper Discs.

PSA Disc Back-Up Pads



Part Number Prefix – 809775

PSA Disc Back-Up Pads

Size	Thread	Style	Part No.	Max. RPM
3	5/16-24	Dual Action	44532	12,000
3-1/2	5/16-24	Dual Action	44534	12,000
5 x 0	5/16-24	Dual Action	45500	12,000
5 x 5H	5/16-24	Dual Action	45501	12,000
5 x 8H	5/16-24	Dual Action	45502	12,000
6 x 0	5/16-24	Dual Action	45503	10,000
6 x 6H	5/16-24	Dual Action	45504	10,000
6 x 8H	5/16-24	Dual Action	45505	10,000
8 x 0	5/8-11	–	45536	4,800
8 x 8H	5/8-11	–	45538	4,800

Lightweight pads have vinyl face for excellent disc adhesion with quick, easy disc removal.

PSA Hand Sanders

Foam Palm Sanders

This is hand pad uses 5" PSA backed discs. It allows the user to get in to those spots that a mechanical sander can't reach, or where a mechanical sander would be too aggressive.

Part Number Prefix – 809775

Foam Palm Sander

Size	Part No.
5x0 PSA	45675



Pres-It PSA Rolls

Gold A/O Stearated Refill Rolls

PSA - B & C Weight

Stearated Aluminum Oxide, resin bond adhesive backed paper rolls. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

Use with refill roll holder. Helps eliminate problems associated with hand sanding.



Part Number Prefix – 809775

Aluminum Oxide

Size	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	Min./Unit
2-1/2	60299	60300	60301	60302	60303	60304	60305	60306	60307	60308	60309	10/100
3-1/4	60319	60320	60321	60322	60323	60324	60325	60326	60327	60328	60329	10/100

White S/C Stearated Refill Rolls

PSA - B Weight

Stearated Silicon Carbide, resin bond adhesive backed paper rolls. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

Use with refill roll holder. Helps eliminate problems associated with hand sanding.



Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240 B	280 B	320 B	400 B	Min./Unit
4-1/2 x 10 Yards	60440	60441	60442	60443	60444	60445	60446	60447	60448	60449	10/100
2-3/4 x 45 Yards	60460	60461	60462	60463	60464	60465	60466	60467	60468	60469	10/100

Gold A/O Stearated Paper Rolls

PSA - B & C Weight

Stearated Aluminum Oxide, resin bond adhesive backed paper rolls. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic. 4-1/2 and 2-3/4 wide rolls can be torn off for hand block sanding or to fit jitterbug sanders or body files.

Also available in Pres-Loc Hook & Loop Rolls.



Part Number Prefix – 809775

Aluminum Oxide

Size	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	Min./Unit
4-1/2 x 10 Yards	60399	60400	60401	60402	60403	60404	60405	60406	60407	60408	60409	1/10
2-3/4 x 45 Yards	60419	60420	60421	60422	60423	60424	60425	60426	60427	60428	60429	1/10

Other sizes available upon request.

Pres-It PSA Holders

Refill Roll Holder



Refill Roll Holder for PSA Rolls

Designed to dispense sandpaper from roll cartridge on holder. Ergonomic design makes it comfortable to use and puts less stress on hand. Good results with even pressure on the work piece. Sand corners with flat end and sand contours with round end.

Part Number Prefix – 809775

Refill Roll Holder

Size	Part No.
2-1/2	45660
3-1/4	45665

Hand Block



Hand Block for PSA Rolls

Soft molded foam with easy release vinyl face. Excellent for leveling of work piece or following contours. Ergonomic design reduces stress on hands which promotes increased productivity.

Part Number Prefix – 809775

Hand Block

Size	Part No.
5 x 2-3/4	45670

Peel-It PSA Strips/ Sheets

Aluminum Oxide Resin Cloth Sheets

PSA - X Weight

Aluminum oxide resin cloth. Use to finish and polish intricate fillets, radii or other contoured forms. Works well on straight sided blocks, tapered or half-round shapes. Excellent for die touch-up work and knife or blade sharpening.

Also available in J weight.



Part Number Prefix – 809775

Aluminum Oxide

Size	40X	50X	60X	80X	100X	120X	150X	180X	220X	240X	320X	400X	Min./Unit
1 x 9	68504	68506	68508	68540	68512	68514	68516	68518	68520	68522	68526	68528	100/200
2 x 9	68704	68706	68708	68610	68712	68714	68716	68718	68720	68722	68726	68728	100/200
1 x 11	68604	68606	68608	68610	68612	68614	68616	68618	68620	68622	68626	68628	100/200
2 x 11	68804	68806	68808	68810	68812	68814	68816	68818	68820	68822	68826	68828	100/200
3 x 11	68904	68906	68908	68910	68912	68914	68916	68918	68920	68922	68926	68928	100/200
9 x 11	69004	69006	69008	69010	69012	69014	69016	69018	69020	69022	69026	69028	50/50

Other sizes available upon request.

Peel-It PSA Triangles

Gold A/O Stearated PSA Triangles



PSA - B, C & E Weight

Aluminum Oxide adhesive backed paper triangle fits detail sanders. Use for wood or metal for difficult to reach work areas.

Available in shapes for these manufacturers: Dynabrade, Fein, Milwaukee, Porter Cable, Ryobi, Skil/Bosch.


Also available in FilmBac and X & J weight resin cloth materials.

Part Number Prefix – 809775

Aluminum Oxide

Manufacturer	Type	36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
Dynabrade	PSA	51000	51003	51006	51009	51011	51012	51015	51018	51021	51024	51027	51030	51033	51036	51039	50961	50962	50963	50964	50/250
Fein	PSA	51040	51043	51046	51049	51048	51052	51055	51058	51061	51064	51067	51070	51073	51076	51079	50966	50967	50968	50969	50/250
Fein	PSA w/ Holes	51041	51044	51047	51050	51051	51053	51056	51059	51062	51065	51068	51071	51074	51077	51080	50971	50972	50973	50974	50/250
Milwaukee	PSA	51081	51083	51086	51089	51091	51092	51095	51098	51101	51104	51107	51110	51113	51116	51119	50976	50977	50978	50979	50/250
PorterCable	PSA w/ Holes	51120	51123	51126	51129	51131	51132	51135	51138	51141	51144	51147	51150	51153	51156	51159	50981	50982	50983	50984	50/250
Ryobi	PSA	51240	51243	51246	51249	51251	51252	51255	51258	51261	51264	51267	51270	51273	51276	51279	50986	50987	50988	50989	50/250
Skil/Bosch	PSA	51160	51163	51166	51169	51171	51172	51175	51178	51181	51184	51187	51190	51193	51196	51199	50991	50992	50993	50994	50/250
Skil/Bosch	PSA w/ Holes	51200	51203	51206	51209	51211	51212	51215	51218	51221	51224	51227	51230	51233	51236	51239	50996	50997	50998	50999	50/250

A/O Heavy Duty PSA Triangles



PSA - F Weight

Premium Aluminum Oxide resin bond F weight paper. Use when durability and tear resistance is required. PSA backed.

Available in shapes for these manufacturers: Dynabrade, Fein, Milwaukee, Porter Cable, Ryobi, Skil/Bosch.

Also available in FilmBac and X & J weight resin cloth materials.

Part Number Prefix – 809775

Aluminum Oxide

Manufacturer	Type	40F	60F	80F	100F	120F	150F	180F	220F	Min./Unit
Dynabrade	PSA	51303	51309	51312	51315	51318	51321	51324	51327	50/250
Fein	PSA	51343	51349	51352	51355	51358	51361	51364	51367	50/250
Fein	PSA w/ Holes	51344	51350	51353	51356	51359	51362	51365	51368	50/250
Milwaukee	PSA	51383	51389	51392	51395	51398	51401	51404	51407	50/250
Porter Cable	PSA w/ Holes	51423	51429	51432	51435	51438	51441	51444	51447	50/250
Ryobi	PSA	51543	51549	51552	51555	51558	51561	51564	51567	50/250
Skil/ Bosch	PSA	51463	51469	51472	51475	51478	51481	51484	51487	50/250
Skil/ Bosch	PSA w/ Holes	51503	51509	51512	51515	51518	51521	51524	51527	50/250


Pres-Loc H&L Discs

FilmBac A/O H&L Discs

Hook & Loop—FilmBac

Our finest quality Aluminum Oxide, resin bond loop backed film discs. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic. More durable than paper backed discs. Specially treated film backing with improved bond strength preventing mineral shelling. Pres-Loc hook and loop fastening system allows for quick changes and less downtime. Available with or without vacuum holes for use on random orbital or low speed DA sanders.

Also available in rolls and cut sheets.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000	1200	1500	2000	Min./Unit
3	NT	61401	61403	61404	61405	61406	61407	61408	61409	61410	61412	61413	61414	61415	61416	61417	61418	61419	61420	100/200
3-1/2	NT	61431	61433	61434	61435	61436	61437	61438	61439	61440	61442	61443	61444	61445	61446	61447	61448	61449	61450	100/200
5		61501	61503	61504	61505	61506	61507	61508	61509	61510	61512	61513	61514	61515	61516	61517	61518	61519	61520	100/200
6		61531	61533	61534	61535	61536	61537	61538	61539	61540	61542	61543	61544	61545	61546	61547	61548	61549	61550	100/200
7		61561	61563	61564	61565	61566	61567	61568	61569	61570	61572	61573	61574	61575	61576	61577	61578	61579	61580	100/200
8		61591	61593	61594	61595	61596	61597	61598	61599	61600	61602	61603	61604	61605	61606	61607	61608	61609	61610	50/100
11-1/4	NT	61621	61623	61624	61625	61626	61627	61628	61629	61630	61632	61633	61634	61635	61636	61637	61638	61639	61640	25/50

Other sizes available upon request.

Pres-Loc H&L Back-Up Pads


See Page 105

FilmBac A/O H&L Discs, Vacuum

Hook & Loop—FilmBac, Vacuum

Our finest quality Aluminum Oxide, resin bond loop backed film discs. Special coating resists loading. Ideal for sanding paint, primer, metal, wood, fiberglass and plastic. More durable than paper backed discs. Specially treated film backing with improved bond strength preventing mineral shelling. Pres-Loc hook and loop fastening system allows for quick changes and less downtime. Available with or without vacuum holes for use on random orbital or low speed DA sanders.

Also available in rolls and cut sheets.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		40	60	80	100	120	150	180	220	240	320	400	500	600	800	1000	1200	1500	2000	Min./Unit
5	5H	61701	61703	61704	61705	61706	61707	61708	61709	61710	61712	61713	61714	61715	61716	61717	61718	61719	61720	100/200
5	8H	61901	61903	61904	61905	61906	61907	61908	61909	61910	61912	61913	61914	61915	61916	61917	61918	61919	61920	100/200
5	9H	62021	62023	62024	62025	62026	62027	62028	62029	62030	62032	62033	62034	62035	62036	62037	62038	62039	62040	100/200
6	6H	61801	61803	61804	61805	61806	61807	61808	61809	61810	61812	61813	61814	61815	61816	61817	61818	61819	61820	100/200
6	8H	61931	61933	61934	61935	61936	61937	61938	61939	61940	61942	61943	61944	61945	61946	61947	61948	61949	61950	100/200
6	9H	61991	61993	61994	61995	61996	61997	61998	61999	62000	62002	62003	62004	62005	62006	62007	62008	62009	62010	100/200
6	17H	62061	62063	62064	62065	62066	62067	62068	62069	62070	62072	62073	62074	62075	62076	62077	62078	62079	62080	100/200
8	8H	61961	61963	61964	61965	61966	61967	61968	61969	61970	61972	61973	61974	61975	61976	61977	61978	61979	61980	50/100

Other sizes available upon request.

Pres-Loc H&L Discs

Blue Ceramic Premium H&L Discs



Hook & Loop - C Weight

Individual disc with loop backing, Ceramic Alumina material. The toughest abrasive in the industry today, giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

Part Number Prefix – 809775

Premium Ceramic

Size		80C	100C	120C	150C	180C	220C	240C	280C	320C	400C	500C	600C	Min./Unit
3	NT	63764	63765	63766	63767	63768	63769	63770	63771	63772	63773	63774	63775	100/400
3-1/2	NT	63784	63785	63786	63787	63788	63789	63790	63791	63792	63793	63794	63795	100/400
5		63804	63805	63806	63807	63808	63809	63810	63811	63812	63813	63814	63815	100/400
6		63824	63825	63826	63827	63828	63829	63830	63831	63832	63833	63834	63835	100/400
8		63844	63845	63846	63847	63848	63849	63850	63851	63852	63853	63854	63855	50/200

Other sizes available upon request.

Pres-Loc H&L Back-Up Pads

See Page 105

Blue Ceramic Premium H&L Discs, Vacuum



Hook & Loop - C Weight, Vacuum

Individual disc with loop backing, Ceramic Alumina material. The toughest abrasive in the industry today, giving this product improved cut and performance rates exceeding 30-50%. Incorporates new bonding technology with improved anti-load properties and greater cut rates and life.

Part Number Prefix – 809775

Premium Ceramic

Size		80C	100C	120C	150C	180C	220C	240C	280C	320C	400C	500C	600C	Min./Unit
5	5H	63884	63885	63886	63887	63888	63889	63890	63891	63892	63893	63894	63895	100/400
5	8H	63904	63905	63906	63907	63908	63909	63910	63911	63912	63913	63914	63915	100/400
5	9H	63704	63705	63706	63707	63708	63709	63710	63711	63712	63713	63714	63715	100/400
6	6H	63924	63925	63926	63927	63928	63929	63930	63931	63932	63933	63934	63935	100/400
6	8H	63944	63945	63946	63947	63948	63949	63950	63951	63952	63953	63954	63955	100/400
6	9H	63724	63725	63726	63727	63728	63729	63730	63731	63732	63733	63734	63735	100/400
6	17H	63744	63745	63746	63747	63748	63749	63750	63751	63752	63753	63754	63755	100/400
8	8H	63964	63965	63966	63967	63968	63969	63970	63971	63972	63973	63974	63975	50/200

Other sizes available upon request.

Pres-Loc H&L Discs


Red Premium A/O H&L Discs

Hook & Loop - C Weight

Pres-Loc hook and loop fastening system allows for quick changes and less downtime. Available with or without vacuum holes for use on random orbital or low speed DA sanders.

Premium Aluminum Oxide grain, resin bond disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion.

Excellent for wood, ferrous and non-ferrous metals, paint, primer and fiberglass.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		80C	100C	120C	150C	180C	220C	240C	320C	400C	600C	Min./Unit
3	NT	60804	60805	60806	60807	60808	60809	60810	60812	60813	60815	100/400
3-1/2	NT	60824	60825	60826	60827	60828	60829	60830	60832	60833	60835	100/400
5	6	60904	60905	60906	60907	60908	60909	60910	60912	60913	60915	100/400
6	6	60924	60925	60926	60927	60928	60929	60930	60932	60933	60935	100/400
8	6	60944	60945	60946	60947	60948	60949	60950	60952	60953	60955	50/200

Other sizes available upon request.

Pres-Loc H&L Back-Up Pads

See Page 105


Red Premium A/O H&L Discs, Vacuum

Hook & Loop - C Weight, Vacuum

Pres-Loc hook and loop fastening system allows for quick changes and less downtime. Available with or without vacuum holes for use on random orbital or low speed DA sanders.

Premium Aluminum Oxide grain, resin bond disc. Special coating resists loading while treated paper backing gives flexibility with excellent edge adhesion.

Excellent for wood, ferrous and non-ferrous metals, paint, primer and fiberglass.



Part Number Prefix – 809775

Premium Aluminum Oxide

Size		80C	100C	120C	150C	180C	220C	240C	320C	400C	600C	Min./Unit
5	5H	60964	60965	60966	60967	60968	60969	60970	60972	60973	60975	100/400
5	8H	61004	61005	61006	61007	61008	61009	61010	61012	61013	61015	100/400
5	9H	60844	60845	60846	60847	60848	60849	60850	60852	60853	60855	100/400
6	6H	60984	60985	60986	60987	60988	60989	60990	60992	60993	60995	100/400
6	8H	61024	61025	61026	61027	61028	61029	61030	61032	61033	61035	100/400
6	9H	60864	60865	60866	60867	60868	60869	60870	60872	60873	60875	100/400
6	17H	60884	60885	60886	60887	60888	60889	60890	60892	60893	60895	100/400
8	8H	61044	61045	61046	61047	61048	61049	61050	61052	61053	61055	50/200

Other sizes available upon request.

Pres-Loc H&L Discs

Gold A/O Stearated H&L Discs



Hook & Loop - B, C & E Weight

Pres-loc hook and loop fastening system allows for quick changes and less downtime. Available with or without vacuum holes for use on random orbital or low speed DA sanders. Aluminum oxide, resin bond adhesive backed paper discs. Special coating resists loading.

Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

Part Number Prefix – 809775

Aluminum Oxide

Size	36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
3	06800	06801	06803	06818	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
3	-	-	-	-	06819	06804	06805	06806	06807	06808	06809	06810	06811	06812	06813	06815	06820	06821	06822	100/400
3-1/2	06845	06846	06848	06863	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
3-1/2	-	-	-	-	06839	06849	06850	06851	06852	06853	06854	06855	06856	06857	06858	06860	06830	06831	06832	100/400
5	06900	06903	06909	06913	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5	-	-	-	-	06911	06912	06915	06918	06921	06924	06927	06930	06933	06936	06939	06943	06870	06871	06872	100/400
6	06945	06948	06954	06958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	-	-	-	-	06956	06957	06960	06963	06966	06969	06972	06975	06978	06981	06984	06988	06880	06881	06882	100/400
7	07100	07101	07103	07104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
7	-	-	-	-	07117	07105	07106	07107	07108	07109	07110	07111	07112	07113	07114	07116	06890	06891	06892	100/400
8	06990	06993	06999	07003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/100
8	-	-	-	-	07001	07002	07005	07008	07011	07014	07017	07020	07023	07026	07029	07033	07090	07091	07092	50/200
9	07120	07121	07123	07124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/100
9	-	-	-	-	07137	07125	07126	07127	07128	07129	07130	07131	07132	07133	07134	07136	07140	07141	07142	50/200
11-1/4	07390	07393	07399	07402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25/50
11-1/4	-	-	-	-	07404	07405	07408	07411	07414	07417	07420	07423	07426	07429	07432	07438	07150	07151	07152	25/50

Gold A/O Stearated H&L Discs, Vacuum



Hook & Loop - B, C & E Weight

Pres-loc hook and loop fastening system allows for quick changes and less downtime. Available with or without vacuum holes for use on random orbital or low speed DA sanders. Aluminum oxide, resin bond adhesive backed paper discs. Special coating resists loading.

Ideal for sanding paint, primer, metal, wood, fiberglass and plastic.

Part Number Prefix – 809775

Aluminum Oxide

Size		36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
5	5H	07040	07043	07049	07053	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5	5H	-	-	-	-	07051	07052	07055	07058	07061	07064	07067	07070	07073	07076	07079	07083	07084	07085	07086	100/400
5	8H	07315	07318	07324	07328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
5	8H	-	-	-	-	07325	07327	07330	07333	07336	07339	07342	07345	07348	07351	07354	07360	07300	07301	07302	100/400
5	9H	07279	07280	07282	07283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	9H	-	-	-	-	07284	07285	07286	07287	07288	07289	07290	07291	07292	07293	07294	07296	07297	07178	07179	100/400
6	6H	72250	72280	7234	07238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	6H	-	-	-	-	07236	07237	07240	07243	07246	07249	07252	07255	07258	07261	07264	07268	07269	07270	07271	100/400
6	8H	73200	73230	7329	07334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	8H	-	-	-	-	07331	07332	07335	07338	07341	07344	07347	07350	07365	07356	07359	07363	07310	07311	07312	100/400
6	9H	74390	74400	7442	07443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	9H	-	-	-	-	07444	07445	07446	07447	07448	07449	07450	07451	07452	07453	07454	07456	07197	07198	07199	100/400
6	17H	07200	07201	07202	07203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/200
6	17H	-	-	-	-	07204	07205	07206	07207	07208	07209	07210	07211	07212	07213	07214	07216	07217	07218	07219	100/400
8	8H	07340	07343	07349	07353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50/100
8	8H	-	-	-	-	07299	07352	07355	07358	07361	07364	07367	07370	07373	07376	07379	07383	07384	07385	07386	50/200

Pres-Loc H&L Discs

White S/C Stearated H&L Discs

Hook & Loop - B Weight

Pres-Loc hook and loop fastening system allows for quick changes and less downtime.

Available with or without vacuum holes for use on random orbital or low speed DA sanders. Silicon Carbide paper discs with a special open coating that resists loading.

Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.



Part Number Prefix – 809775

Silicon Carbide

Size	80B	100B	120B	150B	180B	220B	240B	280B	320B	400B	Min./Unit
5	60604	60605	60606	60607	60608	60609	60610	60611	60612	60613	100/400
6	60624	60625	60626	60627	60628	60629	60630	60631	60632	60633	100/400
8	60644	60645	60646	60647	60648	60649	60650	60651	60652	60653	50/200

Other sizes available upon request.

Pres-Loc H&L Back-Up Pads

See Page 105

White S/C Stearated H&L Discs, Vacuum

Hook & Loop - B Weight, Vacuum

Pres-Loc hook and loop fastening system allows for quick changes and less downtime.

Available with or without vacuum holes for use on random orbital or low speed DA sanders. Silicon Carbide paper discs with a special open coating that resists loading.

Ideal for finishing fiberglass, paint, body filler, wood, metal and plastics.



Part Number Prefix – 809775

Silicon Carbide

Size		80	100	120	150	180	220	240	280	320	400	Min./Unit
5	5H	60664	60665	60666	60667	60668	60669	60670	60671	60672	60673	100/400
5	8H	60704	60705	60706	60707	60708	60709	60710	60711	60712	60713	100/400
6	6H	60684	60685	60686	60687	60688	60689	60690	60691	60692	60693	100/400
6	8H	60724	60725	60726	60727	60728	60729	60730	60731	60732	60733	100/400
8	8H	60744	60745	60746	60747	60748	60749	60750	60751	60752	60753	50/200

Other sizes available upon request.

Pres-Loc H&L Discs

A/O Heavy Duty Paper H&L Discs



Hook & Loop - F Weight

Aluminum oxide grain, resin bond on tough F weight paper backing. Pres-Loc H&L discs are easy to take off. The slightly used discs can be saved and used again.

Recommended for steel, stainless steel, fiberglass, hardwoods and sanding operations where loading is a problem. Large diameters used in pattern shops.

Also available in Pres-Loc Resin Cloth Discs.

Part Number Prefix – 809775

Aluminum Oxide

Size		80F	100F	120F	150F	180F	220F	Min./Case
5		61204	61205	61206	61207	61208	61209	100/400
5	5H	61264	61265	61266	61267	61268	61269	100/400
5	8H	61304	61305	61306	61307	61308	61309	100/400
6		61224	61225	61226	61227	61228	61229	100/400
6	6H	61284	61285	61286	61287	61288	61289	100/400
6	8H	61324	61325	61326	61327	61328	61329	100/400
8		61244	61245	61246	61247	61248	61249	50/200
8	8H	61344	61345	61346	61347	61348	61349	50/200

Pres-Loc H&L Back-Up Pads

See Page 105

Pres-Loc H&L Pads

Pres-Loc H&L Back-Up Pads

Back-Up Pads

Lightweight pads have hook-face for excellent disc adhesion with quick, easy disc removal.

Part Number Prefix – 809775



H&L Back-Up Pads

Size	Thread	Style	Part No.	Max. RPM
3	5/16-24	Dual Action	45540	12,000
3-1/2	5/16-24	Dual Action	45542	12,000
5 x 0	5/16-24	Dual Action	45506	12,000
5 x 5H	5/16-24	Dual Action	45509	12,000
5 x 8H	5/16-24	Dual Action	45512	12,000
6 x 0	5/16-24	Dual Action	45520	10,000
6 x 6H	5/16-24	Dual Action	45523	10,000
6 x 8H	5/16-24	Dual Action	45526	10,000
8 x 0	5/8-11	–	45529	4,800
8 x 8H	5/8-11	–	45530	4,800

Half Moon Sanders

Attach the disc to the Half Moon Sander and realize the ease of hand sanding.

This hand sander lessens the strain put on the hands as compared to sanding with cut and or folded sheets. It also allows for a more uniform sanding pattern eliminating marks caused from fingers or the uneven surface they create. It comes in multiple thicknesses – 1/8", 1/4", 3/8" and 5/8". The various thicknesses allow you to fit it to the right job or space.



Part Number Prefix – 809775

Half Moon Sanders

Size	Part No.	Min./Unit
5x1/8	45546	1
5x1/4	45548	1
5x3/8	45550	1
5x5/8	45554	1
6x1/8	45586	1
6x1/4	45588	1
6x3/8	45590	1
6x5/8	45594	1

Foam Palm Sanders

This is hand pad uses 5" loop backed discs. It allows the user to get in to those spots that a mechanical sander can't reach, or where a mechanical sander would be too aggressive.

Part Number Prefix – 809775

Foam Palm Sander

Size	Part No.	Min./Unit
5x0 H&L	45680	1



Pres-Loc H&L Triangles

Gold A/O Stearated H&L Triangles



Hook & Loop - B, C & E Weight

Aluminum Oxide triangle fits detail sanders. Easy removal for re-use with grip back. Use on wood or metal for difficult to reach areas.

Available in shapes for these manufacturers: Dynabrade, Fein, Milwaukee, Porter Cable, Ryobi, Skil/Bosch.

Part Number Prefix – 809775

Aluminum Oxide

Manufacturer	Type	36E	40E	60E	80E	60C	80C	100C	120C	150B	180B	220B	240B	280B	320B	400B	600B	800B	1000B	1200B	Min./Unit
Dynabrade	H&L Plain	51600	51603	51609	51610	51611	51612	51615	51618	51621	51624	51627	51630	51633	51636	51639	52301	52302	52303	52304	50/250
Fein	H&L Plain	51640	51643	51649	51650	51651	51652	51655	51658	51661	51664	51667	51670	51673	51676	51679	52306	52307	52308	52309	50/250
Fein	H&L w/ Holes	51680	51683	51689	51690	51691	51692	51695	51698	51701	51704	51707	51710	51713	51716	51719	52311	52312	52313	52314	50/250
Milwaukee	H&L Plain	51720	51723	51729	51730	51731	51732	51735	51738	51741	51744	51747	51750	51753	51756	51759	52316	52317	52318	52319	50/250
Porter Cable	H&L w/ Holes	51760	51763	51769	51770	51771	51772	51775	51778	51781	51784	51787	51790	51793	51796	51799	52321	52322	52323	52324	50/250
Ryobi	H&L Plain	52180	52183	52189	52190	52191	52192	52195	52198	52201	52204	52207	52210	52213	52216	52219	52336	52337	52338	52339	50/250
Skill / Bosch	H&L w/ Holes	51800	51803	51809	51810	51811	51812	51815	51818	51821	51824	51827	51830	51833	51836	51839	52326	52327	52328	52329	50/250
Skill / Bosch	H&L Plain	51840	51843	51849	51850	51851	51852	51855	51858	51861	51864	51867	51870	51873	51876	51879	52331	52332	52333	52334	50/250

A/O Heavy Duty Paper H&L Triangles



Hook & Loop - F Weight

Premium Aluminum Oxide, resin bond F weight paper. Use when durability and tear resistance is required.

Available in shapes for these manufacturers: Dynabrade, Fein, Milwaukee, Porter Cable, Ryobi, Skil/Bosch.

Also available in J and X weight resin cloth products.

Part Number Prefix – 809775

Aluminum Oxide

Manufacturer	Type	40	60	80	100	120	150	180	220	Min./Unit
Dynabrade	H&L Plain	51903	51909	51912	51915	51918	51921	51924	51927	50/250
Fein	H&L Plain	51943	51949	51952	51955	51958	51961	51964	51967	50/250
Fein	H&L w/ Holes	51983	51989	51992	51995	51998	52001	52004	52007	50/250
Milwaukee	H&L Plain	52023	52029	52032	52035	52038	52041	52044	52047	50/250
Porter Cable	H&L w/ Holes	52063	52069	52072	52075	52078	52081	52084	52087	50/250
Ryobi	H&L Plain	52223	52229	52232	52235	52238	52241	52244	52247	50/250
Skill / Bosch	H&L w/ Holes	52103	52109	52112	52115	52118	52121	52124	52127	50/250
Skill / Bosch	H&L Plain	52143	52149	52152	52155	52158	52161	52164	52167	50/250

Pres-Loc H&L Discs

FabraFoam H&L Discs

Hook & Loop - FabraFoam

Specially designed abrasive coated fabric on foam with a hook and loop attachment system provides for better finishes without deep scratches. FabraFoam also allows for grinding and polishing at the same time. On clear coat finishing it reduces compound finishing time and makes a desirable matt or gloss finish on solid surfaces. Can be used on solid surfaces, composites, wood, automotive and metal polishing.



Part Number Prefix - 809775

Aluminum Oxide

Size	360	500	800	1000	1500	2000	2500	3000	Min./Unit
3	61065	61067	61069	61070	61072	61075	61076	61077	20/80
3-1/2	61085	61087	61089	61090	61092	61095	61096	61097	20/80
5	61105	61107	61109	61110	61112	61115	61116	61117	10/40
6	61125	61127	61129	61130	61132	61135	61136	61137	10/40
9	61145	61147	61149	61150	61152	61155	61156	61157	10/20
11-1/4	61165	61167	61169	61170	61172	61175	61176	61177	5/10

Pres-Loc H&L Back-Up Pads

See Page 105

FabraMesh H&L Discs

Hook & Loop - FabraMesh

Open mesh with loop backing, Aluminum Oxide grain using a resin over resin bond. Suitable for primer sanding, solid surface, composites and wood. This mesh provides the best "dust free" solution available today. It reduces dust from the sanding process, reduces loading and clogging which in turn results in a cleaner environment, greater efficiency and longer life.



Part Number Prefix - 809775

Aluminum Oxide

Size	80	100	120	150	180	220	240	320	400	500	600	Min./Unit
3	06704	06705	06706	06707	06708	06709	06710	06712	06713	06714	06715	50/50
5	06724	06725	06726	06727	06728	06729	06730	06732	06733	06734	06735	50/50
6	06744	06745	06746	06747	06748	06749	06750	06752	06753	06754	06755	50/50
8	06764	06765	06766	06767	06768	06769	06770	06772	06773	06774	06775	50/50
11-1/4	06784	06785	06786	06787	06788	06789	06790	06792	06793	06794	06795	25/25

Interface Pads

Interface Pads



Convert your Hook 'n Loop pad to a soft contour finessing type pad. This pad is designed with a special tear-resistant foam that allows you to sand finer and follow soft contours better for a superior finish.

Other special sizes and designs can be made for your application.

Part Number Prefix - 809775

For Hook & Loop Style Discs

Size	Part No.	Min./Unit
3	76700	5/10
3-1/2	76701	5/10
4	76702	5/10
5	76705	1/10
5	76706	1/10
5	76707	1/10
6	76710	1/10
6	76711	1/10
6	76712	1/10
8	76716	1/5
8	76717	1/5
9	76718	1/5
11-1/4	76720	1/5

Part Number Prefix - 809775

For PSA Style Discs

Size	Part No.	Min./Unit
3	76725	5/10
3-1/2	76726	5/10
4	76727	5/10
5	76730	1/10
5	76731	1/10
5	76732	1/10
6	76735	1/10
6	76736	1/10
6	76737	1/10
8	76741	1/5
8	76742	1/5
9	76743	1/5
11-1/4	76745	1/5


Conversion Pads

PSA to Hook Conversion Pads

Part Number Prefix - 809775

Convert PSA to Hook for H&L Discs

Size	Part No.	Min./Unit
3	76600	5/10
3-1/2	76601	5/10
5	76605	1/10
5	76606	1/10
5	76607	1/10
6	76610	1/10
6	76611	1/10
6	76612	1/10
8	76616	1/5
8	76617	1/5
11-1/4	76620	1/5



Hook to PSA Conversion Pads

Part Number Prefix - 809775

Convert Hook to PSA for PSA Discs

Size	Part No.	Min./Unit
3	76625	5/10
3-1/2	76626	5/10
5	76630	1/10
5	76631	1/10
5	76632	1/10
6	76635	1/10
6	76636	1/10
6	76637	1/10
8	76641	1/5
8	76642	1/5
11-1/4	76645	1/5



Loop to Hook Conversion Pads

Part Number Prefix - 809775

Convert Loop to Hook for H&L Discs

Size	Part No.	Min./Unit
3	76650	5/10
3-1/2	76651	5/10
5	76655	1/10
5	76656	1/10
5	76657	1/10
6	76660	1/10
6	76661	1/10
6	76662	1/10
8	76666	1/5
8	76667	1/5
11-1/4	76670	1/5



Change your pad to a different type attachment style. Cost effective & efficient.

You do not need to purchase a new pad... just convert it.

Depressed Center Wheels

General Purpose - TP27



A24R - General purpose; grinds aggressively in a wide range of metal applications.

A60R - Fast cutting thin wheel for use on metal, stainless, and other alloys. Designed for grinding and cutoff applications.

Type 27



Part Number Prefix - 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
3 x 1/8 x 3/8	TP27	A24R	20,000	1/25	00000
3 x 1/4 x 3/8	TP27	A24R	20,000	1/25	-
4 x 1/8 x 3/8	TP27	A24R	15,000	1/25	-
4 x 1/8 x 5/8	TP27	A24R	15,000	1/25	00018
4 x 3/16 x 5/8	TP27	A24R	15,000	1/25	00024
4 x 1/4 x 3/8	TP27	A24R	15,000	1/25	00030
4 x 1/4 x 5/8	TP27	A24R	15,000	1/25	00036
4-1/2 x .045 x 7/8	TP27	A60R	13,300	1/25	00042
4-1/2 x 3/32 x 7/8	TP27	A24R	13,300	1/25	00048
4-1/2 x 1/8 x 7/8	TP27	A24R	13,300	1/25	00054
4-1/2 x 3/16 x 7/8	TP27	A24R	13,300	1/25	00060
4-1/2 x 1/4 x 7/8	TP27	A24R	13,300	1/25	00066
5 x .045 x 7/8	TP27	A60R	12,000	1/25	00072
5 x 1/8 x 7/8	TP27	A24R	12,000	1/25	00078
5 x 1/4 x 7/8	TP27	A24R	12,000	1/25	00084
6 x .045 x 7/8	TP27	A60R	10,200	1/25	00088
6 x 1/4 x 7/8	TP27	A24R	10,000	1/25	00090
7 x 1/8 x 7/8	TP27	A24R	8,600	1/25	00096
7 x 1/4 x 7/8	TP27	A24R	8,600	1/25	00102
9 x 1/8 x 7/8	TP27	A24R	6,800	1/25	00108
9 x 1/4 x 7/8	TP27	A24R	6,800	1/25	00114

General Purpose - TP27T



A24R - General purpose; grinds aggressively in a wide range of metal applications.

A60R - Meeting the standards of today's pipeline industry; delivers a fast cut, good edge stability and long life.

Type 27T:



Part Number Prefix - 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
4-1/2 x 1/8 x 5/8-11	TP27T	A24R	13,300	1/10	-
4-1/2 x 1/4 x 5/8-11	TP27T	A24R	13,300	1/10	00306
5 x 1/4 x 5/8-11	TP27T	A24R	12,000	1/10	-
7 x 1/8 x 5/8-11	TP27T	A30R	8,600	1/10	00318
7 x 1/4 x 5/8-11	TP27T	A24R	8,600	1/10	00324
9 x 1/8 x 5/8-11	TP27T	A30R	8,600	1/10	00330
9 x 1/4 x 5/8-11	TP27T	A24R	8,600	1/10	00336

Depressed Center Wheels


Aluminum - TP27 & TP27T

A24ALU - A load resistant bond formula with an open structure, reduces wheel loading in materials such as aluminum.

Type 27



Type 27T:



Part Number Prefix - 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
4-1/2 x 1/4 x 7/8	TP27	A24ALU	13,300	1/25	00700
7 x 1/4 x 5/8-11	TP27T	A24ALU	8,600	1/10	00703

Stainless - TP27 & TP27T

A24Q - Fast and cool cutting wheel; excellent on stainless steel and hard materials.

Type 27



Type 27T:



Part Number Prefix - 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
7 x 1/4 x 7/8	TP27	A24Q	8,600	1/25	00750
9 x 1/4 x 7/8	TP27	A24Q	8,600	1/25	00753
7 x 1/4 x 5/8-11	TP27T	A24Q	8,600	1/10	00756
9 x 1/4 x 5/8-11	TP27T	A24Q	8,600	1/10	00759

Zirconia - TP27 & TP27T

Z24R

High performance zirconia grain; designed for fast cutting & longer life.

Z30R

High performance zirconia grain; designed primarily for the pipeline industry.

Type 27



Type 27T:



Part Number Prefix - 662953

Zirconia

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
4 x 1/4 x 5/8	TP27	Z24R	15,000	1/10	00500
4-1/2 x 1/4 x 7/8	TP27	Z24R	13,300	1/10	00503
7 x 1/4 x 7/8	TP27	Z24R	8,600	1/10	00506
4-1/2 x 1/4 x 5/8-11	TP27T	Z24R	13,300	1/10	00600
7 x 1/8 x 5/8-11	TP27T	Z30R	8,600	1/10	00603
7 x 1/4 x 5/8-11	TP27T	Z24R	8,600	1/10	00606
9 x 1/4 x 5/8-11	TP27T	Z24R	6,800	1/10	00609

Depressed Center Wheels

Concrete, Stone & Masonry - TP27, TP27T

Type 27



Type 27T:



C24S, C24P & C30BF - Silicon Carbide grain for use on concrete, stone or masonry applications.

Part Number Prefix - 662953

Silicon Carbide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
4 x 1/4 x 5/8	TP27	C24S	15,000	1/25	—
4-1/2 x 1/4 x 7/8	TP27	C30BF	13,300	1/25	00803
7 x 1/4 x 5/8-11	TP27T	C24P	8,600	1/10	00806

General Purpose - TP28

Type 28:



A24R - General purpose; grinds aggressively in a wide range of metal applications.

Part Number Prefix - 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
7 x 1/4 x 7/8	TP28	A24R	8,600	1/25	00200
9 x 1/4 x 7/8	TP28	A24R	6,800	1/25	00203

General Purpose - TP28T

Type 28T:



A24R - General purpose; grinds aggressively in a wide range of metal applications.

Part Number Prefix - 662953

Aluminum Oxide



Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
7 X 1/4 X 5/8-11	TP28T	A24R	8,600	1/10	00400
9 X 1/4 X 5/8-11	TP28T	A24R	6,800	1/10	00403

Depressed Center Wheels

Classic Touch Wheels - TP27, TP27T

This special depressed center wheel has a waffle-type grinding surface that provides a cooler grind, improved chip removal and minimal discoloration. Its light weight and special structure delivers reduced noise and low vibration when grinding.

This wheel has universal use: it can be used for stainless steel and nonferrous metal grinding. The wheel can also adapt to various workpieces for grinding, deburring and shaping work.




Part Number Prefix— 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
4X1/8X5/8	TP27	WA46BF TOUCH	15,300	1/25	00920
4-1/2X1/8X7/8	TP27	WA46BF TOUCH	13,300	1/25	00923
7X1/8X7/8	TP27	WA46BF TOUCH	8,600	1/25	00929
4-1/2X1/8X5/8-11	TP27T	WA46BF TOUCH	13,300	1/10	00940
7X1/8X5/8-11	TP27T	WA46BF TOUCH	8,600	1/10	00946

DO NOT USE FLAT

The minimum grinding angle is 15 degrees.



Depressed Center Wheel Adapter Kits

Part Number Prefix— 662953

Depressed Center Wheel Adapter Kits

Size	Description	Min./Unit	Part No.
D25-DCP	5/8-11 Adapter Kit for 4-1/2" and 5" DPC	1/1	30100
D35-DCP	5/8-11 Adapter Kit for 6" and 7" DPC	1/1	30103



Depressed Center Wheels

Rex-Cut® Wheels - TP27, TP27T



GFX Bond - Use this bond for fine finishing, blending, and polishing applications on ferrous and non-ferrous metals. It resists loading and is resilient for use on contours making these wheels ideal for stainless steel tanks, vessels, and other fabrications. Excellent for stainless steel.

MTX Bond - Use this bond for light or medium weld removal. Its resilient bonding provides smooth grinding action and permits easy control of cutting rate. It resists loading and offers excellent results for grinding aluminum or ferrous materials where finish is important. Excellent for aluminum.

Cotton reinforced wheels are widely used for a variety of applications requiring metal removal and finish. They differ from other bonded abrasives by their unique construction, as well as grinding and smooth finish capabilities.

Type 27



Type 27T:



Part Number Prefix— 662953

Aluminum Oxide

Size	Type	Grading	Max. RPM	Min./Unit	GAP Part No.
4 x 1/4 x 5/8	TP27	A24MTX	13,500	1/10	01100
4 x 1/4 x 5/8	TP27	A36GFX	13,500	1/10	01103
4-1/2 x 1/4 x 7/8	TP27	A24MTX	12,000	1/10	01109
4-1/2 x 1/4 x 7/8	TP27	A36GFX	12,000	1/10	01112
4-1/2 x 1/4 x 7/8	TP27	A54GFX	12,000	1/10	01115
4-1/2 x 1/4 x 5/8-11	TP27T	A24MTX	12,000	1/10	01159
4-1/2 x 1/4 x 5/8-11	TP27T	A36GFX	12,000	1/10	01162
7 x 1/4 x 7/8	TP27	A24MTX	6,000	1/10	01118
7 x 1/4 x 7/8	TP27	A36GFX	6,000	1/10	01121
7 x 1/4 x 7/8	TP27	A54GFX	6,000	1/10	01124
7 x 1/4 x 5/8-11	TP27T	A36GFX	6,000	1/10	01171

Cut-Off Wheels

Small Diameter Aluminum Oxide Cutoff Wheels

Part Number Prefix— 662953

Aluminum Oxide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.
1 x .035 x 1/8	A60TB	61,115	1/100	02000
1 x .035 x 1/4	A60TB	61,115	1/100	02003
1 x 1/16 x 1/8	A46TB	61,115	1/50	02006
1 x 1/16 x 1/4	A46TB	61,115	1/50	02009
1 x 1/8 x 1/8	A36TB	61,115	1/25	02012
1 x 1/8 x 1/4	A36TB	61,115	1/25	02015
2 x .035 x 1/4	A60TB	30,558	1/100	02027
2 x .035 x 3/8	A60TB	30,558	1/100	02030
2 x 1/16 x 1/4	A46TB	30,558	1/50	02033
2 x 1/16 x 3/8	A46TB	30,558	1/50	02036
2 x 1/8 x 1/4	A36RB	30,558	1/25	02039
2 x 1/8 x 3/8	A36RB	30,558	1/25	02042
2 x 1/4 x 1/4	A36QB	30,558	1/15	02051
2 x 1/4 x 3/8	A36QB	30,558	1/15	02054
2 x 1/2 x 3/8	A36QB	27,120	1/10	02057
2-1/2 x .035 x 1/4	A60TB	24,446	1/100	02060
2-1/2 x .035 x 3/8	A60TB	24,446	1/100	02063
2-1/2 x 1/16 x 1/4	A46TB	24,446	1/50	02066
2-1/2 x 1/16 x 3/8	A46TB	24,446	1/50	02069
2-1/2 x 1/8 x 1/4	A36RB	24,446	1/25	02072
2-1/2 x 1/8 x 3/8	A36RB	24,446	1/25	02075
2-1/2 x 1/4 x 3/8	A36QB	24,446	1/15	02078
2-1/2 x 1/2 x 3/8	A36QB	21,696	1/10	02081
3 x .035 x 1/4	A60TB	25,000	1/100	02100
3 x .035 x 3/8	A60TB	25,000	1/100	02103
3 x 1/16 x 1/4	A46TB	25,000	1/50	02106
3 x 1/16 x 3/8	A46TB	25,000	1/50	02109
3 x 3/32 x 1/4	A36RB	25,000	1/50	02112
3 x 3/32 x 3/8	A36RB	25,000	1/50	02115
3 x 1/8 x 1/4	A36RB	25,000	1/25	02118
3 x 1/8 x 3/8	A36RB	25,000	1/25	02121
3 x 3/16 x 3/8	A36RB	20,372	1/25	02124
3 x 1/4 x 3/8	A36QB	20,372	1/15	02127
3 x 3/8 x 3/8	A36QB	18,080	1/10	02130
3 x 1/2 x 3/8	A36QB	18,080	1/10	02133
4 x .035 x 1/4	A60TB	19,000	1/100	02136
4 x .035 x 3/8	A60TB	19,000	1/100	02139
4 x .035 x 1/2	A60TB	19,000	1/100	02142
4 x .035 x 5/8	A60TB	19,000	1/100	02145
4 x 1/16 x 1/4	A46TB	19,000	1/50	02148
4 x 1/16 x 3/8	A46TB	19,000	1/50	02151
4 x 1/16 x 5/8	A46TB	19,000	1/50	02154
4 x 3/32 x 3/8	A36RB	19,000	1/50	02157
4 x 1/8 x 3/8	A36RB	19,000	1/25	02160
4 x 1/8 x 5/8	A36RB	19,000	1/25	02163
4 x 3/16 x 3/8	A36RB	15,278	1/25	02166
4 x 1/4 x 3/8	A36QB	15,278	1/15	02169
4 x 3/8 x 3/8	A36QB	12,560	1/10	02172



Small Diameter A/O

Aluminum oxide general purpose:
These small diameter cutoff wheels are for use on die grinders, small wheel grinders, and some end grinders.

Cut-Off Wheels

Small Diameter Zirconia Cutoff Wheels



These wheels utilize a zirconia grain providing a fast cut with an extremely long life. Ideal for hard to grind materials such as stainless steel and high tensile alloys.

Part Number Prefix - 662953

Zirconia

Size	Grading	Max. RPM	Min./Unit	GAP Part No.
3 x .035 x 1/4	Z60TB	25,000	1/100	02200
3 x .035 x 3/8	Z60TB	25,000	1/100	02203
3 x 1/16 x 1/4	Z46TB	25,000	1/50	02206
3 x 1/16 x 3/8	Z46TB	25,000	1/50	02209
3 x 1/8 x 1/4	Z36RB	25,000	1/25	02212
3 x 1/8 x 3/8	Z36RB	25,000	1/25	02215
4 x .035 x 3/8	Z60TB	19,000	1/100	02221
4 x 1/16 x 3/8	Z46TB	19,000	1/50	02230
4 x 1/8 x 3/8	Z36RB	19,000	1/25	02236

Cutoff Wheel Adapters



FS Style



FM Style



Part Number Prefix - 662953

Cut-Off Wheel Adapters

Description	Part No.
FS1414 Screw Type-1/4" Wheel Arbor	30000
FS1438 Screw Type-3/8" Wheel Arbor	30003
FS142X Screw Type-1/4" & 3/8" Wheel Arbor	30006
FM1414 Nut Type- 1/4" Wheel Arbor	30009
FM1438 Nut Type- 3/8" Wheel Arbor	30012
FM1412 Nut Type- 1/2" Wheel Arbor	30015

Cut-Off Wheels

Type 1 Reinforced Cutoff Wheels

A36TB, A46TB, A60TB - General purpose metal/stainless: For fast, easy cutting of steel with portable tools. Excellent performance in construction and fabrication. Long life on stainless.

A36RB, A46RB - Stainless steel and hardened steels: Cool, fast cuts. Burr free cuts on stainless steel sheet and profiles.

A60R - Fast cutting thin wheel for use on metal, stainless, and other alloys. Designed for grinding and cutoff applications.

C30UB - General purpose for concrete and masonry products: Durable reinforced wheels. Silicon Carbide grain for quick cuts on brick, block, and all concrete and masonry products.



Reinforced cutoff wheels can transform any portable saw into a fast, effective, economical tool to cut steel as well as concrete, brick and masonry products.

Part Number Prefix - 662953

Aluminum Oxide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.
4-1/2 x .045 x 7/8	A60TB	13,581	1/25	02300
4-1/2 x 1/16 x 7/8	A46TB	13,581	1/50	02303
4-1/2 x 3/32 x 7/8	A36TB	13,581	1/25	02306
5 x .035 x 3/8	A60TB	12,224	1/50	02309
5 x .035 x 5/8	A60TB	12,224	1/50	02312
5 x .045 x 7/8	A60TB	12,224	1/25	02318
5 x 1/16 x 5/8	A46TB	12,224	1/50	02321
5 x 1/16 x 7/8	A46TB	12,224	1/50	02324
5 x 3/32 x 7/8	A36TB	12,000	1/25	02327
6 x .035 x 3/8	A60TB	10,186	1/50	02330
6 x .035 x 1/2	A60TB	10,186	1/50	02333
6 x .035 x 5/8	A60TB	10,186	1/50	02336
6 x .035 x 7/8	A60TB	10,186	1/50	02339
6 x .045 x 7/8	A60R	10,200	1/25	02340
6 x 1/16 x 1/2	A46TB	10,186	1/50	02342
6 x 1/16 x 5/8	A46TB	10,186	1/50	02345
6 x 1/16 x 1-1/4	A46TB	10,186	1/50	02348
6 x 3/32 x 5/8	A36TB	10,000	1/25	02351
6 x 1/8 x 1/2	A36RB	10,185	1/25	02354
7 x .035 x 7/8	A60TB	8,730	1/50	02357
7 x .035 x 1-1/4	A60TB	8,730	1/50	02360
7 x 1/16 x 5/8	A46RB	8,600	1/25	02363
7 x 1/16 x 7/8	A46TB	8,600	1/25	02366
7 x 1/16 x 1-1/4	A46TB	8,730	1/25	02369
7 x 3/32 x 5/8	A36TB	8,600	1/25	02403
7 x 3/32 x DIA - 5/8	A36TB	8,600	1/25	02406
7 x 3/32 x 7/8	A36TB	8,600	1/25	02409
7 x 1/8 x DIA - 5/8	A30RB	8,600	1/25	-
8 x .035 x 5/8	A60TB	7,640	1/50	02415
8 x 1/16 x 5/8	A46RB	7,500	1/25	02418
8 x 3/32 x DIA - 5/8	A36TB	7,500	1/25	02421
8 x 1/8 x DIA - 5/8	A30RB	7,500	1/25	-

Part Number Prefix - 662953

Silicon Carbide


Size	Grading	Max. RPM	Min./Unit	GAP Part No.
7 x 1/8 x DIA - 5/8	C30UB	8,600	1/25	02412
8 x 1/8 x DIA - 5/8	C30UB	7,500	1/25	02424

Cut-Off Wheels

Stationary Wheels



Cut-Off Performance Tips - In most operations, a faster, cooler cut can be achieved by minimizing the contact area between the cut off wheel and the work piece. This is achieved by securely clamping the work in position which affords the least contact for the duration of the cut.



Note: Always place the material in such a way that it can be securely clamped.

Part Number Prefix - 662953

Aluminum Oxide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.
10 x 3/32 x 5/8	A30SB	6,112	1/10	02430
10 x 3/32 x 1	A30SB	6,112	1/10	02433
10 x 1/8 x 5/8	A30RB	6,112	1/10	02436
10 x 1/8 x 1	A30RB	6,112	1/10	02439
12 x 1/8 x 1	A30RB	5,092	1/10	02442
14 x 1/8 x 1	A30RB	4,366	1/10	02445
16 x 5/32 x 1	A30RB	3,820	1/10	02448
18 x 5/32 x 1	A30RB	3,396	1/10	02451
20 x 5/32 x 1	A30RB	3,066	1/10	02454
20 x 3/16 x 1	A30RB	3,066	1/10	02457
20 x 3/16 x 1-1/2	A30RB	3,066	1/10	02460

Cutoff wheels for dry cutting on stationary machines. Designed for use on popular chop stroke machines, oscillating machines, and other cutoff machines where the work is fixed and the wheel's cutting plane is controlled.

Fast cutting general purpose grade for structural steels, bar stock, tubing, mild stainless steel and alloys.

Chop Saw Wheels



Cutoff for metal cutting on chop saws. Reinforced resinoid wheels for fast, safe, clean cutting in the shop. Best general purpose grade for 12", 14", and 16" saws. Fast and burr free cutting in all profiles; angles, channel tubing, solid, mild, or stainless steel.

Part Number Prefix - 662953

Aluminum Oxide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.	Fabco Part No.
12 x 3/32 x 1	A30RB	5,092	1/10	02500	03500
14 x 3/32 x 1	A30RB	4,366	1/10	02503	03503
16 x 3/32 x 1	A30RB	3,820	1/10	02506	03506

GAP Part No. = premium line

Fabco Part No. = value line

Cut-Off Wheels

Portable High Speed Gas Saw Wheels - A/O

Aluminum Oxide - For on-site cutting of metal. Constructed of quality Aluminum Oxide grain, a unique weave of extra high tensile fiberglass reinforcing, and specially formulated resin bonds.

A24SB - For all job site profiles in mild steel and stainless steel including re-bar, pipe, and structural profiles. The all-around performer in metal cutting.

A24TB - For applications requiring sturdy wheels that withstand severe dressing action experienced in cutting sheet steel. Made from wear resistant Aluminum Oxide, this custom grade provides quick cuts and unsurpassed life.

A30PB - Designed for rail cropping, this versatile grade will give straight, fast cuts on all sizes and weights of rail – new, heat treated alloy, or wear hardened.



Part Number Prefix - 662953

Aluminum Oxide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.	Fabco Part No.
12 x 1/8 x 20MM	A24SB	6,300	1/10	02600	03600
12 x 1/8 x 7/8	A24SB	6,300	1/10	02603	—
12 x 1/8 x 1	A24SB	6,300	1/10	02606	03606
12 x 5/32 x 1	A24TB	6,300	1/10	02609	—
14 x 1/8 x 20MM	A24SB	5,460	1/10	02612	—
14 x 1/8 x 1	A30PB	5,400	1/10	02615	—
14 x 1/8 x 1	A24RB	5,460	1/10	—	03615

GAP Part No. = premium line

Fabco Part No. = value line

Portable High Speed Gas Saw Wheels - S/C

Silicon Carbide - Cutoff for concrete cutting on high speed portable gas and electric saws. For on-site cutting of masonry and concrete. Constructed of quality Silicon Carbide grain, a unique weave of extra high tensile fiberglass reinforcing, and specially formulated resin bonds.

C30UB - The proven performer on concrete (green or cured), brick, block, clay pipe and other masonry products.

C16UB - Made of extra coarse Silicon Carbide grain, this wheel has aggressive, free cutting action on asphalt.

Part Number Prefix - 662953

Silicon Carbide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.	Fabco Part No.
12 x 1/8 x 20MM	C30UB	6,300	1/10	02700	03700
12 x 1/8 x 7/8	C30UB	6,300	1/10	02703	—
12 x 1/8 x 1	C30UB	6,300	1/10	02706	03706
12 x 5/32 x 20MM	C16UB	6,300	1/10	02709	—
14 x 1/8 x 20MM	C30UB	5,460	1/10	02715	—
14 x 1/8 x 1	C30UB	5,400	1/10	02718	03718

Cut-Off Wheels

Portable High Speed Gas Saw Wheels - A/O & S/C



Cutoff for ductile iron, cast iron, concrete lined pipe. High speed wheel made up of a combination of Silicon Carbide and Aluminum Oxide grains.

A “must” for sewer and water main construction and maintenance. Combines the razor sharp cutting properties of Silicon Carbide grain with the durability of Aluminum Oxide, thus reducing wheel wear while maintaining speed of cut in cast, ductile, and combination ductile/concrete.

Part Number Prefix - 662953

Aluminum Oxide/Silicon Carbide Blend

Size	Grading	Max. RPM	Min./Unit	GAP Part No.
12 x 1/8 x 20MM	AC24SB	6,300	1/10	02800
12 x 1/8 x 1	AC24SB	6,300	1/10	02803

Silicon Carbide for Walk Behind Saws



Cutoff for wet cutting on concrete and asphalt. Made with fast cutting Silicon Carbide grain, fully reinforced for on-the-job safety.

C20SB and C24SB

For concrete, L/P – The general purpose choice for cured concrete regardless of age or aggregate. Maximizes efficiency of low powered saws.

C16UB

For asphalt – open bond structure and coarse grain for aggressive asphalt and green concrete cutting.

** L - Wheels designated with this hole size have a 1" arbor hole with a single drive-pin hole.

Part Number Prefix - 662953

Silicon Carbide

Size	Grading	Max. RPM	Min./Unit	GAP Part No.
14 x 3/16 x L	C20SB	4,365	1/10	02809
14 x 3/16 x L	C16UB	4,365	1/10	02812

Vitrified Grinding Wheels


Vitrified Grinding Wheels

A - Blue/ Gray - Tough Aluminum Oxide recommended for heavy stock removal.

AA - White - Very friable Aluminum Oxide; recommended for tool steels and other heat sensitive steels.

PA - Pink - Semi-friable Aluminum Oxide; recommended for grinding materials containing high chrome. Used especially for heat sensitive steel, special and high chrome alloys.

GC - Green - Green Silicon Carbide grain for grinding cemented carbide, carbide tools, extremely hard metals, masonry tools, glass, and fiberglass.



Part Number Prefix - 662953

Vitrified Grinding Wheels

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
3-1/2 x 1-1/2 x 1-1/4	11	AA46-J-V	6,002	1/10	05000
3-1/2 x 1-1/2 x 1-1/4	11	AA60-J-V	6,002	1/10	05003
3-1/2 x 1-1/2 x 1-1/4	11	PA60-H-V	6,002	1/10	05006
4 x 1-1/2 x 1-1/4	11	AA46-J-V	5,252	1/10	05009
4 x 1-1/2 x 1-1/4	11	AA60-J-V	5,252	1/10	05012
4 x 1-1/2 x 1-1/4	11	PA60-H-V	5,252	1/10	05015
5 x 3/4 x 1	1	A36 COARSE	4,956	1/10	05021
5 x 3/4 x 1	1	A46 MEDIUM	4,956	1/10	05024
5 x 3/4 x 1	1	A60 FINE	4,956	1/10	05027
5 x 1 x 1	1	A36 COARSE	4,956	1/10	05030
5 x 1 x 1	1	A46 MEDIUM	4,956	1/10	05033
5 x 1 x 1	1	A60 FINE	4,956	1/10	05036
5 x 1-1/2 x 1-1/4	6	AA46-J-V	4,202	1/10	05039
5 x 1-1/2 x 1-1/4	6	AA60-J-V	4,202	1/10	05042
5 x 1-1/2 x 1-1/4	11	GC60 COARSE	4,202	1/10	05045
5 x 1-3/4 x 1-1/4	11	AA46-J-V	4,202	1/10	05048
5 x 1-3/4 x 1-1/4	11	AA60-J-V	4,202	1/10	05051

Customer Service: 800-763-7263 (GA) or 800-283-0483 (NY)

Vitrified Grinding Wheels

Vitrified Grinding Wheels (Cont'd)

Part Number Prefix - 662953



A - Blue/Gray

Tough Aluminum Oxide recommended for heavy stock removal.

AA - White

Very friable Aluminum Oxide; recommended for tool steels and other heat sensitive steels.

PA - Pink

Semi-friable Aluminum Oxide; recommended for grinding materials containing high chrome. Used especially for heat sensitive steel, special and high chrome alloys.

GC - Green

Green Silicon Carbide grain for grinding cemented carbide, carbide tools, extremely hard metals, masonry tools, glass, and fiberglass.

Vitrified Grinding Wheels

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
6 x 1/2 x 1	1	A36 COARSE	4,138	1/10	05054
6 x 1/2 x 1	1	A46 MEDIUM	4,138	1/10	05057
6 x 1/2 x 1	1	A60 FINE	4,138	1/10	05060
6 x 1/2 x 1	1	A80 EXTRA FINE	4,138	1/10	05063
6 x 1/2 x 1-1/4	1	AA46-J-V	4,138	1/10	05066
6 x 1/2 x 1-1/4	1	AA60-J-V	4,138	1/10	05069
6 x 1/2 x 1-1/4	1	AA100-J-V	4,138	1/10	05072
6 x 1/2 x 1-1/4	1	AA120-K-V	4,138	1/10	05075
6 x 1/2 x 1	1	GC60 COARSE	4,138	1/10	05078
6 x 1/2 x 1	1	GC120 FINE	4,138	1/10	05084
6 x 1/2 x 1-1/4	12	AA46-J-V	4,138	1/10	05087
6 x 1/2 x 1-1/4	12	AA60-J-V	4,138	1/10	05090
6 x 1/2 x 1-1/4	12	PA46-J-V	4,138	1/10	05093
6 x 1/2 x 1-1/4	12	PA60-H-V	4,138	1/10	05096
6 x 3/4 x 1	1	A24 EXTRA CRSE	4,138	1/10	05100
6 x 3/4 x 1	1	A36 COARSE	4,138	1/10	05103
6 x 3/4 x 1	1	A46 MEDIUM	4,138	1/10	05106
6 x 3/4 x 1	1	A60 FINE	4,138	1/10	05109
6 x 3/4 x 1	1	A80 EXTRA FINE	4,138	1/10	05112
6 x 3/4 x 1-1/4	1	AA46-J-V	4,138	1/10	05115
6 x 3/4 x 1-1/4	1	AA60-J-V	4,138	1/10	05118
6 x 3/4 x 1	1	GC60 COARSE	4,138	1/10	05121
6 x 3/4 x 1	1	GC80 MEDIUM	4,138	1/10	05124
6 x 3/4 x 1	1	GC120 FINE	4,138	1/10	05127
6 x 3/4 x 1-1/4	12	AA46-J-V	4,138	1/10	05130
6 x 3/4 x 1-1/4	12	AA60-J-V	4,138	1/10	05133
6 x 3/4 x 1-1/4	12	PA46-H-V	4,138	1/10	05136
6 x 1 x 1	1	A24 EXTRA CRSE	4,138	1/10	05139
6 x 1 x 1	1	A36 COARSE	4,138	1/10	05142
6 x 1 x 1	1	A46 MEDIUM	4,138	1/10	05145
6 x 1 x 1	1	A60 FINE	4,138	1/10	05148
6 x 1 x 1	1	A80 EXTRA FINE	4,138	1/10	05151
6 x 1 x 1	1	GC60 COARSE	4,138	1/10	05157
6 x 1 x 1	1	GC80 MEDIUM	4,138	1/10	05160
6 x 1 x 1	1	GC120 FINE	4,138	1/10	05163
6 x 1 x 4	G	GC60 COARSE	3,819	1/2	05166
6 x 1 x 4	G	GC80 MEDIUM	3,819	1/2	05169
6 x 1 x 4	G	GC120 FINE	3,819	1/2	05175
7 x 1/4 x 1-1/4	1	AA46-J-V	3,600	1/10	05203
7 x 1/4 x 1-1/4	1	AA60-J-V	3,600	1/10	05206
7 x 1/4 x 1-1/4	1	AA80-K-V	3,600	1/10	05209
7 x 1/4 x 1-1/4	1	AA120-I-V	3,600	1/10	05212
7 x 1/4 x 1-1/4	1	AA220-L-V	3,600	1/10	05215
7 x 1/4 x 1-1/4	1	PA46-H-V	3,600	1/10	05218
7 x 1/4 x 1-1/4	1	PA60-H-V	3,600	1/10	05224
7 x 1/2 x 1-1/4	1	AA46-H-V	3,600	1/10	05233
7 x 1/2 x 1-1/4	1	AA46-J-V	3,600	1/10	05239
7 x 1/2 x 1-1/4	1	AA60-I-V	3,600	1/10	05248
7 x 1/2 x 1-1/4	1	AA60-J-V	3,600	1/10	05251
7 x 1/2 x 1-1/4	1	AA80-J-V	3,600	1/10	05257
7 x 1/2 x 1-1/4	1	AA100-I-V	3,600	1/10	05260
7 x 1/2 x 1-1/4	1	AA120-J-V	3,600	1/10	05263
7 x 1/2 x 1-1/4	1	AA220-L-V	3,600	1/10	05266
7 x 1/2 x 1-1/4	1	PA46-G-V	3,600	1/10	05300
7 x 1/2 x 1-1/4	1	PA46-H-V	3,600	1/10	05303
7 x 1/2 x 1-1/4	1	PA46-J-V	3,600	1/10	05309
7 x 1/2 x 1-1/4	1	PA60-H-V	3,600	1/10	05315
7 x 1/2 x 1-1/4	1	PA80-I-V	3,600	1/10	05327
7 x 1/2 x 1-1/4	1	PA80-J-V	3,600	1/10	05330
7 x 1/2 x 1-1/4	1	PA100-G-V	3,600	1/10	05333
7 x 1/2 x 1-1/4	1	GC60 COARSE	3,600	1/10	05350
7 x 1/2 x 1-1/4	1	GC80 MEDIUM	3,600	1/10	05353
7 x 1/2 x 1-1/4	1	GC120 FINE	3,600	1/10	05356

Vitrified Grinding Wheels

Vitrified Grinding Wheels (Cont'd)

Part Number Prefix - 662953

Vitrified Grinding Wheels

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
7 x 3/4 x 1-1/4	1	AA46-I-V	3,600	1/10	05415
7 x 3/4 x 1-1/4	1	AA46-J-V	3,600	1/10	05418
7 x 3/4 x 1-1/4	1	AA60-I-V	3,600	1/10	05424
7 x 3/4 x 1-1/4	1	AA80-J-V	3,600	1/10	05430
7 x 3/4 x 1	1	GC60 COARSE	3,600	1/10	05433
7 x 3/4 x 1	1	GC120 FINE	3,600	1/10	05439
7 x 3/4 x 1-1/4	5	AA46-H-V	3,600	1/10	05442
7 x 3/4 x 1-1/4	5	AA60-H-V	3,600	1/10	05448
7 x 1 x 1	1	A36 COARSE	3,600	1/10	05500
7 x 1 x 1	1	A46 MEDIUM	3,600	1/10	05503
7 x 1 x 1	1	A60 FINE	3,600	1/10	05506
7 x 1 x 1	1	A80 EXTRA FINE	3,600	1/10	05509
7 x 1 x 1-1/4	1	AA46-H-V	3,600	1/10	05512
7 x 1 x 1-1/4	1	AA60-H-V	3,600	1/10	05515
7 x 1 x 1	1	GC60 COARSE	3,600	1/10	05518
7 x 1 x 1	1	GC80 MEDIUM	3,600	1/10	05521
7 x 1 x 1	1	GC120 FINE	3,600	1/10	05524
7 x 1 x 1-1/4	5	AA46-I-V	3,546	1/10	05530
7 x 1 x 1-1/4	5	AA60-I-V	3,546	1/10	05536
8 x 1/2 x 1-1/4	1	AA46-H-V	3,600	1/10	05603
8 x 1/2 x 1-1/4	1	AA46-J-V	3,600	1/10	05609
8 x 1/2 x 1-1/4	1	AA60-I-V	3,600	1/10	05618
8 x 1/2 x 1-1/4	1	PA46-I-V	3,600	1/10	05627
8 x 1/2 x 1-1/4	1	PA60-I-V	3,600	1/10	05639
8 x 1/2 x 1-1/4	1	GC60 COARSE	3,600	1/10	05645
8 x 1/2 x 1-1/4	1	GC120 FINE	3,600	1/10	05651
8 x 3/4 x 1-1/4	1	A36 COARSE	3,600	1/10	05657
8 x 3/4 x 1-1/4	1	A60 FINE	3,600	1/10	05663
8 x 3/4 x 1-1/4	1	A80 EXTRA FINE	3,600	1/10	05666
8 x 3/4 x 1-1/4	1	AA46-I-V	3,600	1/10	05672
8 x 3/4 x 1-1/4	1	AA60-I-V	3,600	1/10	05678
8 x 1 x 1-1/4	1	A24 EXTRA CRSE	3,600	1/10	05800
8 x 1 x 1-1/4	1	A36 COARSE	3,600	1/10	05803
8 x 1 x 1-1/4	1	A46 MEDIUM	3,600	1/10	05806
8 x 1 x 1-1/4	1	A60 FINE	3,600	1/10	05809
8 x 1 x 1-1/4	1	A80 EXTRA FINE	3,600	1/10	05812
8 x 1 x 1-1/4	1	GC60 COARSE	3,600	1/10	05815
8 x 1 x 1-1/4	1	GC80 MEDIUM	3,600	1/10	05818
8 x 1 x 1-1/4	1	GC120	3,600	1/10	05821
10 x 3/4 x 3	1	AA46-I-V	2,482	1/5	05827
10 x 3/4 x 3	1	AA60-I-V	2,482	1/5	05833
10 x 3/4 x 3	1	AA60-J-V	2,482	1/5	05836
10 x 3/4 x 3	1	PA46-H-V	2,482	1/5	05839
10 x 1 x 3	1	AA46-H-V	2,482	1/5	05842
10 x 1 x 3	1	AA60-J-V	2,482	1/5	05845
10 x 1 x 1-1/4	1	A24 EXTRA CRSE	2,482	1/5	05848
10 x 1 x 1-1/4	1	A36 COARSE	2,482	1/5	05851
10 x 1 x 1-1/4	1	A46 MEDIUM	2,482	1/5	05854
10 x 1 x 1-1/4	1	A60 FINE	2,482	1/5	05857
10 x 1 x 1-1/4	1	A80 EXTRA FINE	2,482	1/5	05860
10 x 1 x 1-1/4	1	GC60 COARSE	2,482	1/5	05900
10 x 1 x 1-1/4	1	GC80 MEDIUM	2,482	1/5	05903
10 x 1 x 1-1/4	1	GC120 FINE	2,482	1/5	05906
10 x 1-1/4 x 1-1/4	1	A24 EXTRA CRSE	2,482	1/4	05909
10 x 1-1/2 x 1-1/4	1	A36 COARSE	2,482	1/4	05912
10 x 1-1/2 x 1-1/4	1	A60 FINE	2,482	1/4	05918
10 x 1-1/2 x 1-1/4	1	A80 EXTRA FINE	2,482	1/4	05921
10 x 1-1/2 x 1-1/4	1	A36 COARSE	2,482	1/4	05924
10 x 1-1/2 x 1-1/4	1	A46 MEDIUM	2,482	1/4	05927
10 x 1-1/2 x 1-1/4	1	A60 FINE	2,482	1/4	05930
10 x 2 x 1-1/4	1	A36 COARSE	2,482	1/2	05945
10 x 2 x 1-1/4	1	A46 MEDIUM	2,482	1/2	05948



A - Blue/Gray

Tough Aluminum Oxide recommended for heavy stock removal.

AA - White

Very friable Aluminum Oxide; recommended for tool steels and other heat sensitive steels.

PA - Pink

Semi-friable Aluminum Oxide; recommended for grinding materials containing high chrome. Used especially for heat sensitive steel, special and high chrome alloys.

GC - Green

Green Silicon Carbide grain for grinding cemented carbide, carbide tools, extremely hard metals, masonry tools, glass, and fiberglass.

Vitrified Grinding Wheels

Vitrified Grinding Wheels (Cont'd)



Part Number Prefix - 662953

Vitrified Grinding Wheels

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
12 x 1 x 3	1	AA46-H-V	2,069	1/5	05951
12 x 1 x 3	1	AA46-J-V	2,069	1/5	05954
12 x 1 x 3	1	AA60-J-V	2,069	1/5	05957
12 x 1 x 5	1	AA46-H-V	2,069	1/5	05960
12 x 1 x 5	1	AA60-J-V	2,069	1/5	05963
12 x 1-1/2 x 3	5	AA60-I-V	2,069	1/4	06000
12 x 1-1/2 x 5	5	AA46-I-V	2,069	1/4	06003
12 x 1-1/2 x 5	5	AA60-I-V	2,069	1/4	06006
12 x 2 x 1-1/2	1	A24 EXTRA CRSE	2,069	1/2	06012
12 x 2 x 1-1/2	1	A36 COARSE	2,069	1/2	06015
12 x 2 x 1-1/2	1	A46 MEDIUM	2,069	1/2	06018
12 x 2 x 1-1/2	1	A60 FINE	2,069	1/2	06021
12 x 2 x 1-1/2	1	GC60 COARSE	2,069	1/2	06027
12 x 2 x 1-1/2	1	GC80 MEDIUM	2,069	1/2	06030
14 x 1 x 5	1	AA46-H-V	1,773	1/2	06036
14 x 1 x 5	1	AA60-H-V	1,773	1/2	06039
14 x 1-1/2 x 5	1	AA46-H-V	1,773	1/2	06045
14 x 2 x 1-1/2	1	A24 EXTRA CRSE	1,773	1/2	06100
14 x 2 x 1-1/2	1	A36 COARSE	1,773	1/2	06103
14 x 2 x 1-1/2	1	A46 MEDIUM	1,773	1/2	06106
14 x 2 x 1-1/2	1	A60 FINE	1,773	1/2	06109
14 x 2-1/2 x 1-1/2	1	A24 EXTRA CRSE	1,773	1/2	06124
14 x 2-1/2 x 1-1/2	1	A36 COARSE	1,773	1/2	06127
14 x 2-1/2 x 1-1/2	1	A46 MEDIUM	1,773	1/2	06130
14 x 2-1/2 x 1-1/2	1	A60 FINE	1,773	1/2	06133
14 x 3 x 1-1/2	1	A36 COARSE	1,773	1/2	06139
14 x 3 x 1-1/2	1	A46 MEDIUM	1,773	1/2	06142
14 x 3 x 1-1/2	1	A60 FINE	1,773	1/2	06145

All Grinding Wheels 8" and smaller come with a telescopic bushing.

A - Blue/Gray

Tough Aluminum Oxide recommended for heavy stock removal.

AA - White

Very friable Aluminum Oxide; recommended for tool steels and other heat sensitive steels.

PA - Pink

Semi-friable Aluminum Oxide; recommended for grinding materials containing high chrome. Used especially for heat sensitive steel, special and high chrome alloys.

GC - Green

Green Silicon Carbide grain for grinding cemented carbide, carbide tools, extremely hard metals, masonry tools, glass, and fiberglass.

Wheel Accessories

Wheel Dressers & Replacement Cutters

Part Number Prefix - 662953

Wheel Dressers & Replacement Cutters

Description	Part No.
Whl Dresser #0, Up to 10" Dia.	08000
Whl Dresser #1, 10" to 16" Dia.	08003
Replacement Cutter #0 (Set of 4)	08100
Replacement Cutter #1 (Set of 4)	08103



Hand held wheel dressers are used on various bench, pedestal, and tool room wheels. These products are normally used when fast dressing is your primary requirement.

Replacement cutters are to be used on the above mentioned dressers.

Part Number Prefix - 662953

Bushings


Code	Description	Part No.
T-1	1" Wide Telescoping	30270
T-3/4	3/4" Wide Telescoping	30273
PB3	1-1/4"- 1/2"	30200
PB4	1-1/4"- 5/8"	30203
PB5	1-1/4"- 3/4"	30206
PB6	1-1/4"- 7/8"	30209
PB7	1-1/4"- 1"	30212
PB8	1-1/2"- 1-1/4"	30215
PB14	1"- 1/2"	30230
PB16	1"- 3/4"	30233
DB12	Diamond to 1/2"	30250
DB58	Diamond to 5/8"	30253



Bushings are designed to reduce wheel arbors to fit the desired spindle size or shape.

Plug & Cone Wheels

Plug & Cone Wheels



Part Number Prefix - 662953

Aluminum Oxide Resin Bond

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
1 x 3 x 3/8-24	16	A16RB	36,287	1/10	09000
1-1/2 x 2-1/2 x 3/8-24	16	A16RB	24,192	1/10	09003
1-1/2 x 2-1/2 x 5/8-11	16	A16RB	24,192	1/10	09006
1-1/2 x 3 x 5/8-11	16	A16RB	24,192	1/10	09009
2 x 3 x 5/8-11	16	A16RB	18,144	1/10	09012
2-3/4 x 3-1/2 x 5/8-11	16	A16RB	12,096	1/10	09018
1-1/2 x 3 x 3/8-24	17	A16RB	24,192	1/10	09021
1-1/2 x 3 x 5/8-11	17	A16RB	24,192	1/10	09024
2 x 3 x 5/8-11	17	A16RB	18,144	1/10	09027
1-1/2 x 3 x 5/8-11	18	A16RB	24,192	1/10	09030
2 x 3 x 5/8-11	18	A16RB	18,144	1/10	09033
2 x 4 x 5/8-11	18	A16RB	12,000	1/10	09036
2 x 3 x 5/8-11	18R	A16RB	18,144	1/10	09039

For general purpose metal working, mild steels, stainless steels, alloys; most metals, most applications. For grinding and cleaning hard to reach spots along the seams and fillets of large welded parts.

The most commonly used wheels for stock removal in such difficult areas as holes, corners & recesses. Designed for fast stock removal with minimum operator effort.

Readily available in a wide variety of these and other sizes.

Resin Snagging Wheels

Resin Bonded Snag Wheels

Part Number Prefix - 662953

TP11 Aluminum Oxide – Metal

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
4 x 2 x 5/8-11	11	A163PB	9,070	1/20	10000
5 x 2 x 5/8-11	11	A163PB	7,257	1/20	10003
6 x 2 x 5/8-11	11	A163PB	6,048	1/10	10009
6 x 2 x 5/8-11	11	A163PB-SB	6,048	1/10	10012

Part Number Prefix - 662953

TP11 Silicon Carbide – Masonry and Concrete

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
4 x 2 x 5/8-11	11	C163PB	9,070	1/20	10100
5 x 2 x 5/8-11	11	C163PB	7,257	1/20	10103
6 x 2 x 5/8-11	11	C163PB	6,048	1/10	10106
6 x 2 x 5/8-11	11	C163PB-SB	6,048	1/10	10109

Part Number Prefix - 662953

TP11 Aluminum Oxide – Metal

Size	Type	Grading	Max. RPM	Min./Unit	Part No.
2 x 1/2 x 3/8	1	A46PB	18,100	1/40	08500
3 x 1/2 x 3/8	1	A46PB	12,000	1/40	08503
6 x 1 x 5/8	1	A162P6B	6,000	1/20	08504
14 x 2 x 1-1/4	1	A24RB5	2,592	1/2	08506
14 x 3 x 1-1/4	1	A24RB5	2,592	1/1	08509



TP11 Aluminum Oxide for Metal

General purpose wheel for grinding steel

TP11 Silicon Carbide for Concrete & Masonry

General purpose wheel for stone, concrete, and masonry products. Non-ferrous metals (brass, bronze, etc.), cast iron, ductile iron, titanium.

SB = Safety Back

Sticks, Stones & Rubs

Sticks, Stones & Rubs



These vitrified bonded products provide for easy off hand grinding and sharpening in a wide variety of applications.

Part Number Prefix - 662953

Aluminum Oxide and Silicon Carbide

Stone Number	Size	Grading	Min./Unit	Part No.
57 with Handle	14" Overall	C120	1/10	11000
108	8 x 2 x 1	C120/320	1/10	11003
109	6 x 2 x 1	C120/320	1/10	11006
110	7 x 2 x 1	C120/320	1/10	11009
111	5 x 2 x 3/4	C120/320	1/10	11012
118	8 x 2 x 3/4	C320	1/10	11015
119	8 x 2 x 3/4	C220	1/10	11016
120	8 x 2 x 3/4	C120	1/10	11017
121	6 x 2 x 1	C320	1/10	11018
123	6 x 2 x 1	C120	1/10	11020
149	3 x 7/8 x 3/8	C280	1/50	11021
188	10 x 1-5/16 x 9/16	A100 SCYTHE	1/10	11022
198	9-5/8 x 1/2	C180	1/10	11024
289	4 x 1-1/2	C120/320	1/10	11027
345	8 x 1 x 1	C24	1/10	11028
346	9 x 1 x 1	C24	1/10	11029
347	6 x 1 x 1	C24	1/10	11030
349	4 x 3/4 x 3/4	AA120	1/10	11033
Slip Stone	4 x 1 x 1/8	C180S5VG	1/10	11034
Slip Stone	6 x 1/2 x 1/2	C24UVAC	1/10	11035
Jointer Stone	4 x 3/4 x 3/4	AA60KV10	1/12	11036
Finishing Stone	4 x 1 x 3/8	A320SV	1/10	11039
HR222	8 x 2 x 1	C24	1/5	11041
HR250 with Handle	8 x 3-1/2 x 1-1/2	C24	1/5	11042
HR252 with Handle	6 x 3 x 1	C24	1/5	11045

Mounted Wheels

A - Shape Mounted Wheels


A complete line of high speed portable grinding wheels for those difficult-to-reach work areas. Each wheel is securely mounted on a rust resistant nickel steel mandrel. Mounted wheels fit all popular drills and flexible shaft machines.

GA60PV – STOCK GRADING

Minimum Package = 25 pieces per specification

Non-stock grading's; minimum order = 100 pieces


Shank/mandrel: D1 = 1/8 x 1-1/2 • D2 = 1/4 x 1-1/2 • D3 = 3/8 x 1-1/2



Part Number Prefix - 662953

A-Shape

Shape	Diameter	Length	Shank	Grading	Min./Unit	Part No.
A1	3/4	2-1/2	D2	GA60PV	25	20000
A2	1	1-1/4	D2	GA60PV	25	20003
A3	1	2-3/4	D2	GA60PV	25	20006
A4	1-1/4	1-1/4	D2	GA60PV	25	20009
A5	3/4	1-1/8	D2	GA60PV	25	20012
A6	3/4	1-1/8	D2	GA60PV	25	20015
A11	7/8	2	D2	GA60PV	25	20018
A12	11/16	1-1/4	D2	GA60PV	25	20021
A13	1-1/8	1-1/8	D2	GA60PV	25	20024
A14	11/16	7/8	D2	GA60PV	25	20027
A15	1/4	1-1/16	D2	GA60PV	25	20030
A21	1	1	D2	GA60PV	25	20033
A22	3/4	5/8	D2	GA60PV	25	20036
A23	3/4	1	D2	GA60PV	25	20039
A24	1/4	3/4	D2	GA60PV	25	20042
A25	1	1	D2	GA60PV	25	20045
A26	5/8	5/8	D2	GA60PV	25	20048
A31	1-3/8	1	D2	GA60PV	25	20051
A32	1	5/8	D2	GA60PV	25	20054
A33	1	1/2	D2	GA60PV	25	20057
A34	1-1/2	3/8	D2	GA60PV	25	20060
A35	1	3/8	D2	GA60PV	25	20063
A36	1-5/8	3/8	D2	GA60PV	25	20066
A37	1-1/4	1/4	D2	GA60PV	25	20069
A38	1	1	D2	GA60PV	25	20072
A39	3/4	3/4	D2	GA60PV	25	20075
A40	3/4	3/4	D2	GA60PV	25	20078



Mounted Wheels

B - Shape Mounted Wheels



A complete line of high speed portable grinding wheels for those difficult-to-reach work areas. Each wheel is securely mounted on a rust resistant nickel steel mandrel. Mounted wheels fit all popular drills and flexible shaft machines.

GA60PV – STOCK GRADING

Minimum Package = 25 pieces per specification


Non-stock grading's; minimum order = 100 pieces

Shank/mandrel: D1 = 1/8 x 1-1/2 • D2 = 1/4 x 1-1/2 • D3 = 3/8 x 1-1/2

Part Number Prefix - 662953

B-Shape

Shape	Diameter	Length	Shank	Grading	Min./Unit	Part No.
B41	5/8	5/8	D1	GA60PV	25	20100
B42	1/2	3/4	D1	GA60PV	25	20103
B43	1/4	5/16	D1	GA60PV	25	20106
B44	7/32	3/8	D1	GA60PV	25	20109
B45	3/16	5/16	D1	GA60PV	25	20112
B46	1/8	5/16	D1	GA60PV	25	20115
B47	1/8	5/32	D1	GA60PV	25	20118
B51	7/16	3/4	D1	GA60PV	25	20121
B52	3/8	3/4	D1	GA60PV	25	20124
B53	1/4	5/8	D1	GA60PV	25	20127
B54	1/4	1/2	D1	GA60PV	25	20130
B55	1/8	1/4	D1	GA60PV	25	20133
B61	3/4	5/16	D1	GA60PV	25	20136
B62	1/2	3/8	D1	GA60PV	25	20139
B63	1/4	3/16	D1	GA60PV	25	20142
B64	1/4	1/16	D1	GA60PV	25	20145
B65	1/8	1/8	D1	GA60PV	25	20148
B70	3/4	1/8	D1	GA60PV	25	20151
B71	5/8	1/8	D1	GA60PV	25	20154
B72	1/2	1/8	D1	GA60PV	25	20157
B73	1/2	1/8	D1	GA60PV	25	20160
B74	7/32	3/32	D1	GA60PV	25	20163
B81	3/4	3/16	D1	GA60PV	25	20166
B82	1/2	1/4	D1	GA60PV	25	20169
B83	3/8	1/8	D1	GA60PV	25	20172
B84	5/16	3/16	D1	GA60PV	25	20175
B90	1/2	1/2	D1	GA60PV	25	20178
B91	1/2	5/8	D1	GA60PV	25	20181
B92	1/4	1/4	D1	GA60PV	25	20200
B93	3/16	3/16	D1	GA60PV	25	20203



Mounted Wheels

B - Shape Mounted Wheels (Cont'd)


A complete line of high speed portable grinding wheels for those difficult-to-reach work areas. Each wheel is securely mounted on a rust resistant nickel steel mandrel. Mounted wheels fit all popular drills and flexible shaft machines.

GA60PV – STOCK GRADING

Minimum Package = 25 pieces per specification

Non-stock grading's; minimum order = 100 pieces


Shank/mandrel: D1 = 1/8 x 1-1/2 • D2 = 1/4 x 1-1/2 • D3 = 3/8 x 1-1/2



Part Number Prefix - 662953

B-Shape

Shape	Diameter	Length	Shank	Grading	Min./Unit	Part No.
B94	11/64	3/32	D1	GA60PV	25	20206
B95	1/8	3/16	D1	GA60PV	25	20209
B96	1/8	1/4	D1	GA60PV	25	20212
B97	1/8	3/8	D1	GA60PV	25	20215
B98	3/32	1/4	D1	GA60PV	25	20218
B101	5/8	11/16	D1	GA60PV	25	20221
B102	5/8	1/2	D1	GA60PV	25	20224
B103	5/8	3/16	D1	GA60PV	25	20227
B104	5/16	3/8	D1	GA60PV	25	20230
B105	1/4	1/4	D1	GA60PV	25	20233
B106	1/8	7/64	D1	GA60PV	25	20236
B108	5/8	1/8	D1	GA60PV	25	20239
B111	7/16	11/16	D1	GA60PV	25	20242
B112	3/8	1/2	D1	GA60PV	25	20245
B113	1/4	1/4	D1	GA60PV	25	20248
B114	7/32	3/8	D1	GA60PV	25	20251
B115	3/32	1/8	D1	GA60PV	25	20254
B121	1/2	1/2	D1	GA60PV	25	20257
B122	3/8	3/8	D1	GA60PV	25	20260
B123	3/16	3/16	D1	GA60PV	25	20263
B124	1/8	1/8	D1	GA60PV	25	20266
B125	1/4	1/4	D1	GA60PV	25	20269
B131	1/2	1/2	D1	GA60PV	25	20272
B132	3/8	1/2	D1	GA60PV	25	20275
B133	3/8	3/8	D1	GA60PV	25	20278
B134	5/16	3/8	D1	GA60PV	25	20281
B135	1/4	1/2	D1	GA60PV	25	20300
B136	1/4	5/16	D1	GA60PV	25	20303



Mounted Wheels

W - Shape Mounted Wheels



A complete line of high speed portable grinding wheels for those difficult-to-reach work areas. Each wheel is securely mounted on a rust resistant nickel steel mandrel. Mounted wheels fit all popular drills and flexible shaft machines.

GA60PV – STOCK GRADING

Minimum Package = 25 pieces per specification


Non-stock grading's; minimum order = 100 pieces

Shank/mandrel: D1 = 1/8 x 1-1/2 • D2 = 1/4 x 1-1/2 • D3 = 3/8 x 1-1/2

Part Number Prefix - 662953

W-Shape

Shape	Diameter	Length	Shank	Grading	Min./Unit	Part No.
W141	3/32	5/32	D1	GA60PV	25	20400
W142	3/32	1/4	D1	GA60PV	25	20403
W143	1/8	1/8	D1	GA60PV	25	20406
W144	1/8	1/4	D1	GA60PV	25	20409
W145	1/8	3/8	D1	GA60PV	25	20412
W146	1/8	1/2	D1	GA60PV	25	20415
W147	5/32	1/32	D1	GA60PV	25	20418
W148	5/32	1/16	D1	GA60PV	25	20421
W149	5/32	1/4	D1	GA60PV	25	20424
W150	3/16	1/16	D1	GA60PV	25	20427
W151	3/16	1/8	D1	GA60PV	25	20430
W152	3/16	1/4	D1	GA60PV	25	20433
W153	3/16	3/8	D1	GA60PV	25	20436
W154	3/16	1/2	D1	GA60PV	25	20439
W155	13/64	1/4	D1	GA60PV	25	20442
W156	1/4	1/32	D1	GA60PV	25	20445
W157	1/4	1/16	D1	GA60PV	25	20448
W158	1/4	1/8	D1	GA60PV	25	20451
W159	1/4	3/16	D1	GA60PV	25	20454
W160	1/4	1/4	D1	GA60PV	25	20457
W161	1/4	5/16	D1	GA60PV	25	20460
W162	1/4	3/8	D1	GA60PV	25	20463
W163	1/4	1/2	D1	GA60PV	25	20466
W164	1/4	3/4	D1	GA60PV	25	20469
W164	1/4	3/4	D2	GA60PV	25	20472
W165	5/16	1/16	D1	GA60PV	25	20475
W166	5/16	1/8	D1	GA60PV	25	20478
W167	5/16	1/4	D1	GA60PV	25	20481
W168	5/16	5/16	D1	GA60PV	25	20500
W169	5/16	3/8	D1	GA60PV	25	20503
W170	5/16	1/2	D2	GA60PV	25	20509
W171	5/16	3/4	D1	GA60PV	25	20512
W172	3/8	1/16	D1	GA60PV	25	20518
W173	3/8	1/8	D1	GA60PV	25	20524
W174	3/8	1/4	D1	GA60PV	25	20530
W175	3/8	3/8	D2	GA60PV	25	20539
W176	3/8	1/2	D2	GA60PV	25	20545
W177	3/8	3/4	D2	GA60PV	25	20551
W178	3/8	1	D2	GA60PV	25	20557
W179	3/8	1-1/4	D2	GA60PV	25	20563
W180	1/2	1/32	D2	GA60PV	25	20569
W181	1/2	1/16	D2	GA60PV	25	20575
W182	1/2	1/8	D2	GA60PV	25	20581
W183	1/2	1/4	D2	GA60PV	25	20603



Mounted Wheels

W - Shape Mounted Wheels (Cont'd)

A complete line of high speed portable grinding wheels for those difficult-to-reach work areas. Each wheel is securely mounted on a rust resistant nickel steel mandrel. Mounted wheels fit all popular drills and flexible shaft machines.

GA60PV – STOCK GRADING

Minimum Package = 25 pieces per specification

Non-stock grading's; minimum order = 100 pieces


Shank/mandrel: D1 = 1/8 x 1-1/2 • D2 = 1/4 x 1-1/2 • D3 = 3/8 x 1-1/2



Part Number Prefix - 662953

W-Shape

Shape	Diameter	Length	Shank	Grading	Min./Unit	Part No.
W184	1/2	3/8	D2	GA60PV	25	20609
W185	1/2	1/2	D2	GA60PV	25	20615
W186	1/2	3/4	D2	GA60PV	25	20621
W187	1/2	1	D2	GA60PV	25	20627
W188	1/2	1-1/2	D2	GA60PV	25	20630
W189	1/2	2	D2	GA60PV	25	20633
W190	5/8	1/16	D2	GA60PV	25	20639
W191	5/8	1/8	D2	GA60PV	25	20645
W192	5/8	1/4	D2	GA60PV	25	20651
W193	5/8	3/8	D2	GA60PV	25	20657
W194	5/8	1/2	D2	GA60PV	25	20663
W195	5/8	3/4	D1	GA60PV	25	20666
W195	5/8	3/4	D2	GA60PV	25	20669
W196	5/8	1	D2	GA60PV	25	20672
W197	5/8	2	D2	GA60PV	25	20675
W198	5/8	2-1/2	D2	GA60PV	25	20700
W199	3/4	1/16	D2	GA60PV	25	20706
W200	3/4	1/8	D1	GA60PV	25	20709
W200	3/4	1/8	D2	GA60PV	25	20712
W201	3/4	1/4	D1	GA60PV	25	20715
W201	3/4	1/4	D2	GA60PV	25	20718
W202	3/4	3/8	D2	GA60PV	25	20724
W203	3/4	1/2	D2	GA60PV	25	20730
W204	3/4	3/4	D2	GA60PV	25	20736
W205	3/4	1	D2	GA60PV	25	20739
W206	3/4	1-1/4	D2	GA60PV	25	20742
W207	3/4	1-1/2	D2	GA60PV	25	20745
W208	3/4	2	D2	GA60PV	25	20748
W209	3/4	2-1/2	D2	GA60PV	25	20751
W210	7/8	1/16	D2	GA60PV	25	20757
W211	7/8	1/8	D2	GA60PV	25	20763
W212	7/8	1/4	D2	GA60PV	25	20769
W213	7/8	3/8	D2	GA60PV	25	20775
W214	15/16	1/4	D2	GA60PV	25	20781
W215	1	1/8	D2	GA60PV	25	20803
W216	1	1/4	D2	GA60PV	25	20809
W217	1	3/8	D2	GA60PV	25	20812
W218	1	1/2	D2	GA60PV	25	20815
W219	1	3/4	D2	GA60PV	25	20818
W220	1	1	D2	GA60PV	25	20821
W221	1	1-1/2	D2	GA60PV	25	20824
W222	1	2	D2	GA60PV	25	20827
W223	1	2-1/2	D2	GA60PV	25	20830
W224	1	3	D3	GA60PV	25	20836



Mounted Wheels

W - Shape Mounted Wheels (Cont'd)



A complete line of high speed portable grinding wheels for those difficult-to-reach work areas. Each wheel is securely mounted on a rust resistant nickel steel mandrel. Mounted wheels fit all popular drills and flexible shaft machines.

GA60PV – STOCK GRADING

Minimum Package = 25 pieces per specification


Non-stock grading's; minimum order = 100 pieces

Shank/mandrel: D1 = 1/8 x 1-1/2 • D2 = 1/4 x 1-1/2 • D3 = 3/8 x 1-1/2

Part Number Prefix - 662953

W-Shape

Shape	Diameter	Length	Shank	Grading	Min./Unit	Part No.
W225	1-1/4	1/4	D2	GA60PV	25	20839
W226	1-1/4	3/8	D2	GA60PV	25	20842
W227	1-1/4	1/2	D2	GA60PV	25	20845
W228	1-1/4	3/4	D2	GA60PV	25	20848
W229	1-1/4	1	D2	GA60PV	25	20851
W230	1-1/4	1-1/4	D2	GA60PV	25	20854
W231	1-1/4	1-1/2	D2	GA60PV	25	20857
W232	1-1/4	2	D2	GA60PV	25	20860
W233	1-1/4	2-1/2	D3	GA60PV	25	20863
W234	1-1/4	3	D3	GA60PV	25	20866
W235	1-1/2	1/4	D2	GA60PV	25	20869
W236	1-1/2	1/2	D2	GA60PV	25	20872
W237	1-1/2	1	D2	GA60PV	25	20875
W238	1-1/2	1-1/2	D2	GA60PV	25	20878
W239	1-1/2	2	D3	GA60PV	25	20881
W240	1-1/2	2-1/2	D3	GA60PV	25	20900
W241	1-1/2	3	D3	GA60PV	25	20903
W242	2	1	D2	GA60PV	25	20906
W243	2	1-1/2	D3	GA60PV	25	20912
W244	2	2	D3	GA60PV	25	20915
W245	2	2-1/2	D3	GA60PV	25	20918
W246	2	3	D3	GA60PV	25	20921



Appendix

Part Number to Page Index

BELTS

Part Number Prefix: 801034

PART NUMBER PAGE

22175 - 22877.....	23, 24
22880 - 23027.....	24
32001 - 32733.....	5
32736 - 33453.....	6
33456 - 34173.....	7
36000 - 38174.....	5, 6, 7, 8, 9, 10
39060 - 39074.....	5, 8
48000 - 50318.....	20, 21, 22
50320 - 51231.....	29, 30
51240 - 51255.....	20
51400 - 51630.....	59
52000 - 54168.....	14, 15, 16
54175 - 55023.....	26, 27
55060 - 55068.....	14
55500 - 55514.....	31
56000 - 58167.....	11, 12, 13
58175 - 59022.....	24, 25
59060 - 59067.....	11
71630 - 73797.....	17, 18, 19
73805 - 74652.....	27, 28
74660 - 74667.....	17
99990 - 99995.....	30

COATED & NON-WOVEN

Part Number Prefix: 809775

PART NUMBER PAGE

00000 - 01401.....	32 & 36
01500 - 01521.....	37
01580 - 02098.....	38, 40
02100 - 02867.....	39
02941 - 02948.....	40
03000 - 04471.....	34
05441 - 05473.....	78
05590 - 06133.....	81
06704 - 06795.....	107
06800 - 07456.....	102
07500 - 08661.....	90
09003 - 09906.....	46
14700 - 15354.....	47
19815 - 20079.....	49
20190 - 20906.....	48
21026 - 21353.....	47
21600 - 21657.....	52
21700 - 21748.....	51
21800 - 21842.....	51
21903 - 21930.....	52
22000 - 22239.....	53, 54
22350 - 22359.....	52
22400 - 22477.....	55
22820 - 22876.....	64
23000 - 23243.....	57
23500 - 24159.....	56, 58
25008 - 25276.....	42
26006 - 27071.....	42, 43
28006 - 29231.....	44, 45
30243 - 33891.....	66

34003 - 34366.....	67
35003 - 39902.....	65
40009 - 40142.....	72
40407 - 40429.....	41
40982 - 41326.....	70
41500 - 41569.....	70
41599 - 41812.....	77
42000 - 42106.....	68
42200 - 42209.....	69
42302 - 42324.....	75
42400 - 42457.....	76
42500 - 42581.....	74
42600 - 42646.....	76
44000 - 44030.....	33
44532 - 44534.....	96
45000 - 45048.....	37, 38, 72
45500 - 45505.....	94
45506 - 45530.....	105
45536 - 45538.....	94
45540 - 45554.....	105
45560 - 45575.....	94
45585 - 45594.....	105
45675.....	94
45680.....	105
45700.....	42
45800 - 45824.....	71
45900 - 45903.....	68
46000 - 46006.....	60, 61, 62, 63, 73
46020 - 46026.....	62, 73
46040.....	63
49510 - 49548.....	55
50000 - 50591.....	91
50960 - 51527.....	98
51600 - 52339.....	106
52902 - 56224.....	85
56411 - 56487.....	35
56519 - 56679.....	88
57200 - 57387.....	35
57604 - 57933.....	82, 83
58104 - 58233.....	80
58424 - 58453.....	84
58700 - 59055.....	83, 84
59304 - 59453.....	89
59500 - 59798.....	88
59804 - 60055.....	87
60299 - 60469.....	95
60604 - 60753.....	103
60800 - 61055.....	101
61065 - 61179.....	107
61401 - 62080.....	99
62100 - 62119.....	50
62300 - 62579.....	93
62805 - 63016.....	50
63298 - 63518.....	50
63764 - 63975.....	100
64104 - 64233.....	79
64304 - 64515.....	86
66008 - 66414.....	51
67201 - 67311.....	52
68000 - 68324.....	54
68504 - 69028.....	97
69200 - 70126.....	60

70200 - 70882.....	61
71006 - 71226.....	62
71300 - 71364.....	73
71508 - 71578.....	63
75644 - 76306.....	92
76400 - 76565.....	71
76600 - 76670.....	109
76700 - 76745.....	108
78000 - 78110.....	72
78200 - 78230.....	72
81008 - 81104.....	65
81202 - 81210.....	69

BONDED

Part Number Prefix: 662953

PART NUMBER PAGE

00000 - 00117.....	110
00200 - 00203.....	112
00303 - 00339.....	110
00400 - 00403.....	112
00500 - 00609.....	111
00700 - 00759.....	111
00800 - 00806.....	112
00920 - 00946.....	113
01100 - 01171.....	114
02000 - 02172.....	115
02200 - 02236.....	116
02300 - 02424.....	117
02430 - 02506.....	118
02600 - 02718.....	119
02800 - 02812.....	120
03412 - 03430.....	117
03500 - 03506.....	118
03600 - 03718.....	119
05000 - 05051.....	121
05054 - 05356.....	122
05415 - 05948.....	123
05951 - 06145.....	124
08000 - 08103.....	125
08500 - 08509.....	127
09000 - 09039.....	126
10000 - 10109.....	127
11000 - 11045.....	128
20000 - 20078.....	129
20100 - 20203.....	130
20206 - 20303.....	131
20400 - 20603.....	132
20609 - 20836.....	133
20839 - 20921.....	134
30000 - 30015.....	116
30100 - 30104.....	41, 113
30200 - 30273.....	125

Appendix

Availability Chart

ALUMINUM OXIDE - Paper / Cloth / Film																											
PRODUCT	12	16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000	
Q711T							FILM		FILM	FILM	FILM	FILM	FILM	FILM	FILM	FILM		FILM	FILM	FILM	FILM	FILM	FILM	FILM	FILM	FILM	
RED A/O LUBE										C	C	C	C	C	C	C		C	C	C	C						
GOLD A/O LUBE						E	E		E, C	E, C	C	C	B	B	B	B	B	B	B	B	B	B	B	B			
B317/ B347						F		F	F	F	F	F	F	F	F												
C132						X	X	X	X	J	J	J	J	J	J	J	J	J	J	J							
R350									J	J	J	J	J	J	J	J	J	J	J								
KAF									J	J	J	J	J	J	J	J		J	J								
KF376									J	J	J	J	J	J	J	J	J	J	J		J						
R352										X	X							X	X								
K35				X		X	X	X	X	X	X	X	X	X	X			X									
K35F									J	J	J	J	J	J	J	J		J	J								
K35FT										J	J	J	J	J		J											
K35SF										J	J	J	J	J	J			J									
R145						X	X	X	X	X	X	X	X	X	X	X		X	X								
R192				Y		Y	Y	Y	Y	X	X	X	X	X	X	X		X	X		X						
W25				Y		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y									
P355				Y		Y	Y	Y	Y	Y	Y	Y		Y													
SILICON CARBIDE - Paper / Cloth / Mesh																											
PRODUCT	12	16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000	
WHITE S/C LUBE - S13T										B	B	B	B	B	B	B	B	B	B								
WATERPROOF PAPER									C	C	C	C	C	C	A	A		A	A		A	C	C	C	C	C	
S16									MESH	MESH	MESH	MESH	MESH	MESH	MESH			MESH									
Z096	T	T	T	T																							
E96					E	E	E	E	E	E	E	E															
W98									X	X	X	X		X	X	X		X	X		X						
S181				Y		Y	Y	Y	Y	Y	X	X	X	X	X	X		X	X		X						
SILICON CARBIDE / CORK - CLOTH																											
PRODUCT	12	16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000	
RBX															X				X		X	X					
CORK ONLY - CLOTH																											
PRODUCT	CORK																										
RBX-TP	NON ABRASIVE																										
ZIRCONIA - Paper / Cloth																											
PRODUCT	12	16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000	
AZX				Y		Y	Y	Y	Y	Y	Y	X	X	X													
R205				Y		Y	Y	Y	Y	Y	Y	Y															
R203				Y		Y	Y	Y	Y	Y	Y	Y	Y														
ZH				Y		Y	Y	Y	Y	Y		Y															
ZF						F		F	F	F		F															

Appendix

Availability Chart

ALUMINUM OXIDE - Paper / Cloth / Film				
Backing	WT.	Features and Applications	General Use	Coat
POLYESTER FILM	FILM	Open Coat, Stearated, film backing for added durability and consistent finish. Available in Hook & Loop and PSA. Excellent for painted surfaces, composites, solid surface and woodworking applications.	DISCS, ROLLS, SHEETS	OC
PAPER	C	Wood, Paint, Metal - Special load resistant size coat and premium aluminum oxide mineral	DISCS, ROLLS, SHEETS	OC
PAPER	E, C, B	Wood, Paint, Metal - Special load resistant size coat with premium heat treated mineral. Cost effective product.	DISCS, ROLLS, SHEETS	OC
PAPER	F	Wood, plywood, painted surfaces, & leather. Mainly used for machine sanding operations. Narrow & wide belts. Antistatic properties provides longer life and load resistance.	DISCS, ROLLS, SHEETS, BELTS	OC
COTTON	X, J	For hand sanding. Disc, sheet or roll applications.	DISCS, ROLLS, SHEETS	CC
POLY/COTTON	J	Flexible product for polishing very contour pieces. For aluminum die cast, carbon steel, hardwood on pump sleeve.	BELTS	CC
COTTON	J	Flexible, fast cutting. Excellent contour sanding on wood and metal. Versatile premium product.	BELTS, DISCS, ROLLS, SPEC.	Semi
COTTON	J	Metal, Wood. Premium Green top sized flexible product excellent on aluminum, brass and stainless.	BELTS, DISCS, ROLLS	CC
POLY/COTTON FLEX	X	Semi-flexible product for polishing curved surfaces. For cutlery, golf club, hand tools, etc.	BELTS	CC
POLY/COTTON	X	For grinding in furniture, musical instrument, mosaic wood panels, solid wood & painted surfaces with portable, edge & stroke sanders.	BELTS, ROLLS, SHEETS	OC
POLY/COTTON	J	Flexible product for edge of contour wood sanding. Mainly used on stroke sanders but can be used on pump sleeve & sponge sanders.	BELTS, ROLLS, SHEETS, DISCS	OC
POLY/COTTON	J	Wood sanding, special stearated top coat for anti-loading properties	BELTS, ROLLS, SHEETS, DISCS	OC
POLY/COTTON	J	Highly flexible product for profile difficult shape sanding.	BELTS, ROLLS, SHEETS, DISCS	OC
POLY/COTTON	X	General metal working and specialties use.	BELTS, DISCS, ROLLS, SPEC.	CC
POLY/COTTON	Y	For metal working. Removing gate and riser from castings, surface finishing. For stainless steel, nickel alloy, tool steel etc. Fast cut.	BELTS, DISCS	CC
POLY/COTTON	Y	Wide belt use for plywood & suitable for flat sanding at high speed and mosaic wood panels. Durable & washable. Antistatic.	BELTS	OC
POLYESTER	Y	For carbon steel and alloy in wet or dry sanding. Excellent in aluminum and carbon steel sanding. Heavy duty & shelling resistance (long life), waterproof.	BELTS	CC
SILICON CARBIDE - Paper / Cloth / Mesh				
Backing	WT.	Features and Applications	General Use	Coat
PAPER	B	Wood, Paint, Metal	DISCS, ROLLS, SHEETS	OC
PAPER	C, A	Metallurgical, composites, marble, granite, painted surfaces.	DISCS, ROLLS, SHEETS	CC
MESH	N/A	Drywall, Plumbing and Floor Sanding	DISCS, ROLLS, SHEETS	OC
COMBINATION	T	Floor Sanding.	DISCS, ROLLS, SHEETS	OC
PAPER	E	Floor Sanding. All purpose floor sanding product.	DISCS, ROLLS, SHEETS	OC
COTTON	X	Metal, Glass, Wood. Premium waterproof product.	BELTS, DISCS	CC
POLYESTER	Y, X	For glass, ceramic, artificial stone, asbestos, cement, non-ferrous	BELTS, DISCS, ROLLS	CC
SILICON CARBIDE / CORK - CLOTH				
Backing	WT.	Features and Applications	General Use	Coat
WATERPROOF COTTON	X	Fine metal finishing and polishing.	BELTS, DISCS, ROLLS	CC
CORK ONLY - CLOTH				
Backing	WT.	Features and Applications	General Use	Coat
WATERPROOF COTTON	X	Final polish on stainless steel, glass and porcelain. Produces a scratch free finish. Non abrasive.	BELTS, DISCS, ROLLS	CC
ZIRCONIA - Paper / Cloth				
Backing	WT.	Features and Applications	General Use	Coat
POLY/COTTON	Y, X	Fast cutting blend of Zirconia and Aluminum Oxide. Medium grinding applications. Mild steel, wood and stainless	BELTS, DISCS	CC
POLYESTER	Y	Fast cut in heavy grinding applications. Suitable for cast iron, nickel, stainless steel, and alloys.	BELTS, DISCS	CC
POLYESTER	Y	Fast cut in heavy grinding applications. Suitable for cast iron, nickel, stainless steel, and alloys. Grinding Aid reduces heat buildup.	BELTS, DISCS	CC
POLYESTER	Y	Fast cut in heavy grinding applications. Suitable for cast iron, nickel, stainless steel and alloys.	BELTS, DISCS	CC
PAPER	F	Widely used for sanding metal, grinding & finishing stainless steel, hard woods, composites or on other hard to grind substrates	BELTS, DISCS, ROLLS, SHEETS	CC

Appendix

Availability Chart

CERAMIC - Paper / Cloth																											
PRODUCT	12	16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000	
Blue Ceramic - 6S									C	C	C	C	C	C	C	C	C	C	C	C	C						
P963S				Y		Y	X	X	X	X	X	X															
R970									J	J		J															
NON WOVEN																											
PRODUCT											TAN			MAROON			BLUE			GREY							
SCRC											A-CRS			A-MED			A-VFN			S-UFN							
SCLS											A-CRS			A-MED			A-VFN			S-UFN							
SCHD											A-CRS			A-MED			A-VFN			S-UFN							
SCXF											A-CRS			A-MED			A-VFN			S-UFN							
PRODUCT															TAN			MAROON			BLUE						
SURFACE CONDITIONING QUICK CHANGE DISCS															A-CRS			A-MED			A-VFN						
SURFACE CONDITIONING EYELET STARS															A-CRS			A-MED			A-VFN						
PRODUCT								TAN			MAROON			MAROON			GREY			WHITE							
CLEAN & FINISH DISCS								A-CRS			A-MED			A-VFN			S-UFN			NON ABRASIVE							
PRODUCT															MAROON			MAROON			GREY						
CLEAN & FINISH ROLLS															A-MED			A-VFN			S-UFN						
PRODUCT								BROWN			GREEN			MAROON			GREY			WHITE							
CLEAN & FINISH HAND PADS								A-CRS			GENERAL PURPOSE			A-VFN			S-UFN			NON ABRASIVE							
FELT																											
PRODUCT																											
FELT Med/Hard (3/16" Thick) Blue & Black											NON ABRASIVE																
FELT MED (1/8" Thick) White											NON ABRASIVE																
FIBER																											
PRODUCT													16		24		36		60		80		100		120		
ALUMINUM OXIDE													FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		
ZIRCONIA													FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		
CERAMIC													FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		
SILICON CARBIDE													FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		FIBER		
FOAM HOOK & LOOP																											
PRODUCT									300		500		800		1000		1200		1500		2000		2500		3000		
ALUMINUM OXIDE FABRAFOAM									FOAM		FOAM		FOAM		FOAM		FOAM		FOAM		FOAM		FOAM		FOAM		
MESH HOOK & LOOP																											
PRODUCT					80		100		120		150		180		220		240		320		400		500		600		
ALUMINUM OXIDE FABRAMESH					MESH		MESH		MESH		MESH		MESH		MESH		MESH		MESH		MESH		MESH		MESH		

Appendix

Availability Chart

CERAMIC - Paper / Cloth				
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
PAPER	C	Premium ceramic alumina abrasive. Tough , cool cutting, with non loading stearate top coat.	DISCS, ROLLS, SHEETS	CC
POLYESTER	Y, X	Widely used for standard and heavy metal working applications, Dry sanding, Moderate pressure sanding	BELTS, DISCS, ROLLS, SHEETS	CC
POLY/ COTTON	J	Flexible free cutting ceramic product for the toughest grinding and finishing applications	BELTS, DISCS, ROLLS, SHEETS	CC
NON WOVEN				
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
NON WOVEN	N/A	Metal finishing and polishing, blending and deburring	BELTS, DISCS, SPECIALTIES	N/A
NON WOVEN	N/A	Metal finishing and polishing, blending and deburring	BELTS, DISCS, SPECIALTIES	N/A
NON WOVEN	N/A	Metal finishing and polishing, blending and deburring	BELTS, DISCS, SPECIALTIES	N/A
NON WOVEN	N/A	Metal finishing and polishing, blending and deburring	BELTS, DISCS, SPECIALTIES	N/A
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
NON WOVEN	N/A		SPECIALTIES	N/A
NON WOVEN	N/A		SPECIALTIES	N/A
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
NON WOVEN	N/A		DISCS	N/A
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
NON WOVEN	N/A		ROLLS	N/A
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
NON WOVEN	N/A		HAND PADS	N/A
FELT				
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
FELT	N/A	Final polishing or finishing step, use with polishing compounds	BELTS, DISCS	N/A
FELT	N/A	Final polishing or finishing step, use with polishing compounds	BELTS, DISCS	N/A
FIBER				
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
VULCANIZED RUBBER	N/A	Premium Aluminum Oxide abrasive last longer than comparable discs. Cool running. Economical.	DISC	CC
VULCANIZED RUBBER	N/A	Zirconia Alumina abrasive last 2-3 times longer than Aluminum Oxide discs and will excel when grinding stainless, exotic metals. Fast and aggressive cutting.	DISC	CC
VULCANIZED RUBBER	N/A	Ceramic discs last longer than most fiber discs especially on hardened alloys, stainless steel and titanium.	DISC	CC
VULCANIZED RUBBER	N/A	Silicon Carbide discs are excellent for fast cutting on non-ferrous metals, stone, terrazzo and ceramic.	DISC	CC
FOAM HOOK & LOOP				
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
COATED FABRIC ON FOAM	N/A	This special abrasive coated fabric on foam with a H&L attachment system provides a fine finishing product. It can be used on solid surface, composites, wood, automotive and metal polishing.	DISCS, ROLLS, SHEETS	SEMI
MESH HOOK & LOOP				
BACKING	WT	FEATURES AND APPLICATIONS	GENERAL USE	COAT
MESH HOOK & LOOP	N/A	The full resin bond open mesh design and Hook & Loop attachment system is a great non loading product for many tough jobs. It provides a dust free solution to many of the environmental concerns of today. Longer life is a net result.	DISCS, ROLLS, SHEETS	N/A



**GLOBAL
ABRASIVE
PRODUCTS**

A **DYNABRADE** Company

Reorder No. G25-01

**MANUFACTURING AND SALES
NEW YORK**

📍 62 Mill Street, Lockport, NY 14094
📞 716-438-0047 📠 716-438-9931
☎ 1-800-283-0483
✉ GAPSales@globalabrpro.com

**MANUFACTURING
NEW YORK**

📍 378 Niagara Street
Lockport, NY 14094

**VISIT OUR
WEBSITE**

🌐 GlobalAbrasiveProducts.com

